

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33344  
Name: Quest Cherokee, LLC  
Address: 211 W. 14th Street  
City/State/Zip: Chanute, KS 66720  
Purchaser: Bluestem Pipeline, LLC  
Operator Contact Person: Jennifer R. Ammann  
Phone: (620) 431-9500  
Contractor: Name: TXD  
License: 33837  
Wellsite Geologist: Ken Recoxy

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhnr./SWD  
 Plug Back \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled Docket No. \_\_\_\_\_  
 Dual Completion Docket No. \_\_\_\_\_  
 Other (SWD or Enhnr.?) Docket No. \_\_\_\_\_

<u>8/3/07</u>	<u>10/27/07</u>	<u>10/29/07</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 133-27054-0000

County: Neosho

\_\_\_\_ ne \_\_\_\_ se Sec. 12 Twp. 29 S. R. 18  East  West

2310 feet from (S) N (circle one) Line of Section

330 feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:

(circle one) NE (SE) NW SW

Lease Name: Beachner Bros Well #: 12-29-18-4

Field Name: Cherokee Basin CBM

Producing Formation: multiple

Elevation: Ground: 972 Kelly Bushing: n/a

Total Depth: 1311 Plug Back Total Depth: 1298.58

Amount of Surface Pipe Set and Cemented at 22 Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from 1298.58

feet depth to surface w/ 170 \_\_\_\_\_ sx.cmt.

A142-Dig-2/16/09

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls

Dewatering method used \_\_\_\_\_

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.


Signature: Jennifer R. Ammann

Title: New Well Development Coordinator Date: 11/30/07

Subscribed and sworn to before me this 30<sup>th</sup> day of November, 2007.

Notary Public: Terra Klauman

Date Commission Expires: 8-4-2010



KCC Office Use ONLY

Letter of Confidentiality Received 12/5/07  
 If Denied, Yes  No Date: RECEIVED  
 Wireline Log Received  
 Geologist Report Received DEC 05 2007  
 UIC Distribution  
CONSERVATION DIVISION  
WICHITA, KS

Operator Name: Quest Cherokee, LLC Lease Name: Beachner Bros Well #: 12-29-18-4  
 Sec. 12 Twp. 29 S. R. 18  East  West County: Neosho

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:  Compensated Density Neutron Log Dual Induction Log Gamma Ray Neutron Log	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum See attached
---	--

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4	8-5/8"	22	22	"A"	5	
Production	6-3/4	4-1/2	10.5	1298.58	"A"	170	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	961-964/905-907/900-902	500gal 15%HCLw/ 56 bbls 2%kcl water, 546bbls water w/ 2% KCL, Biocide, 6700# 20/40 sand	961-964/905-907
			900-902
4	696-698/658-661/634-636	300gal 15%HCLw/ 42 bbls 2%kcl water, 546bbls water w/ 2% KCL, Biocide, 4100# 20/40 sand	696-698/658-661
			634-636
4	555-559/542-546	300gal 15%HCLw/ 41 bbls 2%kcl water, 546bbls water w/ 2% KCL, Biocide, 5700# 20/40 sand	555-559/542-546

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
		2-3/8"	999	n/a		
Date of First, Resumerd Production, SWD or Enhr. 11/20/07			Producing Method			
			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Obbls	Gas-Oil Ratio	Gravity	
	n/a	0mcf				

Disposition of Gas  Vented  Sold  Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_



211 W. 14TH STREET,  
CHANUTE, KS 66720  
620-431-9500

TICKET NUMBER 2550

FIELD TICKET REF. #

FOREMAN Joe

TREATMENT REPORT  
& FIELD TICKET CEMENT

DATE	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
10-29-07	Beachner Bros 12-29-18-4	12	29	18	NO

FOREMAN / OPERATOR	TIME IN	TIME OUT	LESS LUNCH	TRUCK #	TRAILER #	TRUCK HOURS	EMPLOYEE SIGNATURE
Joe	10:00	5:15		903427		7.25	<i>Joe Beachner</i>
MAVERICK		4:15		903197		6.25	120
Tyler		4:15		903600		6.25	<i>Tyler</i>
TIM		5:00		903140	932452	7	<i>Tim</i>
Daniel		5:00		931420		7	<i>Daniel</i>

JOB TYPE Logging HOLE SIZE 6 3/4 HOLE DEPTH 1307 CASING SIZE & WEIGHT 4 1/2 10.5  
 CASING DEPTH 1298.58 DRILL PIPE \_\_\_\_\_ TUBING \_\_\_\_\_ OTHER \_\_\_\_\_  
 SLURRY WEIGHT 14.2 SLURRY VOL \_\_\_\_\_ WATER gal/sk \_\_\_\_\_ CEMENT LEFT in CASING 0  
 DISPLACEMENT 20.71 DISPLACEMENT PSI \_\_\_\_\_ MIX PSI \_\_\_\_\_ RATE 4 bpm

REMARKS:

INSTALLED cement head Ran 2 SKS gel & 14 bbl dye & 1 SK gel & 170 SKS of cement to get dye to surface. Flush pump. Pump w/ pin plug to bottom & set Flood shoe

1298.58	Ft 4 1/2 Casing
6	Centralizers
1	4 1/2 Flood shoe

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	TOTAL AMOUNT
903427	7.25 hr	Foreman Pickup	
903197	6.25 hr	Cement Pump Truck	
903600	6.25 hr	Bulk Truck	
1104	160 SK	Portland Cement	
1124		50/50 POZ Blend Cement	
1126	1	<del>OWC Blend Cement</del> 4 1/2" Wiper Plug	
1110	74 SK	Gilsonite	
1107	1.5 SK	Flo-Seal	
1118	6 SK	Premium Gel	
1215A	1 gal	KCL	
1111B	3 SK	Sodium Silicate <u>Calcchloride</u>	
1123	7000 gal	City Water	
903140	7 hr	Transport Truck	
932452	7 hr	Transport Trailer	
931420	7 hr	80 Vac	

RECEIVED  
QUEST CORPORATION COMMISSION  
DEC 05 2007  
OBSERVATION DIVISION  
WICHITA, KS