

*Handwritten:* 2/10/09

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Operator: License # 32710  
 Name: Laymon Oil II, LLC.  
 Address: 1998 Squirrel RD  
 City/State/Zip: Neosho Falls, KS 66758  
 Purchaser: Coffeyville Resources  
 Operator Contact Person: Michael Laymon  
 Phone: (620) 963-2495  
 Contractor: Name: Company tools LAYMON OIL II, LLC  
 License: 32710  
 Wellsite Geologist: none  
 Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SLOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)  
 If Workover/Re-entry: Old Well Info as follows:  
 Operator: \_\_\_\_\_  
 Well Name: \_\_\_\_\_  
 Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_  

09-07-2008	09-08-2008	12-04-2008
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 207-27431-0000  
 County: Woodson  
 NE  NE  NW  SE  Sec. 29 Twp. 23 S. R. 16  East  West  
2475 feet from  N (circle one) Line of Section  
1485 feet from  W (circle one) Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 (circle one) NE  SE  NW  SW  
 Lease Name: Robison Well #: 27-08  
 Field Name: Vernon  
 Producing Formation: Squirrel  
 Elevation: Ground: 1112 Kelly Bushing: \_\_\_\_\_  
 Total Depth: 1180 Plug Back Total Depth: 1176  
 Amount of Surface Pipe Set and Cemented at 47' Feet  
 Multiple Stage Cementing Collar Used?  Yes  No  
 If yes, show depth set \_\_\_\_\_ Feet  
 If Alternate II completion, cement circulated from 47'  
 feet depth to Surface w/ 10 sx cmt.  
**Drilling Fluid Management Plan** AH I NR 3-5-09  
 (Data must be collected from the Reserve Pit)  
 Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
 Dewatering method used \_\_\_\_\_  
 Location of fluid disposal if hauled offsite: \_\_\_\_\_  
 Operator Name: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
 Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
 County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

*Handwritten:* RABINS

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Michael Laymon  
 Title: owner Date: 1-26-09  
 Subscribed and sworn to before me this 26 day of January, 2009.  
 Notary Public: Rachelle Laymon  
 Date Commission Expires: 07/2012

**KCC Office Use ONLY**

Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

**RECEIVED**  
 KANSAS CORPORATION COMMISSION  
**JAN 29 2009**

NOTARY PUBLIC - State of Kansas  
 RACHELLE LAYMON  
 My Appt. Expires 07/11/2012

CONSERVATION DIVISION  
 WICHITA, KS

Operator Name: Laymon Oil II, LLC. Lease Name: Robison Well #: 27-08  
 Sec. 29 Twp. 23 S. R. 16  East  West County: Woodson

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run: <i>neck. 1 log w/ACOI:</i> <i>BR/NEUTRON/CC</i>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum
---	--

*kel  
Ym  
2/24/09*

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10 1/4"	8 5/8"	24#	47'	common	10	
Production	6 1/8"	2 7/8"	6.5#	1176	portland	160	
Tubing		1"	1.8#	1076			

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	
		Amount and Kind of Material Used	Depth
3	1085 - 1100	100 gal HCL acid frac 7500# sand	1085 - 1100

**RECEIVED**  
**KANSAS CORPORATION COMMISSION**  
**JAN 29 2009**

TUBING RECORD		Size	Set At	Packer At	Liner Run	CONSERVATION DIVISION WICHITA, KS	
					<input type="checkbox"/> Yes <input type="checkbox"/> No		
Date of First, Resumerd Production, SWD or Enhr. 12-05-08			Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)				
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity		
	1.5						

Disposition of Gas **METHOD OF COMPLETION** Production Interval

Vented  Sold  Used on Lease  Open Hole  Perf.  Dually Comp.  Commingled  
*(If vented, Submit ACO-18.)*  Other (Specify) \_\_\_\_\_

Laymon Oil II, LLC  
1998 Squirrel Road  
Neosho Falls, KS. 66758

620-963-2495

fax 620-963-2921

Laymon Oil II, LLC  
1998 Squirrel Road  
Neosho Falls, KS. 66758

Robison #27-08  
API: 15-207-27431  
Spud Date: 09-07-2008  
Comp. Date: 09-08-2008  
29-23-16 WO CO

Formation	From	To
Soil & Clay	0	16
Shale	16	78
Lime	78	86
Shale	86	300
Lime	300	356
Lime & Shale	356	495
Shale	495	520
Lime	520	560
Black Shale	560	565
Shale	565	600
Lime	600	610
Lime & Shale	610	630
Kansas City Lime	630	734
Big Shale	734	920
Shale	920	930
Lime	930	967
Shale	967	991
Lime	991	1027
Shale	1027	1062
Lime	1062	1066
Black Shale	1066	1078
Shale	1078	1081
Upper Sand	1081	1100
Shale	1100	1180
Total Depth		1180

Set 47' of 8 5/8" surface, cemented with 10 sks.  
Ran 1176' of 2 7/8" pipe  
Seating nipple @ 1076

RECEIVED  
KANSAS CORPORATION COMMISSION

JAN 29 2009

CONSERVATION DIVISION  
WICHITA, KS

Phone 365-2201

Locally Owned and Operated

"Courtesy" - "Quality" - "Service"

Since 1903

# THE NEW KLEIN LUMBER CO., INC.

MADISON & WALNUT

IOLA, KANSAS,

*Aug 28*

, 20 *08*

P.O. No.

SOLD TO

*Raynor Oil II*

Billing Address

Delivered To

Loaded By

Hauled By

QUANTITY	DESCRIPTION	FEET	PRICE	TOTAL
<i>150</i>	<i>Sacks P Cement</i>	<i>150</i>	<i>8<sup>50</sup></i>	<i>1348 50</i>
			<i>Tax</i>	<i>98 44</i>
				<i>1446 94</i>
	<i>10 Sacks Robison 27-08</i>			

NOTICE: ACCOUNTS ARE DUE BY THE 10th OF THE MONTH. PAST DUE ACCOUNTS ARE SUBJECT TO FINANCE CHARGE COMPUTED AT 1-1/2% PER MONTH ON THE BALANCE, ANNUAL PERCENTAGE RATE OF 18%.

X \_\_\_\_\_  
RECEIVED ABOVE IN GOOD ORDER


RECEIVED  
KANSAS CORPORATION COMMISSION

JAN 29 2009

CONSERVATION DIVISION  
WICHITA, KS

802 N. Industrial Rd.  
 P.O. Box 664  
 Iola, Kansas 66749  
 Phone: (620) 365-5588

# Payless Concrete Products, Inc.



**CONDITIONS**  
 Concrete to be delivered to the nearest accessible point over passable road under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damage in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allowed time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.  
**NOTICE TO OWNER**  
 Failure of the contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLD TO:

LOADS:  
 LAYMON OIL  
 1998 BOWLING RD

NEOSHOMO, MISSOURI 64758

SHIP TO:

LOADS:  
 LAYMON OIL  
 54 W. THUNDERBOLT RD TO 200TH RD  
 W. 6 MI TO CHEVY RD IN 1/2 MI  
 W. SIDE DOUBLE GATE  
 NEOSHOMO, MISSOURI 64758

TIME	FORMULA	MIN. LOAD SIZE	YARDS ORDERED	CY. CAL	DRIVER/TRUCK	PLANT/TRANSACTION #
02:12:58p	WELL	8.00 yd	15.00 yd	0.00	BT 34 3-AIR 0.00	
DATE	LOAD #	YARDS DEL.	BATCH #	WATER/TRIM	TS/UMR	TICKET NUMBER
09-08-08	2	15.00 yd	6378		4.00 in	21785

**WARNING**  
**IRRITATING TO THE SKIN AND EYES**  
 Contains Portland Cement, Water Reducer, Soda and Glycol. PROLONGED CONTACT MAY CAUSE BURNS, AVOID CONTACT WITH EYES AND PROTECT CONTACT WITH SKIN OR EYES. KEEP CHILDREN AWAY FROM CONCRETE. CONCRETE IS A PERISHABLE COMMODITY AND RESUMES THE PRIVILEGE OF PURCHASE UPON LEAVING THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS. The undersigned assumes no responsibility for any damages caused by the use of concrete in collecting any sums owed. All payments not paid within 30 days of delivery will bear interest at the rate of 2% per annum. Not responsible for excessive aggregate or coarse chisel. No Claim Allowed unless Made at Time Material is Delivered. A \$25 Service Charge for Loss of the Cash Receipt will be assessed on all returned checks. Excess Delay Time Charge @ \$500/hr.

**PROPERTY DAMAGE RELEASE**  
 (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) I, the undersigned, the driver of this truck, on releasing the RELEASE to you, for your signature (if of the corporation, the name and weight of the truck), hereby release the Payless Concrete Company, its drivers, employees, agents, representatives, independent contractors, and others, from any and all claims, damages, losses, and expenses, including reasonable attorneys' fees, that may be asserted against or incurred by the Payless Concrete Company, its drivers, employees, agents, representatives, independent contractors, and others, for or on behalf of the Payless Concrete Company, its drivers, employees, agents, representatives, independent contractors, and others, in connection with the use of the concrete delivered by me to you, at the time and place specified hereon, for any and all claims, damages, losses, and expenses, including reasonable attorneys' fees, that may be asserted against or incurred by the Payless Concrete Company, its drivers, employees, agents, representatives, independent contractors, and others, for or on behalf of the Payless Concrete Company, its drivers, employees, agents, representatives, independent contractors, and others, in connection with the use of the concrete delivered by me to you, at the time and place specified hereon.

**Excessive Water is Detrimental to Concrete Performance**  
 H<sub>2</sub>O Added By Request/Authorized By:  
 GAL X  
 WEIGHMASTER:  
 NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.  
 LOAD RECEIVED BY:  
 X *Michael...*

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.00	WELL	WELL (80 SACKS PER UNIT)	69.00	552.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION / CYLINDER TEST TAKEN	TIME ALLOWED
		3:35	JOB NOT READY SLOW POUR ON PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN ADDED WATER	3:35
		3:00	TRUCK BROKE DOWN ACCIDENT CLOTATION MATERIAL	3:00

Sub Total	\$ 552.00
Tax @ 6.300	\$ 34.78
Total	\$ 586.78
Order #	1266.57
<b>ADDITIONAL CHARGE 1</b>	
<b>ADDITIONAL CHARGE 2</b>	
<b>GRAND TOTAL</b>	<b>\$ 1266.57</b>

*Kel  
you  
12/04/09*

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 JAN 29 2009  
 CONSERVATION DIVISION  
 WICHITA, KS



802 N. Industrial Rd.  
P.O. Box 664  
Iola, Kansas 66749  
Phone: (620) 365-5588

# Payless Concrete Products, Inc.



**CONDITIONS:**  
Concrete to be delivered to the nearest accessible point over passable road under truck's own power. Due to delivery at owner's or intermediary's direction, Payless assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allowed time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength of mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

**NOTICE TO OWNER:**  
Failure of this Contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLD TO:

LAG005  
LAYMON OIL, L.L.C.  
1998 SQUIRREL RD

SHIP TO:

LAYMON OIL  
LAYMON OIL  
5400 SQUAWBERRY LN STE 1200  
W 6 MI TO SQUAW RD IN  
W 50 DOUBLE GATE  
NE 19th St IOLA, KS 66749

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	YARDS DELIVERED	DRIVER/TRUCK	PLANT/TRANSACTION
02:01:05p	WELL	8.00 yd	16.00 YD	16.00 YD	BT 34	LAG005
DATE	to Date	LOAD	YARDS ORDERED	YARDS DELIVERED	WATER TRIM	TICKET NUMBER
09-08-08	Today	8.00 yd	16.00 YD	16.00 YD	4.00 in	21784

**WARNING**  
**IRRITATING TO THE SKIN AND EYES**  
Contains Portland Cement, Wear Rubber Boots and Gloves. AVOID EYE CONTACT. WASH EYES IMMEDIATELY WITH WATER. IF CONTACT WITH SKIN, WASH IMMEDIATELY WITH WATER. IF CONTACT WITH SKIN, WASH IMMEDIATELY WITH WATER. IF CONTACT WITH SKIN, WASH IMMEDIATELY WITH WATER. ATTENTION: KEEP CHILDREN AWAY FROM THIS PRODUCT.

CONCRETE IS A PERISHABLE COMMODITY AND BECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorney fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 2% per month.

Not Responsible for Reseal, Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charge @ \$50/Hr.

**PROPERTY DAMAGE RELEASE**  
TO BE SIGNED AT DELIVERY TO BE MADE INSIDE CURB LINE.  
I, the undersigned, hereby release, defend, hold harmless and agree to indemnify the driver of the truck for any and all damages and/or expenses caused by the driver's negligence or willful and wanton acts, and for the delivery of this concrete, and that the undersigned agrees to indemnify the driver of the truck and the supplier for any and all damages to the premises and/or property which may be caused by anyone to have possession of delivery of this concrete.

**Excessive Water is Detrimental to Concrete Performance**  
H<sub>2</sub>O Added By Request/Authorized By

GAL X

WEIGHMASTER  
*[Signature]*

**NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.**

LOAD DELIVERED BY  
X *[Signature]*

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.00	WELL	WELL (NO BACKS PER UNIT)	8.00	64.00
1.75	TRUCKING	TRUCKING CHARGE	1.75	30.75
				552.00
				87.50

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY/EXPLANATION/CY UNDER TEST TAKEN	TIME ALLOWED	SubTotal
		3:35	1. JOB NOT READY 2. SLOW POUR OR STOP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	TRUCK BROKE DOWN ACCIDENT CITATION OTHER	639.50
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE	Tax 7.6300
2:25	2:56	3:00			Total \$ 679.79
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	Order \$ 679.79
					ADDITIONAL CHARGE 1
					ADDITIONAL CHARGE 2
					<b>GRAND TOTAL</b>

*[Handwritten signature]*  
2/04/09

RECEIVED  
KANSAS CORPORATION COMMISSION  
JAN 29 2009  
CONSERVATION DIVISION  
WICHITA, KS