

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

*12/27/09*

Operator: License # 32710  
Name: Laymon Oil II, LLC.  
Address: 1998 Squirrel Rd  
City/State/Zip: Neosho Falls, KS 66783  
Purchaser: Coffeyville Resources  
Operator Contact Person: Michael Laymon  
Phone: ( 620 ) 963-2495  
Contractor: Name: Company Tools LAYMON OIL II, LLC  
License: 32710  
Wellsite Geologist: none

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Dual Completion \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) \_\_\_\_\_ Docket No. \_\_\_\_\_

09-09-2008	09-10-2008	12-04-2008
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 207-27435-5000  
County: Woodson  
SE    NW    SE    NE    Sec. 29 Twp. 23 S. R. 16  East  West  
3380 feet from (S) N (circle one) Line of Section  
860 feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE (SE) NW SW  
Lease Name: Robison Well #: 38-08  
Field Name: Vernon

Producing Formation: Squirrel  
Elevation: Ground: 1106 Kelly Bushing: \_\_\_\_\_  
Total Depth: 1180 Plug Back Total Depth: 1178  
Amount of Surface Pipe Set and Cemented at 44' Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from 44'  
feet depth to Surface w/ 10 sx cmt.

*Per ROBISON*

Drilling Fluid Management Plan Air II NCR 3-5-09  
(Data must be collected from the Reserve Pit)  
Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Michael Laymon  
Title: \_\_\_\_\_ Date: 1-26-09  
Subscribed and sworn to before me this 26<sup>th</sup> day of January,  
2009.  
Notary Public: Rachelle Laymon  
Date Commission Expires: 07-11-2012


**KCC Office Use ONLY**

Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

**RECEIVED**  
KANSAS CORPORATION COMMISSION

JAN 29 2009

CONSERVATION DIVISION  
WICHITA KS



Operator Name: Laymon Oil II, LLC. Lease Name: Robison Well #: 38-08  
 Sec. 29 Twp. 23 S. R. 16  East  West County: Woodson

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
List All E. Logs Run:	<i>rec'd 1 log w/ ACOI: GR/NEUTRON/CEL</i>			<i>SEE ATTD.</i>

*llc  
2/4/09*

**CASING RECORD**  New  Used  
 Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10 1/4"	8 5/8"	24#	44'	common	10	
Production	6 1/8"	2 7/8"	6.5#	1178'	portland	160	
Tubing		1"	1.8#	1076			

**ADDITIONAL CEMENTING / SQUEEZE RECORD**

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
3	1079-1098	100 gal HCL acid; frac with 75 sacks sand	1079-1098

**RECEIVED**  
 KANSAS CORPORATION COMMISSION  
**JAN 29 2009**  
 CONSERVATION DIVISION  
 WICHITA, KS

<b>TUBING RECORD</b>		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. 12-05-2008		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)				
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity	
	1					

Disposition of Gas **METHOD OF COMPLETION** Production Interval

Vented  Sold  Used on Lease  Open Hole  Perf.  Dually Comp.  Commingled  
*(If vented, Submit ACO-18.)*  Other (Specify) \_\_\_\_\_

**Laymon Oil II, LLC  
1998 Squirrel Road  
Neosho Falls, KS. 66758**

**620-963-2495**

**fax 620-963-2921**

Laymon Oil II, LLC  
1998 Squirrel Road  
Neosho Falls, KS. 66758

Robison #38-08  
API: 15-207-27435  
Spud Date: 09-09-2008  
Comp. Date: 09-10-2008  
29-23-16 WO CO

Formation	From	To
Soil & Clay	0	17
Shale	17	78
Lime	78	82
Shale	82	277
Lime & Shale	277	370
Lime	370	580
Shale	580	595
Lime	595	678
Black Shale	678	683
Lime	683	740
Shale	740	940
Lime & Shale	940	998
Shale	998	1015
Lime	1015	1022
Shale	1022	1038
Lime	1038	1044
Shale	1044	1052
Lime	1052	1055
Black Shale	1055	1064
Lime	1064	1066
Black Shale	1066	1070
Shale	1070	1077
Sand Upper	1077	1107
Shale	1107	1180
Total Depth		1180

Set 44' of 8 5/8" surface, cemented with 10 sks.  
Ran 1178' of 2 7/8" pipe  
Seating nipple @ 1076

**RECEIVED**  
KANSAS CORPORATION COMMISSION

**JAN 29 2009**

CONSERVATION DIVISION  
WICHITA, KS

Phone 365-2201

Locally Owned and Operated

"Courtesy" - "Quality" - "Service"

Since 1903

# THE NEW KLEIN LUMBER CO., INC.

P.O. No.

MADISON & WALNUT

IOLA, KANSAS,

Aug 28

, 20 08

SOLD TO Layman Oil II

Billing Address

Delivered To

Loaded By

Hauled By

QUANTITY	DESCRIPTION	FEET	PRICE	TOTAL
150	Sacks P Cement	150	8 <sup>99</sup>	1348 50
			tax	98 44
				<u>1446 94</u>
	10 sacks Robinson 27-08			
	10 sacks Robinson 38-08			

**NOTICE: ACCOUNTS ARE DUE BY THE 10th OF THE MONTH. PAST DUE ACCOUNTS ARE SUBJECT TO FINANCE CHARGE COMPUTED AT 1-1/2% PER MONTH ON THE BALANCE, ANNUAL PERCENTAGE RATE OF 18%.**

RECEIVED ABOVE IN GOOD ORDER

RECEIVED  
KANSAS CORPORATION COMMISSION

JAN 29 2009

CONSERVATION DIVISION  
WICHITA, KS

802 N. Industrial Rd.  
P.O. Box 664  
Iola, Kansas 66749  
Phone: (620) 365-5588

**Payless Concrete Products, Inc.**



**CONDITIONS**  
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.  
**NOTICE TO OWNER**  
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LAG95  
LAYMEN OIL  
1994 BENTON RD

LA1/23  
LAYMEN OIL  
5A W. TOWELL RD  
W. 1/2 SECTION 10, T12N, R10E, S10E  
TO 1900  
NEDSKY

TIME	FORMULA	WATER SIZE	YARDS ORDERED	CAL	BT	AIR	PLANT/TRANSACTION #
12:24:38p	WELL	8.00 yd	14.00 yd	0.00	34	0.00	
DATE	To Date	LOAD	YARDS DEL	BATCH#	WATER IN	SLUMP	TICKET NUMBER
09-11-08	Today	1	8.00 yd	6615		4.00 in	21812

**WARNING**  
**IRRITATING TO THE SKIN AND EYES**  
Contains Portland Cement, Waste Rubber, and other materials. Prolonged contact may cause burns. Avoid contact with skin and eyes. If contact occurs, flush immediately with water. Contact with Skin of Eyes, Flush Thoroughly. If Irritation Occurs, Seek Medical Attention. KEEP CHILDREN AWAY.  
CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.  
The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.  
All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.  
Not Responsible for Relative Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.  
A \$25 Service Charge and Loss of the Cash Discount will be applied on all Returned Checks.  
Excess Delay/Time Charged @ \$50/HR.

**PROPERTY DAMAGE RELEASE**  
(To be signed prior to delivery to be made inside curb line)  
Dear Customer: The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in the load where you desire it. It is our wish to help you in every way that we can, but in order to do this we driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility for any damage that may occur to the premises and/or adjacent buildings, sidewalks, driveways, curbs, etc. by the backing of this truck, and that you also agree to help him remove any damage to the premises of his vehicle so that it will not litter the public street. In the additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier from any damage to the premises and/or adjacent property which may be caused by anyone to have been out of delivery of this truck.  
SIGNED \_\_\_\_\_  
X

**Excessive Water is Detrimental to Concrete Performance**  
**H<sub>2</sub>O Added By Request/Authorized By**  
GAL X \_\_\_\_\_  
ROBSON  
ROBSON  
38-08  
NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.  
LOAD RECEIVED BY: \_\_\_\_\_  
X

QUANTITY	CODE	DESCRIPTION	PRICE	EXTENDED PRICE
8.00	WELL	WELL (10 BAGS PER YARD)	6.00	
2.00	TRUCKING	TRUCKING CHARGE	2.00	

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CAUSE	TEST TAKEN	TIME ALLOWED	SubTotal \$
			JOB NOT READY SLOW POUR OR RAIN TRUCK AHEAD OF JOB CONTRACTOR BROKE DOWN ADDED WATER	TRUCK BROKE DOWN ACCIDENT CITATION OTHER		
LEFT PLANT	ARRIVED JOB	START UNLOADING			TIME DUE	Tax % 6.300
	1:23	1:24				Total \$
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	Order \$
						ADDITIONAL CHARGE 1
						ADDITIONAL CHARGE 2
<b>GRAND TOTAL</b>						

*Ken  
Jim  
Holtz*

RECEIVED  
KANSAS CORPORATION COMMISSION  
JAN 29 2009  
CONSERVATION DIVISION  
WICHITA, KS

802 N. Industrial Rd.  
P.O. Box 664  
Iola, Kansas 66749  
Phone: (620) 365-5588

# Payless Concrete Products, Inc.



**CONDITIONS**  
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

**NOTICE TO OWNER**  
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA005  
LAYMON OIL, L.L.C.  
1998 SQUIRREL RD.

NEOSHO FALLS MO  
66758

LA11/E  
LAYMON OIL  
54 N TO WILLOW N TO 200TH RD  
W 6 MI TO QUAIL RD N 1/2 MI  
W SD DOUBLE GATE  
NEOSHO FALLS, KS 66758

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	CAL	DRIVER/TRUCK	X AIR	PLANT/TRANSACTION #
12:34:46p	WELL	8.00 yd	16.00 yd	0.00	34	0.00	
DATE	To Date	LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
09-11-00	Today	1	8.00 yd	6616		4.00 in	21813

**WARNING**  
**IRRITATING TO THE SKIN AND EYES**  
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed; Unsets Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

**PROPERTY DAMAGE RELEASE**  
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and his supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED \_\_\_\_\_

X

**Excessive Water is Detrimental to Concrete Performance**  
H<sub>2</sub>O Added By Request/Authorized By \_\_\_\_\_

GAL X \_\_\_\_\_

WEIGHMASTER  
*Robinson*

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY  
X *Robinson*

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.00	WELL	WELL (10 BAGS PER UNIT)	69.00	552.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	SubTotal \$	552.00
			<ul style="list-style-type: none"> <li>1. JOB NOT READY</li> <li>2. SLOW POUR OR PUMP</li> <li>3. TRUCK AHEAD ON JOB</li> <li>4. CONTRACTOR BROKE DOWN</li> <li>5. ADDED WATER</li> <li>6. TRUCK BROKE DOWN</li> <li>7. ACCIDENT</li> <li>8. CITATION</li> <li>9. OTHER</li> </ul>		Tax % 6.300	34.78
					Total \$	586.78
					Order \$	586.78
					ADDITIONAL CHARGE 1	_____
					ADDITIONAL CHARGE 2	_____
					<b>GRAND TOTAL</b>	<b>586.78</b>

*See attch.  
file  
Jim  
2/04/09*

RECEIVED  
KANSAS CORPORATION COMMISSION  
JAN 29 2009  
CONSERVATION DOWNSIDE  
WYATT, KS