For KCC Use:

Effective Date:

District #

SGA?

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:Ap		2009	Spot Description:	
	onth day	year		1. <u>11</u> ∏E⊠w
OPERATOR: License#	25 🗸		(0/0/0/0) 380 330 per feet from X N /	
Name: Buffalo Resources, LLC				W Line of Section
Address 1: 301 Commerce Street, 5	Suite 1380		Is SECTION: Regular X Irregular?	
Address 2:	1,0,00		(Note: Locate well on the Section Plat on reven	se side)
City: Fort Worth		2 +	County: Russell	
Contact Person: Matthew Flanery Phone: (817) 870-2707			Lease Name: Mog	Well #: 1-28
			Field Name: Davidson	
CONTRACTOR: License#5929	/	· · · · · · · · · · · · · · · · · · ·	Is this a Prorated / Spaced Field?	Yes No
Name: Duke Drilling Company, Inc.			Target Formation(s): Lansing, Arbuckle	
Well Drilled For:	Well Class: Type E	quipment:	Nearest Lease or unit boundary line (in footage): 386 33	
⊠Oil Enh Rec		lud Rotary	Ground Surface Elevation: 1750.4	feet MSL
Gas Storage		ir Rotary	Water well within one-quarter mile:	Yes X No
Disposal		able	Public water supply well within one mile:	Yes X No
Seismic ; # of Holes			Depth to bottom of fresh water: 340'	
Other:			Depth to bottom of usable water:	
			Surface Pipe by Alternate: XI III	
If OWWO: old well informa	ition as follows:		Length of Surface Pipe Planned to be set:	
Operator:			Length of Conductor Pipe (if any):	
Well Name:			Projected Total Depth: 3400'	
Original Completion Date:	Original Total D	epth:	Formation at Total Depth: Arbuckle	
			Water Source for Drilling Operations:	
Directional, Deviated or Horizontal		Yes No	Well Farm Pond Other:	
If Yes, true vertical depth:			DWR Permit #:	
Bottom Hole Location: KCC DKT #:			(Note: Apply for Permit with DWR	
NOO DRI #.				Yes X No
			Will Cores be taken?	
			If Yes, proposed zone:	
			If Yes, proposed zone:	RECEIVED
The undersigned hereby affirms		AFFI	If Yes, proposed zone: KANSAS IDAVIT Idaging of this well will comply with K.S.A. 55 et. seg.	RECEIVED CORPORATION COMMISSION
•	that the drilling, completi	AFFI on and eventual plug	If Yes, proposed zone: KANSAS IDAVIT Idaging of this well will comply with K.S.A. 55 et. seg.	RECEIVED CORPORATION COMMISSION
It is agreed that the following min	that the drilling, completi	AFFI on and eventual plug be met:	If Yes, proposed zone: KANSAS Iging of this well will comply with K.S.A. 55 et. seq.	RECEIVED CORPORATION COMMISSION APR 0 8 2009
It is agreed that the following min 1. Notify the appropriate distr	that the drilling, completi nimum requirements will l rict office <i>prior</i> to spuddi	AFFI on and eventual plug be met: ng of well;	If Yes, proposed zone: KANSAS Iging of this well will comply with K.S.A. 55 et. seq.	RECEIVED CORPORATION COMMISSION APR 0 8 2009
It is agreed that the following min 1. Notify the appropriate distr 2. A copy of the approved no 3. The minimum amount of s	that the drilling, completi nimum requirements will t rict office <i>prior</i> to spuddin tice of intent to drill shall surface pipe as specified	AFFI on and eventual plug be met: ng of well; I be posted on each of below shall be set by	If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe she	RECEIVEL CORPORATION COMMISSINAPR 0 8 2009
It is agreed that the following min 1. Notify the appropriate disti 2. A copy of the approved no 3. The minimum amount of s through all unconsolidated	that the drilling, completinimum requirements will the rict office prior to spuddintice of intent to dritt shall surface pipe as specified to materials plus a minimu	AFFI on and eventual plug be met: ng of well; I be posted on each of below shall be set by m of 20 feet into the	If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; It is a comply with K.S.A. 55 et. seq. Idrilling rig; It is a comply with K.S.A. 55 et. seq. Idrilling rig; It is a complete with the complet	RECEIVEL CORPORATION COMMISSINAPR 0 8 2009 NSERVATION DIVISION ON BUILDING HEAD THAT IS NOT THE PROPERTY OF T
It is agreed that the following min 1. Notify the appropriate disti 2. A copy of the approved no 3. The minimum amount of s through all unconsolidated 4. If the well is dry hole, an a	that the drilling, completinimum requirements will be the control of the control	AFFI on and eventual plug be met: ng of well; I be posted on each of below shall be set by m of 20 feet into the perator and the distri	IDAVIT WANSAS Iging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe she underlying formation. Ict office on plug length and placement is necessary prior to	RECEIVEL CORPORATION COMMISSINAPR 0 8 2009 NSERVATION DIVISION ON BUILDING HEAD THAT IS NOT THE PROPERTY OF T
It is agreed that the following min 1. Notify the appropriate dists 2. A copy of the approved no 3. The minimum amount of s through all unconsolidated 4. If the well is dry hole, an a 5. The appropriate district of	that the drilling, completinimum requirements will burict office prior to spuddintice of intent to drill shall surface pipe as specified buriant a minimum agreement between the office will be notified before	AFFI on and eventual plug be met: ng of well; I be posted on each of below shall be set by m of 20 feet into the perator and the district well is either plugge	IDAVIT KANSAS IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Y circulating cement to the top; in all cases surface pipe shaunderlying formation. Ict office on plug length and placement is necessary prior to the production casing is cemented in;	RECEIVEL CORPORATION COMMISSION APR 0 8 2009 NSERVATION DIVISION OF THE PROPERTY OF THE PROPE
It is agreed that the following min 1. Notify the appropriate dists 2. A copy of the approved no 3. The minimum amount of some through all unconsolidated 4. If the well is dry hole, an a 5. The appropriate district off 6. If an ALTERNATE II COME	that the drilling, completinimum requirements will be the completion of the completi	AFFI on and eventual plug be met: ng of well; I be posted on each of below shall be set by m of 20 feet into the perator and the district e well is either plugge e shall be cemented	IDAVIT WANSAS Iging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe she underlying formation. Ict office on plug length and placement is necessary prior to	RECEIVEL CORPORATION COMMISSINAPR 0 8 2009 NSERVATION DIVISION DIVISIONI
It is agreed that the following min 1. Notify the appropriate districtions 2. A copy of the approved no 3. The minimum amount of some through all unconsolidated 4. If the well is dry hole, an arange of the appropriate district off 6. If an ALTERNATE II COMINION OF pursuant to Appendix 19	that the drilling, completinimum requirements will be trict office prior to spudding to the pipe as specified and the pipe as specified and the pipe as a minimula greement between the optice will be notified before PLETION, production pip B" - Eastern Kansas suffices will be sufficed.	AFFI on and eventual plug be met: ng of well; I be posted on each o below shall be set b m of 20 feet into the perator and the distri e well is either plugge e shall be cemented ace casing order #13	IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shaunderlying formation. ict office on plug length and placement is necessary prior to do or production casing is cemented in; from below any usable water to surface within 120 DAYS of	RECEIVEL CORPORATION COMMISSION APR 0 8 2009 NSERVATION DIVISION OF Plugging; If spud date. It is cementing
It is agreed that the following min 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of s through all unconsolidated 4. If the well is dry hole, an a 5. The appropriate district off 6. If an ALTERNATE II COMI Or pursuant to Appendix "I must be completed within	that the drilling, completinimum requirements will be the complete of intent to drill shall be described by the complete of intent to drill shall be described by the complete of intent to drill shall be described by the complete of intent to the complete of the complete	AFFI on and eventual plug be met: ng of well; I be posted on each of below shall be set by m of 20 feet into the perator and the district e well is either plugge e shall be cemented ace casing order #13 or the well shall be p	IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shaunderlying formation. ict office on plug length and placement is necessary prior to ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of 13,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any control of the cases.	RECEIVEL CORPORATION COMMISSION APR 0 8 2009 NSERVATION DIVISION OF Plugging; If spud date. It is cementing
It is agreed that the following min 1. Notify the appropriate dist: 2. A copy of the approved no 3. The minimum amount of s through all unconsolidated 4. If the well is dry hole, an a 5. The appropriate district off 6. If an ALTERNATE II COMFO OF pursuant to Appendix "I must be completed within I hereby certify that the statement	that the drilling, completinimum requirements will the control of the specified of the control o	AFFI on and eventual plug be met: ing of well; I be posted on each of below shall be set by im of 20 feet into the perator and the district e well is either plugge e shall be cemented ace casing order #13 or the well shall be pand correct to the be	IDAVIT Grilling rig; y circulating cement to the top; in all cases surface pipe shaunderlying formation. ct office on plug length and placement is necessary prior to all or production casing is cemented in; from below any usable water to surface within 120 DAYS of 13,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any cost of my knowledge and belief. Land Man	RECEIVED CORPORATION COMMISSION APR 0 8 2009 NSERVATION DIVISION OF THE PROPERTY OF THE PROPE
It is agreed that the following min 1. Notify the appropriate dist: 2. A copy of the approved no 3. The minimum amount of s through all unconsolidated 4. If the well is dry hole, an a 5. The appropriate district off 6. If an ALTERNATE II COMI Or pursuant to Appendix "I must be completed within I hereby certify that the statement	that the drilling, completinimum requirements will be the complete of intent to drill shall be described by the complete of intent to drill shall be described by the complete of intent to drill shall be described by the complete of intent to the complete of the complete	AFFI on and eventual plug be met: ing of well; I be posted on each of below shall be set by im of 20 feet into the perator and the district e well is either plugge e shall be cemented ace casing order #13 or the well shall be pand correct to the be	IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe sha underlying formation. Ict office on plug length and placement is necessary prior to do or production casing is cemented in; from below any usable water to surface within 120 DAYS of 13,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any court of the plugged of the length of	RECEIVED CORPORATION COMMISSION APR 0 8 2009 NSERVATION DIVISION OF THE PROPERTY OF THE PROPE
It is agreed that the following min 1. Notify the appropriate distriction 2. A copy of the approved no 3. The minimum amount of some through all unconsolidated 4. If the well is dry hole, an and 5. The appropriate district off 6. If an ALTERNATE II COMING Or pursuant to Appendix for must be completed within I hereby certify that the statement Date: April 6, 2009	that the drilling, completinimum requirements will be the control of the completion	AFFI on and eventual plug be met: ing of well; I be posted on each of below shall be set by im of 20 feet into the perator and the district e well is either plugge e shall be cemented ace casing order #13 or the well shall be pand correct to the be	IDAVIT Grilling rig; y circulating cement to the top; in all cases surface pipe shaunderlying formation. ct office on plug length and placement is necessary prior to all or production casing is cemented in; from below any usable water to surface within 120 DAYS of 13,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any cost of my knowledge and belief. Land Man	RECEIVED CORPORATION COMMISSION APR 0 8 2009 NSERVATION DIVISION OF THE PROPERTY OF THE PROPE
It is agreed that the following min 1. Notify the appropriate dist: 2. A copy of the approved no 3. The minimum amount of s through all unconsolidated 4. If the well is dry hole, an a 5. The appropriate district off 6. If an ALTERNATE II COMI Or pursuant to Appendix "I must be completed within I hereby certify that the statemer Date: April 6, 2009 S For KCC Use ONLY	that the drilling, completinimum requirements will the crict office prior to spuddintice of intent to drilt shall surface pipe as specified a materials plus a minimunagreement between the office will be notified before PLETION, production pip B" - Eastern Kansas surface and days of the spud date and made herein are true	AFFI on and eventual plug be met: ing of well; I be posted on each of below shall be set by im of 20 feet into the perator and the district e well is either plugge e shall be cemented ace casing order #13 or the well shall be pand correct to the be	IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe sha underlying formation. Ict office on plug length and placement is necessary prior to do or production casing is cemented in; from below any usable water to surface within 120 DAYS of 13,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any construction of the complex states of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drili;	RECEIVED CORPORATION COMMISSION APR 0 8 2009 NSERVATION DIVISION AND AND AND AND AND AND AND AND AND AN
It is agreed that the following min 1. Notify the appropriate distriction 2. A copy of the approved no 3. The minimum amount of some through all unconsolidated 4. If the well is dry hole, an and 5. The appropriate district off 6. If an ALTERNATE II COMIN Or pursuant to Appendix function must be completed within I hereby certify that the statement Date: April 6, 2009	that the drilling, completinimum requirements will be trict office prior to spudding to the prior to spudding the prior to spudding the prior to drill shall be unface pipe as specified a materials plus a minimulagreement between the office will be notified before PLETION, production pipe B" - Eastern Kansas surface 30 days of the spud date ants made herein are true bignature of Operator or A	AFFI on and eventual plug be met: ing of well; I be posted on each of below shall be set by im of 20 feet into the perator and the district e well is either plugge e shall be cemented ace casing order #13 or the well shall be pand correct to the be	IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe shaunderlying formation. Ict office on plug length and placement is necessary prior to add or production casing is cemented in; from below any usable water to surface within 120 DAYS of 13,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any constant of the plugged. In all cases, NOTIFY district office prior to any constant of the prior to any constant	RECEIVEL CORPORATION COMMISSION APR 0 8 2009 NSERVATION DIVISION AND AUGUSTA, KS Populaging; Is spud date. It is cementing dementing. agement
It is agreed that the following min 1. Notify the appropriate dist: 2. A copy of the approved no 3. The minimum amount of s through all unconsolidated 4. If the well is dry hole, an a 5. The appropriate district off 6. If an ALTERNATE II COMI Or pursuant to Appendix "I must be completed within I hereby certify that the statemer Date: April 6, 2009 S For KCC Use ONLY	that the drilling, completinimum requirements will be the control of the control	AFFI on and eventual plug be met: ing of well; I be posted on each of below shall be set b im of 20 feet into the perator and the district e well is either plugge e shall be cemented ace casing order #13 or the well shall be p and correct to the be	IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe shaunderlying formation. Ict office on plug length and placement is necessary prior to address or production casing is cemented in; from below any usable water to surface within 120 DAYS of 120,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any constant of the complete of the KCC District 3 area, alternated plugged. In all cases, NOTIFY district office prior to any constant of the complete of the KCC District 3 area, alternated plugged. In all cases, NOTIFY district office prior to any constant of the prior to any consta	RECEIVED CORPORATION COMMISSION APR 0 8 2009 NSERVATION DIVISION OF THE PROPERTY OF THE PROPE
It is agreed that the following min 1. Notify the appropriate distriction 2. A copy of the approved no 3. The minimum amount of s through all unconsolidated 4. If the well is dry hole, an a 5. The appropriate district off 6. If an ALTERNATE II COMIN OR pursuant to Appendix "I must be completed within I hereby certify that the statement Date: April 6, 2009 S For KCC Use ONLY API # 15 - /// - 23554 Conductor pipe required	that the drilling, completinimum requirements will the crict office prior to spudding the control of the contro	AFFI on and eventual plug be met: ing of well; I be posted on each of below shall be set b im of 20 feet into the perator and the district e well is either plugge e shall be cemented ace casing order #13 or the well shall be p and correct to the be	IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe sha underlying formation. It office on plug length and placement is necessary prior to do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of 13,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any content of the plugged. In all cases, NOTIFY district office File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud datance in the properties of t	RECEIVED CORPORATION COMMISSION APR 0 8 2009 NSERVATION DIVISION AND APR DIVISION AND APP
It is agreed that the following min 1. Notify the appropriate dist: 2. A copy of the approved no 3. The minimum amount of s through all unconsolidated 4. If the well is dry hole, an a 5. The appropriate district off 6. If an ALTERNATE II COMI Or pursuant to Appendix "I must be completed within I hereby certify that the statement Date: April 6, 2009 For KCC Use ONLY API # 15 - / 67 - 2356 Conductor pipe required Minimum surface pipe required	that the drilling, completinimum requirements will the crict office prior to spudding the control of the contro	AFFI on and eventual plug be met: ing of well; I be posted on each of below shall be set b im of 20 feet into the perator and the district e well is either plugge e shall be cemented ace casing order #13 or the well shall be p and correct to the be	IDAVIT Grilling rig; y circulating cement to the top; in all cases surface pipe sha underlying formation. ct office on plug length and placement is necessary prior to do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of 13,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any cost of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workove. Submit plugging report (CP-4) after plugging is completed.	RECEIVED CORPORATION COMMISSION APR 0 8 2009 NSERVATION DIVISION OF THE PROPERTY OF THE PROPE
It is agreed that the following min 1. Notify the appropriate dists 2. A copy of the approved no 3. The minimum amount of s through all unconsolidated 4. If the well is dry hole, an a 5. The appropriate district off 6. If an ALTERNATE II COMFO or pursuant to Appendix "I must be completed within I hereby certify that the statement Date: April 6, 2009 For KCC Use ONLY API # 15 - /67 - 2355 Conductor pipe required Minimum surface pipe required Approved by: Pure Y-8-2	that the drilling, completinimum requirements will brick office prior to spuddintice of intent to drill shall surface pipe as specified a materials plus a minimulagreement between the office will be notified before PLETION, production pip B" - Eastern Kansas surface of the spud date and the spud date of the spu	AFFI on and eventual plug be met: ing of well; I be posted on each of below shall be set b im of 20 feet into the perator and the district e well is either plugge e shall be cemented ace casing order #13 or the well shall be p and correct to the be	IDAVIT KANSAS Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe sha underlying formation. It office on plug length and placement is necessary prior to do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of 13,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any content of the plugged. In all cases, NOTIFY district office prior to any content of the prior to any conten	RECEIVED CORPORATION COMMISSION APR 0 8 2009 NSERVATION DIVISION AND APR DIVISION AND APP
It is agreed that the following min 1. Notify the appropriate district. 2. A copy of the approved no 3. The minimum amount of s through all unconsolidated. 4. If the well is dry hole, an a 5. The appropriate district off. 6. If an ALTERNATE II COME OF pursuant to Appendix "I must be completed within I hereby certify that the statement Date: April 6, 2009 For KCC Use ONLY API # 15 - /67 - 2350 Conductor pipe required Minimum surface pipe required Approved by: This authorization expires:	that the drilling, completinimum requirements will be the control of the control	AFFI on and eventual plug be met: ng of well; I be posted on each of below shall be set by m of 20 feet into the perator and the distri- e well is either plugge e shall be cemented a or the well shall be plug and correct to the be Agent: Agent: Agent: I and I and	IDAVIT Grilling rig; y circulating cement to the top; in all cases surface pipe sha underlying formation. ct office on plug length and placement is necessary prior to do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of 13,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any cost of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workove. Submit plugging report (CP-4) after plugging is completed.	RECEIVED CORPORATION COMMISSION APR 0 8 2009 NSERVATION DIVISION AND APR DIVISION AND APP
It is agreed that the following min 1. Notify the appropriate dists 2. A copy of the approved no 3. The minimum amount of s through all unconsolidated 4. If the well is dry hole, an a 5. The appropriate district off 6. If an ALTERNATE II COMFO or pursuant to Appendix "I must be completed within I hereby certify that the statement Date: April 6, 2009 For KCC Use ONLY API # 15 - /67 - 2355 Conductor pipe required Minimum surface pipe required Approved by: Pure Y-8-3	that the drilling, completinimum requirements will be the control of the control	AFFI on and eventual plug be met: ng of well; I be posted on each of below shall be set by m of 20 feet into the perator and the distri- e well is either plugge e shall be cemented a or the well shall be plug and correct to the be Agent: Agent: Agent: I and I and	IDAVIT Grilling rig; y circulating cement to the top; in all cases surface pipe sha underlying formation. ct office on plug length and placement is necessary prior to do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of 13,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any cost of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workove. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt of this permit has expired (See: authorized expiration date.	RECEIVED CORPORATION COMMISSION APR 0 8 2009 NSERVATION DIVISION AND APR DIVISION AND APP
It is agreed that the following min 1. Notify the appropriate district. 2. A copy of the approved no 3. The minimum amount of s through all unconsolidated. 4. If the well is dry hole, an a 5. The appropriate district off. 6. If an ALTERNATE II COME OF pursuant to Appendix "I must be completed within I hereby certify that the statement Date: April 6, 2009 For KCC Use ONLY API # 15 - /67 - 2350 Conductor pipe required Minimum surface pipe required Approved by: This authorization expires:	that the drilling, completinimum requirements will be the control of the control	AFFI on and eventual plug be met: ng of well; I be posted on each of below shall be set by m of 20 feet into the perator and the distri- e well is either plugge e shall be cemented a or the well shall be plug and correct to the be Agent: Agent: Agent: I and I and	IDAVIT Grilling rig; y circulating cement to the top; in all cases surface pipe sha underlying formation. ct office on plug length and placement is necessary prior to do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of 13,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any cost of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workove. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt of this permit has expired (See: authorized expiration date check the box below and return to the address below.	RECEIVED CORPORATION COMMISSION APR 0 8 2009 NSERVATION DIVISION AND APR DIVISION AND APP


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - [67-2356900-00			
Operator: Buffalo Resources, LLC	Location of Well: County: Russell		
Lease: Mog	380	feet from N / S Line of Section	
Well Number: 1-28	2,656	feet from E / W Line of Section	
Field: Davidson	Sec. 28 Twp. 15	S. R. <u>11</u> E 🔀 W	
Number of Acres attributable to well:	Is Section: Regular or X Irregular		
QTR/QTR/QTR of acreage: NW _ NW _ NE	QTR/QTR of acreage: NW _ NW _ NE		
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Buffalo Resources, LLC	License Number: 34225				
Operator Address: 301 Commerce Street, Suite 1380, Fort Worth, TX 76102					
Contact Person: Matthew Flanery	Phone Number: (817) 870-2707				
Lease Name & Well No.: Mog Well # 1-28	Pit Location (QQQQ):				
Type of Pit: Emergency Pit		Sec. 28 Twp. 15 R. 11 East West 386 330 Feet from North / South Line of Section 2,656 316 5			
(If WP Supply API No. or Year Drilled) Pit capacity: 4,560	(bbls)	Feet from East / West Line of Section Russell County			
Is the pit located in a Sensitive Ground Water Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Artificial Liner? Yes Yes	No	How is the pit lined if a plastic liner is not used? Bentonite from drilling fluids			
Pit dimensions (all but working pits): 80 Length	(feet)80	Width (feet) N/A: Steel Pits			
Depth from ground level to	deepest point:	4 (feet) No Pit			
		ğ.			
Distance to nearest water well within one-mile of pit 3770 feet Depth of water well 111 feet	Source of info	Depth to shallowest fresh water60feet. Source of information: electric log X KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:	1	Type of material utilized in drilling/workover: Fresh Water Mud			
Number of producing wells on lease:	1	Number of working pits to be utilized:3			
Barrels of fluid produced daily:	Abandonment	Abandonment procedure: Evaporation and Backfilling			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No	Drill pits must	Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
April 6, 2009 Date	Maul	APR 0 8 2009 CONSERVATION DIVISION WICHITA, KS			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: ५/८/०٦ Permit Number: Permit Date: Permit Date: Permit Date:					