# For KCC Use: 4-14-2009 Effective Date: 3 District #

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: April 14, 2009	
month day year	Spot Description:
3830 /	<u>\$2-NE SW</u> Sec. 29 Twp30 S. R.16 ★ E W
OPERATOR: License#	feet from N/YS Line of Section
Name: AX&P, Inc	3300 feet from □ € / □ W Line of Section Is SECTION: Regular □ Irregular?
Address 1: 20147 200 Rd	is SECTION: Hegular Inregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Neodesha State: KS Zip: 66757 Contact Person: J J Hanke	County: Wilson Lease Name: Unit 1 - Wolfe West Well #: WW#31G
Phone: 620 325-5212	Na a da a la a
CONTRACTOR: License# 33079	
Name: Patrick Tubbs	Is this a Prorated / Spaced Field?  Target Formation(s): Neodesha Sd
	Nearest Lease or unit boundary line (in footage) 00 ' +
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 780 ' feet MSL
X Oil Enh Rec X Infield X Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 100+1
Other:	Depth to bottom of usable water:150+'
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 35 1
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 830' Formation at Total Depth: Neodesha Sd.
Original Completion Date: Original Total Depth:	Formation at Total Depth: Neodesha Sd. Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well K Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	RECEIVED  KANSAS CORPORATION COMMISS
The undersigned hereby affirms that the drilling, completion and eventual plug	aging of this well will comply with K.S.A. 55 et. seq.  APR 0 8 2009
It is narroad that the following minimum requirements will be met:	AFR 0 0 2009
It is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well;	CONSERVATION DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe shall be WICHITA, KS
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe shall be WICHITA, KS underlying formation.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe shall be WECHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe shall be WCHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe shall be WCHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented.</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe shall be Wightta, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put thereby certify that the statements made herein are true and correct to the be</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe shall be WECHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; dd or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the statements made herein are true and correct to the best of the statements.</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe shall be WCHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all-cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put thereby certify that the statements made herein are true and correct to the be</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe shall be WCHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and correct to the best poate:    1	drilling rig; y circulating cement to the top; in all cases surface pipe shall be WEHITA, KS underlying formation. underlying format
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	drilling rig; y circulating cement to the top; in all cases surface pipe shall be WCHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all-cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the stat	drilling rig; y circulating cement to the top; in all cases surface pipe shall be WCHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all-cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the stat	drilling rig; y circulating cement to the top; in all cases surface pipe shall be Wightta, KS underlying formation. to office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 It is to fine brill Pit Application (form CDP-1) with Intent to Drill; 16 File Completion Form ACO-1 within 120 days of spud date; 17 It is acreage attribution plat according to field proration orders; 18 Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district of the state of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the state of the state of the state of the spud date or the well shall be plugged in the state of the state of the spud date or the well shall be plugged in the state of the state of the spud date or the well shall be plugged in the state of the spud date or the state of the spud date or the well shall be plugged in the state of the spud date or the spud date or the state of the spud date or the spud date or the state of the spud date or the spud d	drilling rig; y circulating cement to the top; in all cases surface pipe shall be Wightta, KS underlying formation. to office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all-cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:  I hereby certify that the statements made herein are true and correct to the better that the statements of Operator or Agent:  For KCC Use ONLY  API # 15 - 205 - 27766-00-00  Conductor pipe required feet  Minimum surface pipe required feet per ALT. I III  Approved by:   Must 4-9-2009	drilling rig; y circulating cement to the top; in all cases surface pipe shall be WEHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge for a pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:    Notify the appropriate district office of intent to drill shall be set by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either by each to the district office will be notified before well is either by each to the district office will be notified before well is either by each to the operator of the well shall be plugged of the appropriate district office will be notified before well is either by each to the operator of the well shall be plugged of the appropriate district office will be notified before well is either by each to the operator of the well shall be p	drilling rig; y circulating cement to the top; in all cases surface pipe shall be Wightta, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the sum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the best of the best of the statements of the placed by the statement of the placed by the statement of the spud date or Agent:  For KCC Use ONLY  API # 15 - 205 - 27766 - 00 - 00 feet per ALT.  Conductor pipe required feet  Minimum surface pipe required feet per ALT.  I I III  Approved by:   Approved by:   Approved by:   Approved by:   A complete of the approved of intent to drill be proved to the statement of the stateme	drilling rig; y circulating cement to the top; in all cases surface pipe shall be SCHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge for a pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:    Notify the appropriate district office of intent to drill shall be set by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either by each to the district office will be notified before well is either by each to the district office will be notified before well is either by each to the operator of the well shall be plugged of the appropriate district office will be notified before well is either by each to the operator of the well shall be plugged of the appropriate district office will be notified before well is either by each to the operator of the well shall be p	drilling rig; y circulating cement to the top; in all cases surface pipe shall be WCHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all-cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27766-00-00	
Operator: AX&P, Inc	Location of Well: County: Wilson
Lease: Unit 1 Wolfe West	1520 feet from N. / PS Line of Section
Well Number: WW#31G	3300feet from E / W Line of Section
Field: Neodesha	Sec. <u>29</u> Twp. <u>30</u> S. R. <u>16</u> 🗶 E 🗌 W
Number of Acres attributable to well: 2 • 5  QTR/QTR/QTR/QTR of acreage: - SW - NE SW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

	r				·			
		:	: :			:	:	:
		<b>:</b>			į	•	•	
		;	:		<b>i</b>	:	:	:
		:	•		1	:	•	•
		•	:			:	:	:
		•	•	•	,	•	•	•
		*******				• • • • • • •		
		•		•		•		•
		:	:			:	:	:
		•		•		•	•	•
		:	:		Ì	:	:	:
		:	•			•	•	•
		-				•	•	•
				*******				
	l .				i			
		:	:			:	•	•
		•				;	:	:
		:	:			:	•	:
		• .				:	:	:
		:				:	<u>:</u>	:
		•	: .			•	:	•
			:				:	
	r	:				•	:	•
		:				:	:	:
		:	•			•	:	
	•					:	:	:
		:		29	)	•	•	•
					<b>,</b>	•	•	•
			, ",			,		
						:	;	
			:			:	•	•
			:				:	
		•				•		•
. ,								
- 1			• • • • • • • • •			••••••		
			:			:		:
						•		•
			<b>O</b>		1	:		
						:		
	'	•	. , ,		· ·	٠ ,		•
						• • • • • • •		
	1		1		1			
	1 :		: ! :		1	:		:
	1							
		:	: 1 :			:		:
	1		. 1 :					•
	'	•				•		•
	• • • • • • • •		• • • • • • • •		•••••			
			. 1				_	
						•		•
			:   :				:	
						•		
			:					
			: 1 :			:		•
					1			



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines,
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: AX&P, Inc.	· · · · · · · · · · · · · · · · · · ·	License Number:			
Operator Address:	desha, Ks	66757			
Contact Person: J.J. Hanke	MEDITAL INS	Phone Number: (620 ) 325-5212			
Lease Name & Well No.: Unit 1 - Wolfe West	t WW#31G	Pit Location (QQQQ):			
Type of Pit:  Pit is:  Emergency Pit  Burn Pit  X Proposed		NESW			
Settling Pit		Sec. 29 Twp. 30 R16 East West  1520 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit  If WP Supply API No. or Year Drilled)  Pit capacity:  100	(bbls)	3300 Feet from East / West Line of Section			
s the pit located in a Sensitive Ground Water Area? Yes		Chloride concentration:mg/l			
s the bottom below ground level?  Artificial Liner?  Yes  Yes	No	(For Emergency Pits and Settling Pits only)  How is the pit lined if à plastic liner is not used?			
Pit dimensions (all but working pits): Length (i		Width (feet) N/A: Steel Pits			
the pit is lined give a brief description of the liner laterial, thickness and installation procedure.	liner integrity, in	dures for periodic maintenance and determining cluding any special monitoring.			
stance to nearest water well within one-mile of pit  3 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Source of inform				
nergency, Settling and Burn Pits ONLY:		well ownerelectric log _X CKDWR			
boducing Formation:	ì				
mber of producing wells on lease: rrels of fluid produced daily:	rog pits to be utilized: One rocedure: backfill w topsoil				
es the slope from the tank battery allow all spilled fluids to winto the pit? Yes No		closed within 365 days of spud date.			
I hereby certify that the above statements are true and c	correct to the best of	of my knowledge and belief.			
4/3/08 Date (		APR 0 8 2009  CONSERVATION DIVIS  mature of Applicant or Agent  WICHITA, KS			
KCC C	OFFICE USE ONL	YRFAC			
te Received: 4/8/09 Permit Number:	Permit [	Date: 4909 Lease Inspection: V Yes No			



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

April 8, 2009

AX&P, Inc. 20147 200 Rd Neodesha, KS 66757

RE:

**Drilling Pit Application** 

Unit 1 Wolfe West Lease Well No. WW#31G

SW/4 Sec. 29-30S-16E Wilson County, Kansas

#### Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

**Environmental Protection and Remediation Department** 

cc: File