For KCC Use: 4-18-2009 Effective Date: 4 SGA2 Vyes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

April 47 2000		
Expected Spud Date: April 17 2009	Spot Description: 80'West of	
month day year	NE - SE - SE Sec. 14 Twp. 20 S. R. 11 FE	w
34039	(a/a/a/a) 990 feet from N / X S Line of Sect	
OPERATOR: License#	410 feet from XE / W Line of Sect	
Name: Buffalo Creek Exploration, Inc.		OII
Address 1: PO Box 251	Is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Ellinwood State: KS Zip: 67526 +	County: Barton	
Contact Person: Todd E. Morgenstern	Lease Name: Zahorsky "A" Well #: 2	
Phone: 620-564-3800	Field Name: Chase-Silica	
CONTRACTOR: License# 33350	Tielu Haille,	
OCITITACIOI. LICCIBOR	Is this a Prorated / Spaced Field?	10
Name: Southwind Drilling, Inc.	Target Formation(s): Arbuckle	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 410	
	Ground Surface Elevation: est. 1748 feet M	SL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	Vo
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	No.
Disposal Wildcat Cable	Depth to bottom of fresh water: 150	•••
Seismic ; # of HolesOther	Depth to bottom of usable water: 230	
Other:		
The CARACO and well information on fallows:	Surface Pipe by Alternate: XII III	
If OWWO: old well information as follows:	Length of Surface Fipe Flamled to be set.	
Operator:	Length of Conductor Pipe (if any): None	
Well Name:	Projected Total Depth: 3350'	_
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
Original Completion Date.	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: X	
If Yes, true vertical depth:		_
Bottom Hole Location:	DWR Permit #:	
KCC DKT #:	(Note: Apply for Permit with DWR	
NOO DINI #.	Will Cores be taken?	NO
	If Yes, proposed zone:	
		1.1
	KANG	3.7
AFFI	IDAVIT KANSAS COAPOTO SALE	าว จากผู้เสียชี
	IDAVIT gring of this well will comply with K.S.A. 55 et. seg.	
The undersigned hereby affirms that the drilling, completion and eventual plug	IDAVIT gring of this well will comply with K.S.A. 55 et. seg.	
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APA 10.2	Copare o
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. APA 10.2.	Copare o
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APA 162 CONSERRATION	oper oriolQh
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	drilling rig; by circulating cement to the top; in all cases surface pipe shall be WEHITA, KS	oper oriolQh
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	drilling rig; by circulating cement to the top; in all cases surface pipe shall be WEHITA, KS underlying formation.	oper oriolQh
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be WEHITA, Ks underlying formation. ict office on plug length and placement is necessary prior to plugging;	oper oriolQh
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge	drilling rig; by circulating cement to the top; in all cases surface pipe shall be WEHITA , Kindley underlying formation. ict office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in;	oper oriolQh
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be SECHITA, Ki underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.	oper oriolQh
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the drift of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	drilling rig; by circulating cement to the top; in all cases surface pipe shall be WEHITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing	oper oriolQh
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	drilling rig; by circulating cement to the top; in all cases surface pipe shall be WEHITA, Kinderlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	oper oriolQh
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put thereby certify that the statements made herein are true and correct to the beautiful to the surface of the spud date or the well shall be put the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the surface of the spud that the statements made herein are true and correct to the surface of the surface of the spud that the statements made herein are true and correct to the surface of the surf	drilling rig; by circulating cement to the top; in all cases surface pipe shall be see that the form of the production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	oper oriolQh
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	drilling rig; by circulating cement to the top; in all cases surface pipe shall be see that the form of the production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	oper oriolQh
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the information of the approved notice of intent to drill <i>shall be</i> posted on each of the information of the approved notice of intent to drill <i>shall be</i> posted on each of the information of the approved in the approved intent of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the information of the information of the appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be published to the statements made herein are true and correct to the beautiful or the information of the statements made herein are true and correct to the beautiful or the information of the statements made herein are true and correct to the beautiful or the information of the statements made herein are true and correct to the beautiful or the statements made herein are true and correct to the beautiful or the statements made herein are true and correct to the statements.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be see that Arm in the control of the control	wwiQh S
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drill shall be set by through all unconsolidated materials plus a minimum of 20 feet into the drill shall be drill shall be set by the well is dry hole, an agreement between the operator and the district of the well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate to COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be proposed to the statements made herein are true and correct to the best of the drill shall be proposed to the statements are true and correct to the best of the drill shall be proposed to the statements and the proposed shall be proposed to the statements and the proposed shall be proposed to the statements and the proposed shall be proposed to the statements are true and correct to the best of the statements and the proposed shall be proposed to the statements are true and correct to the best of the statements are true and correct to the best of the statements are true and correct to the statements.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be see that the form of the production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	wwiQh S
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the district of the approved in a surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district of the well is dry hole, an agreement between the operator and the district of the well is district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plusted by the spud date of the well shall be plusted. Signature of Operator or Agent: 4/9/2009 Signature of Operator or Agent:	drilling rig; by circulating cement to the top; in all cases surface pipe shall be see that Arm in the control of the control	oper oriolQh
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the district office of intent to drill <i>shall be</i> posted on each of the drill and the district office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be producted by the statements made herein are true and correct to the because of the spud of the sp	drilling rig; by circulating cement to the top; in all cases surface pipe shall be see that A complete to the top; in all cases surface pipe shall be see that A complete to the top; in all cases surface pipe shall be see that A complete to the top; in all cases surface pipe shall be see that A complete to the top; in all cases surface pipe shall be see that A complete to the top; in all cases and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Title: Agent	2000/Uh
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the district office of intent to drill <i>shall be</i> posted on each of the drill and the district office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be producted by the statements made herein are true and correct to the because of the spud of the sp	drilling rig; by circulating cement to the top; in all cases surface pipe shall be see that A consumption. It office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. If office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. If of my knowledge and belief. Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	wwiQh S
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the district office of intent to drill <i>shall be</i> posted on each of the drill shall be posted on each of the drill of t	drilling rig; by circulating cement to the top; in all cases surface pipe shall be see that A consideration. It office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. If office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. If of the complete is to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is a set of my knowledge and belief. Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	2000/Uh
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the because of the statements of the production of the statements of the spud date or Agent: For KCC Use ONLY	drilling rig; by circulating cement to the top; in all cases surface pipe shall be see that to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 1	14 20
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be proposed to the statements made herein are true and correct to the best of the statements of the proposed signature of Operator or Agent: For KCC Use ONLY	drilling rig; by circulating cement to the top; in all cases surface pipe shall be	2000/Uh
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strict of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plusted to the statements made herein are true and correct to the best pluster. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO9 - 253/5-00-00 Conductor pipe required feet Minimum surface pipe required feet Minimum surface pipe required feet per ALT. III III Approved by: With Y-13-2009	drilling rig; by circulating cement to the top; in all cases surface pipe shall be securification. It office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 set of my knowledge and belief. 16 File Drill Pit Application (form CDP-1) with Intent to Drill; 17 File Completion Form ACO-1 within 120 days of spud date; 18 File acreage attribution plat according to field proration orders; 18 Notify appropriate district office 48 hours prior to workover or re-entry; 29 Submit plugging report (CP-4) after plugging is completed (within 60 days);	14 20 1
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the specified set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the best of the specified before well is either plugge. For KCC Use ONLY API # 15 - O9 - 253/5-00-00 Conductor pipe required feet Minimum surface pipe required feet Approved by: 4-13-2009 This authorization expires: 4-13-2010	drilling rig; by circulating cement to the top; in all cases surface pipe shall be see that to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 set of my knowledge and belief. 16 File Drill Pit Application (form CDP-1) with Intent to Drill; 17 File Completion Form ACO-1 within 120 days of spud date; 18 File acreage attribution plat according to field proration orders; 19 Notify appropriate district office 48 hours prior to workover or re-entry; 20 Submit plugging report (CP-4) after plugging is completed (within 60 days); 21 ONSELLAND AND ADD AND A	14 20 1
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plugged in the statements made herein are true and correct to the best of the statements of the plugged of the spud date or the well shall be plugged in the statements of the spud date or the well shall be plugged in the statements of the spud date or the well shall be plugged in the statements of the spud date or the well shall be plugged in the statements of the spud date or the well shall be plugged in the statements of the spud date or the well shall be plugged in the statements of the spud date or the well shall be plugged in the statements of the spud date or the well shall be plugged in the statements of the spud date or the well shall be plugged in the statements of the spud date or the well shall be plugged in the statement of the spud date or the well shall be plugged in the spud date or the well shall be plugged in the spud date or the well shall be plugged in the spud date or the well shall be plugged in the spud date or the well shall be plugged in the spud date or the well shall be plugged in the spud date or the well shall be plugged in the spud date or the well shall be plugged in the spud date or the well shall be plugged in the spud date or the well shall be plugged in the spud date or the well shall be plugged in the spud date or the well shall be plugged in the spud date or the	drilling rig; by circulating cement to the top; in all cases surface pipe shall be	14 20 1
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the specified below through all unconsolidated materials plus a minimum of 20 feet into the specified below through all unconsolidated materials plus a minimum of 20 feet into the specified before well is either plugge. If the appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the best of the specified specified between the operator or Agent: For KCC Use ONLY API # 15 - O9 - 253/5-00-00 Conductor pipe required feet Minimum surface pipe required feet Approved by: When Y - 13 - 2009 This authorization expires: Y-13-2010	drilling rig; by circulating cement to the top; in all cases surface pipe shall be such that will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be such that will be sufficient on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Est of my knowledge and belief. Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	14 20 1


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 009 - 25315-00-00	
Operator: Buffalo Creek Exploration, Inc.	Location of Well: County: Barton
Lease: Zahorsky "A"	990 feet from N / X S Line of Section
Well Number: 2	410 feet from X E / W Line of Section
Field: Chase-Silica	Sec. <u>14 Twp. 20 S. R. 11 E X</u> W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

		<u> </u>	
Operator Name: Buffalo Creek Exploration, Inc.		License Number: 34039	
Operator Address: PO Box 251			Ellinwood KS 67526
Contact Person: Todd E. Morgenstern		Phone Number: 620-564-3800	
Lease Name & Well No.: Zahorsky "A" 2		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>NE_SE_SE</u>
Emergency Pit Burn Pit	Proposed Existing If Existing, date constructed:		Sec. 14 Twp. 20 R. 11 East West
Settling Pit Drilling Pit			990 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		410 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	4,500	(bbls)	Barton County
Is the pit located in a Sensitive Ground Water	Area? Yes]No	Chloride concentration: mg/l
			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
□ Ies □ Ino			Earthen clay
Pit dimensions (all but working pits):	80 Length (fe	eet)80	Width (feet) N/A: Steel Pits
Depth from ground level to deepest point:(feet) No Pit			
If the pit is lined give a brief description of the material, thickness and installation procedur			edures for periodic maintenance and determining REPART ANSAS CORPORATION APR 1 & Zun
- Annual Control of the Control of t		····	CONSERVATION OF A WICHITA, KS
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		owest fresh water 9 feet.	
feet Depth of water well _	57 feet	measu	
		over and Haul-Off Pits ONLY:	
Producing Formation: Type of material		al utilized in drilling/workover: chemical drilling mud	
Number of producing wells on lease: Number of wor		rking pits to be utilized:3	
Barrels of fluid produced daily:		Abandonment	procedure: Allow fluid to evaporate:refill with
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		excavated dirt	
		be closed within 365 days of spud date. It of my knowledge and belief.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.			
		, .1	ſ.
4/9/2009 Rone Kasulna		esulva	
Date	-	S	Signature of Applicant or Agent
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
1 . ,			
Date Received: 4 10 09 Permit Nur	nber:	Perm	nit Date: 4 10 09 Lease Inspection: 🖈 Yes 🔲 No



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

April 10, 2009

Buffalo Creek Exploration, Inc. PO Box 251 Ellinwood, KS 67526

RE: Drilling Pit Application Zahorsky A Lease Well No. 2 SE/4 Sec. 14-20S-11W Barton County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

Environmental Protection and Remediation Department

cc: district