KECEIVED KANSAS CORPORATION COMMISSION

MAY 3 1 2005

CONSERVATION DIVISION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ONSERVATION DIVISION WELL HIS TORY - DESCR WICHITA, KS	ORIGINAL
Operator: License # 33344	API No. 15 - 133-26071-00-00
Name: Quest Cherokee Oilfield Service, LLC	County: Neosho
Address: 211 W. 14th Street	W1 - E2 ne sw Sec. 20 Twp. 30 S. R. 18 V East West
City/State/Zip: Chanute, KS 66720	1980 feet from(S)/ N (circle one) Line of Section
Purchaser: Bluestem Pipeline, LLC	2130 feet from E (W) (circle one) Line of Section
Operator Contact Person: Richard Howard	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 431-9500	(circle one) NE SE NW (SW)
Contractor: Name: Well Refined Drilling Company	Lease Name: Hughes Revocable Trust Well #: 20-1
License: 33072	Field Name: Morehead
Wellsite Geologist: Mark Brecheisen	Producing Formation: Summit/Mulky
Designate Type of Completion:	Elevation: Ground: 996' Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 1076' Plug Back Total Depth: 1076.27'
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 21'6" Feet
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 1076.27'
Operator:	feet depth to surface w/ 145 sy cmt
Well Name:	AHII-Ng-3-19-08
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug Back Plug Back Total Depth	Dewatering method used
Commingled Docket No.	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
	Lease Name: License No.:
5/05/04 5/06/04 5/25/04 Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Docket No.:
INCTRUCTIONS As a sixth of the	
Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. I2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING . Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature: Hutcu	KCC Office Use ONLY
Title: Head of Operations Date: 5/27/2005	Letter of Confidentiality Received
Subscribed and sworn to before me this and day of Many	If Denied, Yes Date:
20 05.	Wireline Log Received
	Geologist Report Received
Notary Public: Sunfu K. Housten	UIC Distribution
Date Commission Expires: Only 30, 2005	

JENNIFER R. HOUSTON

Notary Public - State of Kansas

My Appt. Expires 7/30/05

ORIGINAL

Operator Name: Qu	est Cherokee Oil	field Service, L	LC_	Lease	Name:	Hughes Revo	cable Trust	_ Well #: 20-1		
•	30 S. R. 18			County						
tested, time tool ope temperature, fluid re	show important tops a en and closed, flowin covery, and flow rate gs surveyed. Attach	g and shut-in pre s if gas to surfac	ssures, w e test, ald	hether shong with fire	ut-in pre	essure reached	static level, hydr	ostatic pressure	es, botto	m hole
Drill Stem Tests Take		☐ Yes 🗸	No No		VL	og Formati	on (Top), Depth	and Datum		Sample
Samples Sent to Ge	ological Survey	Yes 🔽	Z No		Nam	e apah Lime		Тор 318'		Datum +678'
Cores Taken		☐ Yes 🖟	∑ No			Altamont Lime		356'		+640'
Electric Log Run (Submit Copy)		✓ Yes	Yes No		Pawnee Lime			508'	-	+488'
List All E. Logs Run:		RECE	IVED			ego Lime		574'		+422'
	K	ANSAS CORPORAT		MISSION		erdigris Lime		700'		+296'
Comp Density Dual Induction Gamma Ray/N	1	MAY 3	AY 3 1 2005			ssissippi Lime 10		1030'	-	-34'
Camina Ray/i		CONSERVATIO								
			PASING F		Ne	ew Used ermediate, product	ion oto			
Purpose of String	Size Hole	Size Casir		Weig		Setting	Type of	# Sacks	Type	and Percent
Surface	12 1/4"	Set (In O.D	D.)	Lbs./ 24.75#	Ft.	Depth 21'6"	Cement	Used 5sx		Additives
Production	6 3/4"	4 1/2"		10.5#		1076.27'	"A"	145sx		
		ADD	ITIONAL (CEMENTIN	IG / SQL	JEEZE RECORD	<u> </u>			
Purpose:	Depth	Type of Cement #Sacks Used			Used	Type and Percent Additives				
Perforate Protect Casing Plug Back TD	Top Bottom									
Plug Off Zone				······································				Aller Salaka Aller a consensing paragraphy		
Shots Per Foot	PERFORAT	ON RECORD - Br	idae Pluas	Set/Type		Acid. Fra	cture, Shot, Cemer	nt Squeeze Recor		······································
Shots Per Pool		Footage of Each Int			(Amount and Kind of Material Used) Depth					
4 602'-606'				14,800# 20/40 sand 602'-60					602'-606'	
4	618'-623'	***************************************			556 BBLS Water					618'-623'
										
TUBING RECORD 2	Size 3/8"	Set At n/a	n.	Packer At /a	ţ	Liner Run	Yes ✓ No)		
Date of First, Resume 6/21/04	rd Production, SWD or I	Enhr. Produ	ucing Meth	od	Flowing	g 🕢 Pumpii	ng 🔲 Gas L	ift Othe	er (Explain	ר)
Estimated Production Per 24 Hours	Oil	Bbls. G	ias N	Acf	Wate	er B	bls.	Gas-Oil Ratio	***************************************	Gravity
	n/a	101			72					
Disposition of Gas	METHOD OF	COMPLETION				Production Inter	val			
Vented ✓ Sold (If vented, S	Used on Lease ubmit ACO-18.)		en Hole ner <i>(Specif</i>)	✓ Perf.		Dually Comp.	Commingled			



620-431-9210 OR 800-467-8676

RECEIVED KANSAS CORPORATION COMMISSION

MAY 3 1 2005

ORIGINAL

TICKET NUMBER

24365

CONSERVATION DIVISION WICHITA, KS

LOCATION CHANGE

5-25-04

FIELD TICKET

DATE CUSTOMER ACCT # WELL NAME QTR/QT	R SECTION TWP RGE COUNTY FORMATION
5-28-04 6628 HUGHES TRUST #20-1	20 365 186 NO
CHARGE TO QUEST L'HEROKEE LLC	OWNER
MAILING ADDRESS <i>P. O. BOX 10</i> 0	OPERATOR
CITY & STATE PENEDICT KANSAS 66714	CONTRACTOR

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT UNIT PRICE	TOTAL AMOUNT
5401	1-6864	PUMP CHARGE AGMENT PUMP	67500
1110	14 SKS	GILSONITE	271.60
1107	112 SKS	FLO-SEAL	56.63
1118	2 5KS	PREMIUM GEL (2 AHEAD)	1760
1215A	16AL	KCL	1703
11118	15 GAL	SODIUM SILICATE	1502
1123	6720 GAL	CITY WATER (160 BEL)	7562
		,	
		BLENDING & HANDLING	
5407	21 mi	TON-MILES MINIMUM	19000
2101	01 1111	STAND BY TIME	1
		MILEAGE	
5501C	4/2 HR	WATER TRANSPORTS	2600
5502C	4/2HR	VACUUM TRUCKS	34750
		FRAC SAND	
1126	137 SK5	CEMENT OWC (145 SKS TOTAL)	154810
		(oul; 5# GILSOWITE; 14 FLO-SEAL)	133.91
		july reducine	
avin 2790		ESTIMATED TOTAL	3842.94

CUSTOMER or AGENTS SIGNATURE	CIS FOREMAN TODD H. TINDER	<u>e</u>
		, , , , , , , , , , , , , , , , , ,
CUSTOMER or AGENT (PLEASE PRINT)	DATE	
		190437

RECEIVED CONSOLIDATED OIL WELL SERVICES, INC. KANSAS CORPORATION COMMISSION

211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

MAY 3 1 2005

TICKET NUMBER	<u>31533</u>
LOCATION	ANUTE
FOREMAN TOOL	A. TINDE

MIN PRESSURE

ISIP
15 MIN.
MAX RATE
MIN RATE

CONSERVATION DIVISION
TREAT MENT REPORT

ORIGINAL

					*		ONIOI	1 4 / 1 🗠	
DATE	CUSTOMER #	WELL NAME	FORMATION]	TRUCK #	DRIVER	TRUCK #	DRIVER	
5-2504	6628	HUGHES TE	187	į	255	JOHN			
SECTION	TOWNSHIP	RANGE	COUNTY	1	103	WES.			
20	305	18€	NO		370	Joe			
CUSTOMER				1	140	Tim			
DUEST ('HEROKEE L ESS	LC		;					
MAILING ADDR	ESS			1					
P.O. BOX	100			i Į					
CITY	 • 		<u> </u>	1 .					
P.O. BOX CITY BENEDICT STATE	_			,	L				
STATE		ZIP CODE		1				* * * * * * * * * * * * * * * * * * *	
KANSAS	•	66714				TYPE OF T	REATMENT		
1.77					[]SURFACE	PIPE	[] ACID BREA	KDOWN	
TIME ARRIVED	ON LOCATION			,		ON CASING	[] ACID STIMU		
	WELL	DATA	· · · · · · · · · · · · · · · · · · ·	3	[] SQUEEZE		[] ACID SPOT		
HOLE SIZE	63/4	PACKER DEPT] .	[] PLUG & AB		[]FRAC		
TOTAL DEPTH	/	PERFORATION		1 .	[] PLUG BACK		[] FRAC + NITROGEN		
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	SHOTS/FT		1	[] MISP. PUMP				
CASING SIZE	4/2	OPEN HOLE		1	OTHER	[]OTHER		[]	
CASING DEPTH									
CASING WEIGI		TUBING SIZE		,		PRESSURE I	LIMITATIONS		
CASING COND	ITION	TUBING DEPTH		1 .	THEORETICAL INSTRU			INSTRUCTED	
	, ,	TUBING WEIGH		1	SURFACE PIPE				
		TUBING CONDI	TION	1	ANNULUS LONG	STRING			
TREATMENT V	IN FINENT LE	SAD 125;7	TAIL 139	1	TUBING				
			<i></i>			·· <u>·</u>			
INSTRUCTION	PRIOR TO JOB	CIRCULATE	WIFRESI	4 HZO: 3	GEL AHEA	D. Rund 9	BBL DYE	W/15	
FAL SUDIA	IM SILICH	76 CCA.C.	ST GUSTI	L DYE K	PGEL AHEA ETUKI); FO	USH PUN	op Pump	rue	
WIKEL 16	ATER 'S	ET FLORE	TSHE	· was ASII	DOWN 750	DINTS CA	5116		
•	RIZATION TO PE			TITLE				TE	
								•	
		,x-		:		· .			
TIME AM / PM	STAGE	BBL'S PUMPED	INJ RATE	PROPPANT PPG	SAND / STAGE	PSI -			
					, ,		BREAKDOWN F	PRESSURE , .	
				1	₹		DISPLACEMEN	T	
				4		, , , , , , , , , , , , , , , , , , ,	MIX PRESSURE	<u> </u>	

TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer state be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. **THERE** NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.