

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

Operator: License # 3532
Name: CMX, Inc.
Address: 1551 N. Waterfront Parkway, Suite 150
City/State/Zip: Wichita, KS 67206
Purchaser: OneOK
Operator Contact Person: Douglas H. McGinness II
Phone: (316) 269-9052
Contractor: Name: Duke Drilling Co., Inc.
License: 5929
Wellsite Geologist: Douglas H. McGinness II
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____
11/7/05 11/19/05 12/12/05
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 007-22925-0000
County: Barber
100°E 20'N NE NE Sec. 1 Twp. 35 S. R. 15 East West
640' feet from S / N (circle one) Line of Section
560' feet from E / W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Davis Ranch B Well #: 2
Field Name: Aetna Gas Area
Producing Formation: Mississippi
Elevation: Ground: 1512' Kelly Bushing: 1523'
Total Depth: 5500' Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at 261 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit) ALT Z with
3-10-05
Chloride content _____ ppm Fluid volume 560 bbls
Dewatering method used hauled off
Location of fluid disposal if hauled offsite:
Operator Name: Oil Producers, Inc. of KS
Lease Name: May 13-3 SWD License No.: 8061
Quarter NW Sec. 13 Twp. 35S S. R. 16 East West
County: Comanche Docket No.: D-27726

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: _____
Title: President Date: 2/9/06
Subscribed and sworn to before me this 9th day of February
20 06.
Notary Public: Donna L. May-Murray
Date Commission Expires: 2/7/08

✓
DONNA L. MAY-MURRAY
Notary Public - State of Kansas
My Appt. Expires 2/7/08

KCC Office Use ONLY

Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received

UIC Distribution
CONFIDENTIAL

RECEIVED
FEB 10 2006
KCC WICHITA

FEB 09 2006
KCC

Operator Name: CMX, Inc. Lease Name: Davis Ranch B Well #: 2
 Sec. 1 Twp. 35 S. R. 15 East West County: Barber

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: CDNL, DIL, CBL.	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Heebner</td> <td>3966</td> <td>-2443</td> </tr> <tr> <td>Lansing</td> <td>4153</td> <td>-2630</td> </tr> <tr> <td>Cherokee</td> <td>4785</td> <td>-3262</td> </tr> <tr> <td>Cherokee Sand</td> <td>4812</td> <td>-3289</td> </tr> <tr> <td>Mississippi</td> <td>4820</td> <td>-3297</td> </tr> <tr> <td>LTD</td> <td>4948</td> <td>-3425</td> </tr> <tr> <td>RTD</td> <td>4950</td> <td>-3427</td> </tr> </table>	Name	Top	Datum	Heebner	3966	-2443	Lansing	4153	-2630	Cherokee	4785	-3262	Cherokee Sand	4812	-3289	Mississippi	4820	-3297	LTD	4948	-3425	RTD	4950	-3427
Name	Top	Datum																							
Heebner	3966	-2443																							
Lansing	4153	-2630																							
Cherokee	4785	-3262																							
Cherokee Sand	4812	-3289																							
Mississippi	4820	-3297																							
LTD	4948	-3425																							
RTD	4950	-3427																							

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Conductor/Intermediate	/17-1/2	20"/13-3/8"	/45#	70'/261'	/60/40 Poz	/300	/3%cc 2% gel
Surface	12 1/4	8 5/8	24#	1009'	60/40 Pozmix	475	3% cc 2% gel
Production	7 7/8	4 1/2	10.5#	5499'	Class H	325	10% gyp seal, 10% salt, 6# Kai seal

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	4819'-4870'	8,000 bbls gelled slickwater, 78,000# 20/40 sand.	

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
		2 3/8"	4880'			
Date of First, Resumerd Production, SWD or Enhr. 1/1/06			Producing Method			
			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity	
	25	100	20			

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input checked="" type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Compingled <input type="checkbox"/> Other (Specify) _____	

CONFIDENTIAL

FEB 09 2006

KCC

RECEIVED
 FEB 10 2006
 KCC WICHITA

Allied Cementing Co., Inc
P.O. Box 31
Russell, KS 67665

* * * * *
* I N V O I C E *
* * * * *

Invoice Number: 099344

Invoice Date: 11/11/05

Sold CMX, Inc.
To: 1551 N. Waterfront Parkwa
STE # 150
Wichita, KS
67206

Cust I.D.....: CMX
P.O. Number...: Davis RanchB-2
P.O. Date.....: 11/11/05

Due Date.: 12/11/05
Terms.....: Net 30

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
Common	200.00	SKS	8.7000	1740.00	T
Gel	3.00	SKS	14.0000	42.00	T
Chloride	18.00	SKS	38.0000	684.00	T
ALW	325.00	SKS	8.1500	2648.75	T
FloSeal	81.00	LBS	1.7000	137.70	T
Handling	566.00	SKS	1.6000	905.60	E
Mileage	40.00	MILE	33.9600	1358.40	E
566 sks @.06 per sk per mi					
Surface	1.00	JOB	670.0000	670.00	E
Mileage pmp trk	40.00	MILE	5.0000	200.00	E
Extra Footage	709.00	PER	0.5500	389.95	E
Head Rental	1.00	PER	75.0000	75.00	E
Baffle Plate	1.00	EACH	45.0000	45.00	T
Rubber Plug	1.00	EACH	100.0000	100.00	T
Basket	1.00	EACH	180.0000	180.00	T

All Prices Are Net, Payable 30 Days Following
Date of Invoice. 1 1/2% Charged Thereafter.
If Account CURRENT take Discount of \$ 917.64
ONLY if paid within 30 days from Invoice Date

Subtotal:	9176.40
Tax.....:	351.37
Payments:	0.00
Total....:	9527.77

CONFIDENTIAL
FEB 09 2006
KCC

RECEIVED
FEB 10 2006
KCC WICHITA

ALLIED CEMENTING CO., INC.

23008

IT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Medicine Lodge, KS

DATE <i>08 Nov 05</i>	SEC. <i>01</i>	TWP. <i>35s</i>	RANGE <i>15w</i>	CALLED OUT <i>0300Pm</i>	ON LOCATION <i>800pm</i>	JOB START <i>945Pm</i>	JOB FINISH <i>1230Am</i>
LEASE <i>Davis Ranch</i>	WELL # <i>B-2</i>	LOCATION <i>Hartner, KS, west to orange</i>			COUNTY <i>Barber</i>	STATE <i>KS</i>	
OLD OR <u>NEW</u> (Circle one)			<i>Bucket, 3 n/into</i>				

CONTRACTOR *Duke #5* OWNER *CMX, inc.*

TYPE OF JOB *Surface*

HOLE SIZE *12 1/4* T.D. *1014*

CASING SIZE *8 5/8* DEPTH *1009*

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT *45.19*

CEMENT LEFT IN CSG. *45'*

PERFS.

DISPLACEMENT *63 1/4 Bbls Fresh H₂O*

CEMENT

AMOUNT ORDERED *325sx 65 35 6 %gel + 3% cct + 1/4" # Flo seal and 150sx class "A" + 3% cct + 2% gel and 50sx "A" + 3% cct*

COMMON	<i>200 A</i>	@	<i>8.70</i>	<i>1740.00</i>
POZMIX		@		
GEL	<i>3</i>	@	<i>14.00</i>	<i>42.00</i>
CHLORIDE	<i>18</i>	@	<i>38.00</i>	<i>684.00</i>
ASC		@		
	<i>ALW 325</i>	@	<i>8.15</i>	<i>2648.75</i>
	<i>F10 Seal 81 *</i>	@	<i>1.70</i>	<i>137.70</i>
		@		
		@		
		@		
		@		
HANDLING	<i>566</i>	@	<i>1.60</i>	<i>905.60</i>
MILEAGE	<i>40 x 566 x .06</i>			<i>1358.40</i>
				TOTAL <i>7516.45</i>

EQUIPMENT

PUMP TRUCK CEMENTER *D. Felio*

352 HELPER *Travy C.*

BULK TRUCK

356 DRIVER *Greg K.*

BULK TRUCK

353 DRIVER *Jerry C.*

REMARKS:

Pipe on Bottom Brent Ciec., Pump 5 Bbls Fresh H₂O, Pump 325sx 65 35 6 + 3% cct + 1/4" # Flo seal Pump 150sx "A" + 3% cct + 2% gel, Stop Pumps, Release Plug, Start Disp., Wash up on top of Plug, Seal lift, Slow rate, Shut in, Release Pist, Cement did Not ciec., Did not Bump Plug, Rig up 1", Pump 50sx "A" + 3% cct, cement did pop off

SERVICE

DEPTH OF JOB	<i>1009'</i>			
PUMP TRUCK CHARGE	<i>0-300'</i>			<i>670.00</i>
EXTRA FOOTAGE	<i>709'</i>	@	<i>.55</i>	<i>389.95</i>
MILEAGE	<i>40</i>	@	<i>5.00</i>	<i>200.00</i>
MANIFOLD	<i>Head rental</i>	@	<i>75.00</i>	<i>75.00</i>
		@		
		@		

CHARGE TO: *CMX, inc.* CONFIDENTIAL

STREET _____ FEB 09 2006

CITY _____ STATE _____ ZIP *KCC*

RECEIVED

FEB 10 2006

TOTAL *1334.95*

KCC WICHITA
PLUG & FLOAT EQUIPMENT

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment

<i>8 5/8"</i>	<i>1- Baffle Plate</i>	@	<i>45.00</i>	<i>45.00</i>
	<i>1- Rubber Plug</i>	@	<i>100.00</i>	<i>100.00</i>
	<i>1- Basket</i>	@	<i>180.00</i>	<i>180.00</i>
		@		

Allied Cementing Co., Inc
P.O. Box 31

Russell, KS 67665

* I N V O I C E *

Invoice Number: 099343

Invoice Date: 11/11/05

Sold CMX, Inc.
To: 1551 N. Waterfront Parkwa
STE # 150
Wichita, KS
67206

Cust I.D.....: CMX
P.O. Number...: Davis RanchB-2
P.O. Date.....: 11/11/05

Due Date.: 12/11/05
Terms.....: Net 30

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
Common	180.00	SKS	8.7000	1566.00	T
Pozmix	120.00	SKS	4.7000	564.00	T
Gel	5.00	SKS	14.0000	70.00	T
Chloride	10.00	SKS	38.0000	380.00	T
Handling	315.00	SKS	1.6000	504.00	E
Mileage	40.00	MILE	18.9000	756.00	E
315 sks @.06 per sk per mi					
Conductor	1.00	JOB	670.0000	670.00	E
Mileage pmp trk	40.00	MILE	5.0000	200.00	E
Wooden Plug	1.00	EACH	70.0000	70.00	T

All Prices Are Net, Payable 30 Days Following
Date of Invoice. 1 1/2% Charged Thereafter.
If Account CURRENT take Discount of \$ 478.00
ONLY if paid within 30 days from Invoice Date

Subtotal:	4780.00
Tax.....:	166.95
Payments:	0.00
Total....:	4946.95

CONFIDENTIAL
FEB 09 2006
KCC

RECEIVED
FEB 10 2006
KCC WICHITA

ALLIED CEMENTING CO., INC.

23007

MIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Medicine Lodge KS

DATE <u>07 Nov 06</u>	SEC. <u>01</u>	TWP. <u>35S</u>	RANGE <u>15W</u>	CALLED OUT <u>10:30 PM</u>	ON LOCATION <u>1200 AM</u>	JOB START <u>1250 AM</u>	JOB FINISH <u>1:20 AM</u>
LEASE <u>DAVES Ranch</u>	WELL # <u>B-2</u>	LOCATION <u>Hartman, KS, west to orange</u>			COUNTY <u>Barber</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)			<u>Bucket, 3.1 N & W into</u>				

CONTRACTOR Duke #5 OWNER CMX, inc.

TYPE OF JOB Conductor

HOLE SIZE 17 1/2 T.D. 265

CASING SIZE 13 3/8 DEPTH 264

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX 300 MINIMUM 100

MEAS. LINE SHOE JOINT N/A

CEMENT LEFT IN CSG. 15'

PERFS.

DISPLACEMENT 39 1/4 Bbls Fresh H₂O

EQUIPMENT

PUMP TRUCK CEMENTER D. Felia

352 HELPER T. Cushenberg

BULK TRUCK

363 DRIVER M. Coley

BULK TRUCK

DRIVER

REMARKS:

Pipe on Bottom, Break Circ., Pump 300sx cement, Stop Pump, Release Plug, Start Disp., Wash up on top of Plug, Disp 39 1/4 Bbls Fresh H₂O shut down, shut in Release PST, Cement did circ.

CEMENT
AMOUNT ORDERED 300sx 60:40:2 %og e/ + 3 % cc

COMMON	<u>180 A</u>	@	<u>8.70</u>	<u>1566.00</u>
POZMIX	<u>120</u>	@	<u>4.70</u>	<u>564.00</u>
GEL	<u>5</u>	@	<u>14.00</u>	<u>70.00</u>
CHLORIDE	<u>10</u>	@	<u>38.00</u>	<u>380.00</u>
ASC		@		

HANDLING	<u>315</u>	@	<u>1.60</u>	<u>504.00</u>
MILEAGE	<u>40 x 315 x .06</u>			<u>756.00</u>
TOTAL				<u>3840.00</u>

SERVICE

DEPTH OF JOB	<u>264'</u>			
PUMP TRUCK CHARGE				<u>670.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>40</u>	@	<u>5.00</u>	<u>200.00</u>
MANIFOLD		@		

RECEIVED

FEB 10 2006

KCC WICHITA

TOTAL 870.00

CHARGE TO: CMX, inc.
STREET _____
CITY _____ STATE _____ ZIP KCC

CONFIDENTIAL

FEB 09 2006

PLUG & FLOAT EQUIPMENT

13 3/8"

1- Wooden Plug	@	<u>70.00</u>	<u>70.00</u>
	@		
	@		
	@		

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment

Allied Cementing Co., Inc
P.O. Box 31

Russell, KS 67665

* * * * *
* I N V O I C E *
* * * * *

Invoice Number: 099511

Invoice Date: 11/23/05

Sold CMX, Inc.
To: 1551 N. Waterfront Parkwa
STE # 150
Wichita, KS
67206

Cust I.D.....: CMX
P.O. Number...: DavisRanch B-2
P.O. Date.....: 11/23/05

Due Date.: 12/23/05
Terms.....: Net 30

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
Common "H"	325.00	SKS	10.5000	3412.50	T
SypSeal	31.00	SKS	19.1500	593.65	T
Salt	35.00	SKS	7.9000	276.50	T
KolSeal	1950.00	LBS	0.6000	1170.00	T
Mud Clean	500.00	GAL	1.0000	500.00	T
Mud Clean "C"	500.00	GAL	1.2500	625.00	T
Clapro	9.00	GAL	24.1000	216.90	T
FL-160	244.00	LBS	8.7000	2122.80	T
Handling	435.00	SKS	1.6000	696.00	E
Mileage	40.00	MILE	26.1000	1044.00	E
435 sks @.06 per sk per mi					
Prod. Casing	1.00	JOB	1610.0000	1610.00	E
Mileage pm trk	40.00	MILE	5.0000	200.00	E
Head Rental	1.00	PER	75.0000	75.00	E
AFU Float Shoe	1.00	EACH	200.0000	200.00	T
Latch Down Plug	1.00	EACH	300.0000	300.00	T
Turbolizers	6.00	EACH	55.0000	330.00	T
Basket	1.00	EACH	116.0000	116.00	T

All Prices Are Net, Payable 30 Days Following Subtotal: 13488.35
Date of Invoice. 1 1/2% Charged Thereafter. Tax.....: 621.39
If Account CURRENT take Discount of \$ 1348.83 Payments: 0.00
ONLY if paid within 30 days from Invoice Date Total....: 14109.74

CONFIDENTIAL
FEB 09 2006
KCC

RECEIVED
FEB 10 2006
KCC WICHITA

ALLIED CEMENTING CO., INC.

22972

TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

MEDICINE LODGE-

DATE <u>11-19-05</u>	SEC. <u>1</u>	TWP. <u>35s</u>	RANGE <u>15w</u>	CALLED OUT <u>9:30 am</u>	ON LOCATION <u>1:00 pm</u>	JOB START <u>1:40 pm</u>	JOB FINISH <u>4:50 pm</u>
LEASE <u>DAVIS RANCH</u>		WELL # <u>B-2</u>	LOCATION <u>HARDTDEX, KS, WEST TO</u>		COUNTY <u>BARBER</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)			<u>ORANGE BUCKET, 3N/INTO</u>				

CONTRACTOR DUKE #5
 TYPE OF JOB PRODUCTION CASING
 HOLE SIZE 7 7/8" T.D. 5,500'
 CASING SIZE 4 1/2" DEPTH 5,505'
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE 4 1/2" DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX 2,300 MINIMUM 100
 MEAS. LINE _____ SHOE JOINT 12
 CEMENT LEFT IN CSG. 12
 PERFS. _____
 DISPLACEMENT 88 1/4 bbl. 2% KCL WATER

OWNER CMX INC.

CEMENT

AMOUNT ORDERED 325 sx H + 10% GYP-SEAL + 10% SALT + 6" KOL-SEAL + 16% FL-160 (25 sx TO MUG KIT + HOUSE), 500 gal. MUD CLEAN C, 500 gal. MUD CLEAN, 9 gal. CLAPRO

COMMON	<u>325 H</u>	@	<u>10.50</u>	<u>3412.50</u>
POZMIX		@		
GEL		@		
CHLORIDE		@		
ASC		@		
Gyp Seal	<u>31</u>	@	<u>19.15</u>	<u>593.65</u>
Salt	<u>35</u>	@	<u>7.90</u>	<u>276.50</u>
Kol Seal	<u>1950 #</u>	@	<u>.60</u>	<u>1170.00</u>
FL-160	<u>244 #</u>	@	<u>8.70</u>	<u>2122.80</u>
Mud Clean	<u>500 gal.</u>	@	<u>1.00</u>	<u>500.00</u>
Mud Clean C	<u>500 gal.</u>	@	<u>1.25</u>	<u>625.00</u>
Clap Pro	<u>9 gal.</u>	@	<u>24.10</u>	<u>216.90</u>
HANDLING	<u>435</u>	@	<u>1.60</u>	<u>696.00</u>
MILEAGE	<u>40 x 435 x .06</u>			<u>1044.00</u>
				TOTAL <u>10657.35</u>

EQUIPMENT

PUMP TRUCK CEMENTER BILL MSADEO
 # 397 HELPER CHRIS R.
 BULK TRUCK
 # 359 DRIVER JERRY C.
 BULK TRUCK
 # _____ DRIVER _____

REMARKS:

PIPE ON BOTTOM, BREAK CIRCULATION, PUMP PRE-FLUSH, PLUG RAT & HOSE WITH 25 sx H + 10% GYP-SEAL + 10% SALT + 6" KOL-SEAL + 16% FL-160, PUMP PRODUCTION CEMENT 300 sx H + 10% GYP SEAL + 10% SALT + 6" KOL-SEAL + 16% FL-160, STOP PUMPS, WASH PUMP & LINES, RELEASE PUMPS, START DISPLACEMENT, SEE LIFT, SLOW RATE, BUMP PLUG, FLOAT HEAD, DISPLACED WITH 88 1/4 bbl. 2% KCL WATER. PRESSURE TESTED CEMENT LINE ON RIG PRIOR TO PUMPING CEMENT TO 2300 #.

CHARGE TO: CMX, INC.

SERVICE

DEPTH OF JOB	<u>5,505'</u>		
PUMP TRUCK CHARGE			<u>1610.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>40</u>	@	<u>5.00</u>
MANIFOLD HEAD RENT		@	<u>75.00</u>
		@	
		@	

RECEIVED

FEB 10 2006

TOTAL 1885.00

KCC WICHITA

PLUG & FLOAT EQUIPMENT

STREET _____ CITY _____ STATE _____

CONFIDENTIAL

FEB 09 2006

KCC

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment

4 1/2" APJ FLOAT SHOE	<u>1</u>	@	<u>200.00</u>	<u>200.00</u>
4 1/2" LATCH DOWN PLUG	<u>1</u>	@	<u>300.00</u>	<u>300.00</u>
4 1/2" TUBULIZERS	<u>6</u>	@	<u>55.00</u>	<u>330.00</u>
4 1/2" BASKET	<u>1</u>	@	<u>116.00</u>	<u>116.00</u>