


15-051-01393-00-00

WELL PLUGGING RECORD

STATE OF KANSAS STATE CORPORATION COMMISSION

Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division State Corporation Commission 800 Bitting Building Wichita, Kansas

NORTH



Locate well correctly on above Section Flat

Ellis County. Sec. 4 Twp. 11S Rge. 18W (W) Location as "NE/CNW 1/4 SW 1/4" or footage from lines 330' N of South Line Lease Owner Max Cohen 820' West of East Line SE 1/4 Lease Name Matein Et al (Harry S. Falk) Well No. 1 Office Address 208 Petroleum Building Character of Well (completed as Oil, Gas or Dry Hole) dry hole Date well completed March 10 19 45 Application for plugging filed March 10 19 45 Application for plugging approved March 10 19 45 Plugging commenced March 10 19 45 Plugging completed March 10 19 45 Reason for abandonment of well or producing formation dry

If a producing well is abandoned, date of last production 19 Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes

Name of Conservation Agent who supervised plugging of this well Mr. Kerr Producing formation none Depth to top Bottom Total Depth of Well 3554 Feet Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Table with 7 columns: Formation, Content, From, To, Size, Put In, Pulled Out. Rows include Topeka, Lansing K. C. sho 3142-49, Conglomerate, Simpson, and Arbuckle.

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Hole was filled with heavy mud to 520' set 6' wood plug and spotted with 50 sax cement. Hole was filled with heavy mud from plug to bottom of surface pipe 83 feet where wood plug was set and hole was filled to ground level with 100 sax cement.

1-27-1949 JAN 27 1949

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Max Cohen, 208 Petroleum Building Address Wichita, Kansas

STATE OF KANSAS, COUNTY OF SEDGWICK, ss. Max Cohen (employee of owner) or (owner or operator) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Max Cohen Max Cohen

208 Petroleum Building, Wichita, Kans (Address)


SUBSCRIBED AND SWORN TO before me this 14th day of March, 19 45

R. S. Hanson

Notary Public.

My commission expires September 27, 1947

22-5133-s 9-48-10M



WELL LOG BUREAU—KANSAS GEOLOGICAL SOCIETY
 412 Union National Bk. Bldg., Wichita, Kansas
 15-051-01393-00-00

RECEIVED


JAN 21 1949
 1-21-1949
 BRUNSON DRILLING CO., INC.

Company - MAX COHEN
 Farm - Martin (FAIK) No. 1.

SEC. 4 T. 11 R. 18 W
 SW SE SE
 330'N of SL 820'W of EL SE $\frac{1}{2}$

Total Depth. 3554
 Comm. 2-12-45 Comp. 3-10-45
 Shot or Treated.
 Contractor. Howard Brunson
 Issued. 3-24-45

County. Ellis
 KANSAS



CASING:
 10 3/4" 83' Cem.

Elevation. _____

Production. Dry

Figures Indicate Bottom of Formations.

surface	30
shale	83
shale & shells	550
D.C. salt sand	600
shale & shells	740
sand drk	920
shale	970
red bed	1230
anhydrite	1275
shale	1325
shale & shells	1775
shale & lime brkn	1975
lime & shale	2035
shale	2110
lime	2125
shale	2145
lime	2170
shale & lime	2195
lime	2275
lime & shale	2355
shale & shells	2465
shale	2518
lime	2565
shale	2655
shale & lime	2850
shale	2940
lime	3094
lime & shale	3150
lime	3411
conglomerate	3430
conglomerate	
cherty	3446
lime	3461
conglomerate	3501
lime shale chert	3525
Arbuckle Dolo	3554
cherty w/pyrites	
Total Depth	

Tops:

Anhydrite	1230
Topeka	2940
K.C. Lansing	3142
Conglomerate	3419
Simpson	3495
Arbuckle	3524

1-22-49
 JAN

PLUGGING
 FILE SEC 4 T 11 R 18 W
 BOOK PAGE 80 LINE 24