


Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
211 No. Broadway
Wichita, Kansas

WELL PLUGGING RECORD

NORTH



Locate well correctly on above Section Plat

Ellis

County. Sec. 28 Twp. 15 Rge. 18 (E) W (W)

Location as "NE/CNW/SW" or footage from lines 330' NL 330' EL SE/4

Lease Owner Sinclair Oil & Gas Company

Lease Name G. B. Fisher

Well No. 1

Office Address Box 521, Tulsa, Oklahoma

Character of Well (completed as Oil, Gas or Dry Hole) Oil Well

Date well completed November 28 19 58

Application for plugging filed ~~NOV 28th~~ Oct. 15th 19 58

Application for plugging approved October 30th 19 58

Plugging commenced October 20th 19 58

Plugging completed October 24th 19 59

Reason for abandonment of well or producing formation Declined to point where unprofitable to operate

If a producing well is abandoned, date of last production Oct. 9th 19 58

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Eldon Petty

Producing formation Arbuckle Depth to top 3558 Bottom 3567 Total Depth of Well 3619 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
Arbuckle	Oil	3558	2567	8-5/8"	1303	None
				5-1/2"	3616	2754'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Checked hole to 3571' and found it open. Filled with sand to 3540' and dumped 4 sacks of cement with bailer. Pulled 52 jts. of casing to 500' and circulated pipe with 14 sacks of gel mud and pumped in 20 sacks cement at 500'. Pulled pipe to 180' and pumped in 20 sacks cement. Pulled rest of casing, cleared hole and bailed mud to 40', set 10' rock bridge and ran 10 sacks of cement to surface.

RECEIVED
STATE CORPORATION COMMISSION
12-9-1958
DEC 9 - 1958

CONSERVATION DIVISION
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor West Supply Company, Inc.
Address Chase, Kansas

STATE OF Kansas, COUNTY OF Rice, ss.

I, T. O. Harder

(employee of owner) or (superintendent) of the above-described

well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) T. O. Harder

Chase, Kansas (Address)

SUBSCRIBED AND SWORN to before me this 8th day of December 19 58

My commission expires August 13th, 1962

L. B. Reynolds
Notary Public.



PLUGGING
FILE SEC. 28 T. 11 R. 18W
BOOK PAGE 140 LINE 22

15-051-19221-00-00

WELL LOG BUREAU KANSAS GEOLOGICAL SOCIETY
412 Union National Bldg. Wichita, Kansas


COPY

Company - SINCLAIR-PRAIRIE OIL CO.
Farm - Fisher No. 1

SEC. 28 T. 11 R. 18W
NE NE SE

Total Depth. 3623
Comm. 11-10-48
Shot or Treated. 2000 acid
Contractor. Harbar Drlg.
Issued. 3-19-49

County. Ellis
KANSAS



CASING:

8 5/8" 1303' cem w/300 sx.
5 1/2" 3616' cem w/150 sx.

Elevation. _____

Production. 1858 bbls.

Figures indicate Bottom of Formations.

lime, sand	286
sand, shale	1036
red rock	1221
shale, shells	1296
anhydrite	1366
shale, shells	1402
red rock	1466
shale, shells	1856
lime, shale	2606
lime	2726
lime, shale	3053
lime	3083
lime, shale	3111
lime	3623
total depth	

Tops: SJ

Heebner	3234
Lansing	3279
Arbuckle	3566