

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

12/23/08

Operator: License # 32955
 Name: Kenneth & Regina Laymon, LLC
 Address: 1998 Squirrel Road
 City/State/Zip: Neosho Falls, KS 66758
 Purchaser: Coffeyville Resources
 Operator Contact Person: Kenneth Laymon
 Phone: (620) 963-2495
 Contractor: Name: Kelly Down Drilling Co., Inc
 License: 5661
 Wellsite Geologist: none
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>11/21/2008</u>	<u>12/02/2008</u>	<u>12/15/2008</u>
Spud Date or	Date Reached TD	Completion Date or
Recompletion Date		Recompletion Date

API No. 15 - 207-27419-00-00
 County: Woodson
S2 .nw. Sec. 10 Twp. 24 S. R. 16 East West
3300 feet from S / N (circle one) Line of Section
3960 feet from E / W (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW SW
 Lease Name: Nusz Well #: 17-08
 Field Name: Vernon
 Producing Formation: Mississippi Lime
 Elevation: Ground: 1070 Kelly Bushing: 1075
 Total Depth: 1440 Plug Back Total Depth: 1435
 Amount of Surface Pipe Set and Cemented at 43 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set _____ Feet
 If Alternate II completion, cement circulated from 43
 feet depth to surface w/ 10 sx cmt.

RECEIVED
 KANSAS CORPORATION COMMISSION
 DEC 29 2008
 CONSERVATION DIVISION
 WICHITA, KS

Drilling Fluid Management Plan AII NR 3-6-09
 (Data must be collected from the Reserve Pit)
 Chloride content _____ ppm Fluid volume _____ bbls
 Dewatering method used _____
 Location of fluid disposal if hauled offsite: _____
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Kenneth Laymon
 Title: Owner Date: 12/23/2008
 Subscribed and sworn to before me this 23rd day of December
15, 2008.
 Notary Public: Regina Laymon
 Date Commission Expires: _____

NOTARY PUBLIC - State of Kansas
 REGINA LAYMON
 My Appt. Exp. 01-21-09

KCC Office Use ONLY
 Letter of Confidentiality Attached
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Operator Name: Kenneth & Regina Laymon, LLC Lease Name: Nusz Well #: 17-08
 Sec. 10 Twp. 24 S. R. 16 East West County: Woodson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	see attached		
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
List All E. Logs Run:	Gamma Ray/Neutron/CCL			

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10 1/4"	8 5/8"	24#	43'	portland	10	
Production	6 1/2"	2 7/8"	6.7#	1435'	common	240 sks	
Tubing		1"	1375'				

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
2	1032 - 1037	1000 gal 15% HCL Acid	1032-1044
2	1039 - 1044		
		RECEIVED KANSAS CORPORATION COMMISSION DEC 29 2008 CONSERVATION DIVISION WICHITA, KS	

TUBING RECORD	Size	Set At	Packer At	Liner Run
				<input type="checkbox"/> Yes <input type="checkbox"/> No

Date of First, Resumed Production, SWD or Enhr. 12/16/2008	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
--	---

Estimated Production Per 24 Hours	Oil Bbls. .5	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	-----------------	---------	-------------	---------------	---------

Disposition of Gas Vented Sold Used on Lease *(If vented, Sumit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled

Production Interval Other (Specify) _____

THE NEW KLEIN LUMBER COMPANY

201 W. MADISON
 P.O. BOX 885
 IOLA, KS 66749
 PHONE: (620) 365-2201

CUSTOMER NO.	JOB NO.	PURCHASE ORDER NO.	REFERENCE	TERMS	CLERK	DATE	TIME
3447				NET 10TH OF MONTH		11/3/88	12:39

S
O
L
D
T
O

LAYMON OIL II
 1998 SQUIRREL RD
 NEOSHO FALLS KS 66758

S
H
P
T
O

GO TO NEOSHO FALLS RD GO
 NORTH 5 MI (100TH RD) GO WEST
 TO VIOLET RD GO NORTH 1/2 MI

TERM# 1

DOCN 101603

 * INVOICE *

TAX : 001 IOLA IOLA

QUANTITY		UM		SKU	DESCRIPTION	SUGG	UNITS	PRICE / PER	EXTENSION
SHIPPED	ORDERED								
30		EA	PC		PORTLAND CEMENT		30	8.99 /EA	269.70
					<i>Newy Lanes</i> #15-08 #16-08 #17-08				

** AMOUNT CHARGED TO STORE ACCOUNT **	289.39	TAXABLE	269.70
		NON-TAXABLE	0.00
		SUBTOTAL	269.70
		TAX AMOUNT	19.69
		TOTAL AMOUNT	289.39

X
 RECEIVED BY:

RECEIVED
 KANSAS CORPORATION COMMISSION

DEC 29 2008

CONSERVATION DIVISION
 WICHITA, KS

THE NEW KLEIN LUMBER COMPANY

281 W. MADISON
 P.O. BOX 885
 IOLA, KS 66749
 PHONE: (620) 365-2201

CUSTOMER NO.	JOB NO.	PURCHASE ORDER NO.	REFERENCE	TERMS	CLERK	DATE	TIME
3447				NET 10TH OF MONTH	SE	11/3/88	12:39

S
O
L
D
T
O

LAYMON OIL II
 1998 SQUIRREL RD
 NEDSHO FALLS KS 66758

S
H
P
T
O

GO TO NEDSHO FALLS RD GO
 NORTH 5 MI (100TH RD) GO WEST
 TO VIOLET RD GO NORTH 1/2 MI

TERM# 1

DOCH 101603

 * INVOICE *

TAX : 001 IOLA IOLA

QUANTITY		UM	SKU	DESCRIPTION	SUGG	UNITS	PRICE / PER	EXTENSION
SHIPPED	ORDERED							
30		EA	PC	PORTLAND CEMENT		30	8.99 /EA	269.70
				<i>Nusy Lines</i> #15-08 #16-08 #17-08				

** AMOUNT CHARGED TO STORE ACCOUNT **

289.39	TAXABLE	269.70
	NON-TAXABLE	0.00
	SUBTOTAL	269.70
	TAX AMOUNT	19.69
	TOTAL AMOUNT	289.39

X
 RECEIVED BY:

RECEIVED
 KANSAS CORPORATION COMMISSION

DEC 29 2008

CONSERVATION DIVISION
 WICHITA, KS

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLD TO:

1A005
LAYMON OIL, L.L.C.
1999 SQUIRREL RD.

NEOSHO FALLS, KS
66758

SHIP TO:

1A2/
LAYMON OIL
54 W TO WYALOW N TO 180TH RD
W 3.75 MI S SD BATE

NEOSHO FALLS

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	PLANT/TRANSACTION #
01:20:33p	WELL	8.00 yd	24.00 yd	0.00	BT 34	
DATE	LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
12-02-08 Today	2	15.00 yd	7566		4.00 in	22602

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS!

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A 25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer: The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this job where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc. by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

X

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By
GAL X

WEIGHMASTER
[Signature]

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY
X *[Signature]*

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.00	WELL	WELL (10 SACKS PER UNIT)	69.00	552.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY/EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	SubTotal \$
		2:47	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER		552.00
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE	Tax % 6.300
		2:24			34.78
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	Total \$
					586.78
					Order \$
					1279.86
					ADDITIONAL CHARGE 1
					ADDITIONAL CHARGE 2
					GRAND TOTAL

RECEIVED
KANSAS CORPORATION COMMISSION
DEC 29 2008
CONSERVATION DIVISION
WICHITA, KS

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLD TO:

SHIP TO:

LA005
LAYMON OIL, L.L.C.
1998 SQUIRREL RD.

LA02/
LAYMON OIL
54 W TO WILLOW N TO 180TH RD
W 5.75 MI S SD GATE.

NEOSHO FALLS KS
66758

NEOSHO FALLS

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	* CAL	DRIVER/TRUCK	PLANT/TRANSACTION #	
01:09:39p	WELL	8.00 yd	24.00 yd	0.00	BD 35	X AIR 0.00	
DATE	Date	LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
12-02-08	Today	1	8.00 yd	7665		4.00 in	22601

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNING. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin of Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY AND BECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of this truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is your wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED _____

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By

GAL X

WEIGHMASTER

W. S. Z. #17-08

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY: *Mike P...*

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.00	WELL	WELL (10 BAGGS PER UNIT)	69.00	552.00
2.00	TRUCKING	TRUCKING CHARGE	50.00	100.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY/EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
		14138	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
13:05	14120			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

SubTotal	652.00
Tax @ 6.300	41.08
Total	693.08
Order	693.08
ADDITIONAL CHARGE 1	
ADDITIONAL CHARGE 2	
GRAND TOTAL	693.08

RECEIVED
KANSAS CORPORATION COMMISSION
DEC 29 2008
CONSERVATION DIVISION
WICHITA, KS

Kelly Down Drilling Co. Inc
1998 Squirrel Road
Neosho Falls, KS 66758

620-963-2495

fax 620-963-2921

Kenneth & Regina Laymon, LLC
1998 Squirrel Road
Neosho Falls, KS 66758

Nusz #17/08
API: 15-207-27419
Spud Date: 11/21/08
Comp Date: 12/02/08
10/24/16 WO CO

Formation	From	To
Soil & Clay	0	24
Shale	24	170
Lime & Shale	170	635
Lime	635	640
Big Shale	640	780
Lime & Shale	780	1027
Cap Rock	1027	1028.5
Sand Lower	1028.5	1034
Shale	1034	1370
Mississippi Lime	1370	1375
Break	1375	1380
Lime	1380	1440
Total Depth		1440

Set 43' of 8 5/8" surface, cemented w/10 sks.
Ran 1435' of 2 7/8" pipe.
Seating nipple @ 1370'.

RECEIVED
KANSAS CORPORATION
DEC 29 2008
CONSERVATION DIVISION
WICHITA, KS