


September 1999 Form Must Be Typed



leg well motori bedani	TION OF WEEL & LEAGE
Operator: License # 32710	API No. 15 - 207-27434 - 0000
Name: Laymon Oil II, LLC.	County: Woodson
Address: 1998 Squirrel Rd	SW NW SE NE Sec. 29 Twp. 23 S. R. 16  East West
City/State/Zip: Neosho Falls, KS 66758	13380 feet from S/ N (circle one) Line of Section
Purchaser: Coffeyville Resources	• 1185 feet from E/ W (circle one) Line of Section
Operator Contact Person: Michael Laymon  Phone: (620 ) 963-2495 KANSAS CORPORATION COMMISSION  Contractor: Name: Company Tools CAYMON DIL VI LICE  License: 32710  Wellsite Geologist: none CONSERVATION DIVISION  WICHITA, ICS  Designate Type of Completion:  V New Well Re-Entry Workover  Oil SWD SIOW Temp. Abd.  Gas ENHR SIGW	Lease Name: Robison Well #: 37-08  Field Name: Vernon  Producing Formation: Squirrel  Elevation: Ground: ///3 Kelly Bushing: Plug Back Total Depth: 1178  Amount of Surface Pipe Sét and Cemented at 40 Feet
	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 40 feet depth to surface w/ 10 sx cmt.
Operator:	feet depth to w/ w/ sx cmt.
Original Comp. Date:Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)  Chloride content ppm Fluid volume bbls  Dewatering method used  Location of fluid disposal if hauled offsite:  Operator Name: License No.:  Quarter Sec Twp S. R East West  County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs and TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-10d geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
Signature: Date: 1-28-2003!  Subscribed and sworn to before me this 38 <sup>th</sup> day of 200000000000000000000000000000000000	KCC Office Use ONLY  Letter of Confidentiality Received  If Denied, Yes Date:  Wireline Log Received  Geologist Report Received  UIC Distribution



Operator Name: Layr	mon Oil II, LLC.		Lease	e Name:_	Robison		Well #: 37-0	8	_
	3 S. R. 16	✓ East	Count	y: Woods	son				
tested, time tool oper temperature, fluid red	n and closed, flowing covery, and flow rate	and base of formations g and shut-in pressured s if gas to surface test, inal geological well site	penetrated. s, whether s	Detail al	Il cores. Report	static level, hydr	ostatic pressure	es, botto	om hole
Drill Stem Tests Take		☐ Yes 🗸 No		<b></b> ✓L	og Formati	on (Top), Depth	and Datum		Sample
Samples Sent to Geo	ological Survey	☐ Yes ✓ No	\	Nam	е		Тор		Datum
Cores Taken		Yes V No	·	See	attached log				
Electric Log Run (Submit Copy)		✓ ✓ Yes □ No			andonioù iog				
List All E. Logs Run:					KANSAS C	RECEIVED DRPORATION COA	MISSION		
Gamma Ray I	Neutron					EB 0 2 2009			
					CONS	ERVATIONDIVIS	ONN		
			G RECORD	□ Ne	w Used	VAICHITA, KS			
Purpose of String	Size Hole Drilled	Report all strings se Size Casing Set (In O.D.)	We	ight ./Ft.	Setting Depth	Type of Cement	# Sacks Used		and Percent
Surface	10 1/4"	8 5/8"	24#		40'	common	10		
Production	6 1/8"	2 7/8"	6.7#		1178	portland	160		
Tubing		1"	1.8#		1078				
		ADDITIONA	AL CEMENTI	ING / SQL	JEEZE RECORD	NA AMPARA			
Purpose: Perforate	Depth Top Bottom	Type of Cement	#Sacks	ks Used Type and Percent Additives					
Protect Casing Plug Back TD Plug Off Zone									
Shots Per Foot		ON RECORD - Bridge PI		1		cture, Shot, Cemen		d	
3	1087-1107.5	Footage of Each Interval P	erforated	· · · · · · · · · · · · · · · · · · ·		(Amount and Kind of Material Used)  CL acid; frac 75 sacks sand			Depth 1087-1107
					100 garrior a	100, 100 10 300	No Saliu		1007-1107
	4,0.0								
TUBING RECORD	Size	Set At	Packer A	At	Liner Run	Yes No			
Date of First, Resumerd	Production, SWD or E	nhr. Producing Me		Flowing				er (Explain,	)
Estimated Production Per 24 Hours	Oil 1	Bbls. Gas	Mcf	Wate	r Bi	ols. (	Sas-Oil Ratio		Gravity
Disposition of Gas	METHOD OF C	OMPLETION	L		Production Interv	<b>ra</b> l			
Vented Sold	Used on Lease	Open Hole	_	. 🗌 D	ually Comp.	Commingled			

## Laymon Oil II, LLC 1998 Squirrel Road Neosho Falls, KS. 66758

620-963-2495

fax 620-963-2921

Laymon Oil II, LLC 1998 Squirrel Road Neosho Falls, KS. 66758 RECEIVED KANSAS CORPORATION COMMISSION

FEB 0 2 2009

CONSERVATION DIVISION WICHITA, KS

Robison #37-08 API: 15-207-27434 Spud Date: 09-10-2008 Comp. Date: 09-11-2008

29-23-16 WO CO

Formation	From	То
Soil & Clay Shale Lime Shale	0 16 98 109	16 98 109 290
Lime Lime & Shale	290 344	344 740
Shale	740	900
Lime Shale	900 940	940 1014
Lime Black Shale	1014 1036	1036
Lime 40' Shale	1041 1053	1053 1061
Black Shale Lime 5'	1061 1065	1065 1070
Black Shale Shale	1070 1074	1074 1085
Sand Upper Shale Total Depth	10 <b>8</b> 5 1105	1105 1180 1180

Set 40' of 8 5/8" surface, cemented with 10 sks. Ran 1178' of 2 7/8" pipe Seating nipple @ 1078

Phone 365-2201

Locally Owned and Operated

"Courtesy" - "Quality" - "Service"

Since 1903

P.O. No.		., IIN	C.			
Billing Address  Delivered To Loaded By Hauled By  OUANTITY DESCRIPTION FEET PRICE TOTAL  ANSAS CORPORATION COMMISSION 150 8-99 134  FEB 0 2 2009 + X 9  CONSERVATION DIVISION	, 20	08				
SOLD TO	layron Dil TI Billing Address					
Delivered To	Loaded By	F	lauled By			
QUANTITY	DESCRIPTION		FEET	. PRICE	TOTAL	
	RECENTO					
150	2 CK D COMMISSION COMMISSION	ON	150	8-28	1348	50
-	FEB 0 2 2009		+	i.X	98	44
	CONSERVATION DIVIGINA		•	,		<del> </del>
	VICHITA KS				1446	94
				1		
	10 Dacks Robison 27-08					
			# \$6 ·			
	The state of the s		N TELEVISION OF THE PROPERTY.	TENER.		
	10 Dacks Sutherland 17-08					
on the second	10 DKS. Sutherland 16-08					
	10 Dacks Pohison 37-08					
ACCOUNTS	COUNTS ARE DUE BY THE 10th OF THE MONTH. PAST DUE ARE SUBJECT TO FINANCE CHARGE COMPUTED AT 1-1/2%					*
	ON THE BALANCE, ANNUAL PERCENTAGE HATE OF 18%.					
X	ORDER		*****			Ĺ

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



LA005 LAYMON OIL, L.L.C. 1998 GQUIRREL RD.

LA11/2 LAYMON OIL 54 W TO WILLOW N TO 200TH RD W 6 MI TO QUAIL RD N 1/2 MI W SD DOUBLE GATE

		66758			HD FALLS, KS 66758				
TIME	FORMULA	LOAD SIZE	YARDS ORDERED	X CAL	DRIVER/TRUCK	7 AIR	PLANT/TRANSACTION		
02:56:55p	WELL.	8.00 yd	15.00 yd	0.00	34	0.00			
DATE	To Date	OAD#	ARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER		
09-11-08	Today	•	16.00 yd	6617		4.00 in	21814		
CAUSE BURNS, Avoid C	WARNING TING TO THE SKIN A I. Wear Rubber Boots and Gloves, Ploontact With Eyes and Prolonged Co s, Flush Thoroughly War, Water, lift	intact With Skin. In Case of	TO BE SIGNED IF DELIVERY	MAGE RELEASE TO BE MADE INSIDE CURB LINE) Truck in presenting this RELEASE to into that the size and weight of his te to the premises and/or adjacent this load where you desire it, it is that we can, but in order to do this ign this RELEASE relieving him and	H₂0 Ac	Is Detrimental to Conc ided By Request/Autho			
Attention. KEEP CHILDRE CONCRETE Is a PERISHABLI LEAVING the PLANT. ANY I	N AWAY.  E COMMODITY and BECOMES the PROPI CHANGES OR CANCELLATION of ORIGI BEFORE LOADING STARTS.	ERTY of the Purchaser upon NAL INSTRUCTIONS MUST be	our wish to help you in every way the driver is requesting that you s this supplier from any responsibility to the premises and/or adjace driveways; curbs, etc., by the del also agree to help him remove mu-	that we can, but in order to do this ign this RELEASE relieving him and y from any damage that may coour any property. buildings, sidewalks, livery of this material, and that you do from the wheels of his vehicle so, which we have the subject of this vehicle so.	WEIGHMASTER	, #'3'	7.08		
Ali accounts not paid within 30 Not Responsible for Reactive Material is Delivered.	pay all costs, including reasonable attor days of delivery will bear inferest at the rate a Aggregate or Color Guelliny. No: Claim: coss of the Cash Discount will be oblished \$50/HR.	of 24% per annum. Allowed Unlass Made at Time	tion, the undersigned agrees to inc. of this truck and this supplier for inandor adjacent properly which in arisin out of delivery of this order. SIGNED	ight this RELEASE relieving him and y from any damage that may occur and properly, buildings, sidewalks, livery of this material, and that you, do from the whee's of his verhicle so, set Further, as additional considera- ennight and hold harmless the driven any and all damage to the premises any be daimed by anyone to have.	NOTICE: MY SIGNATURE RUI NOTICE: AND SUPPLIER RUI WHEN DELIVERING INSIDE CO	OW INDICATES THAT I HAVE LL NOT BE RESPONSIBLE JRB LINE.	HEAD THE HEALTH WARNIN FOR ANY DAMAGE CAUSE		
QUANTITY	CODE	DESCRIPTION				UNIT PRICE	EXTENDED PRICE		
8. 00 2. 00	MELL	TRICKING C			16.00 2.00				
ETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/C	YUNDER TEST TAKEN	TIME ALLOWED				
		4:36	n, JOB NOT READY 2: SLOW POUR OR PUMP 3: TRÜCK AHEAD ON JOB	8. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	* 1				
LEFT PLANT	ARRIVED JOB	START UNLOADING	4) CONTRACTOR BROKE DOWN 5, ADDED WATER	9. OTHER	TIME DU				
3:19	3,54	4:00				ADDITIONAL CHARGE	1		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE	2		
						GRAND TOTAL			

RECEIVED KANSAS CORPORATION COMMISSION

FEB 0 2 2009

CONSERVATION DIMISION WICHTA, KS

Industrial Rd. Box 664 Kansas 66749 ne: (620) 365-5588

## Payless Con oducts, Inc.

LA005 LAYMON OIL, L.L.C. 1998 SQUIRREL RD.

1.A11/2 LAYMON OIL 54 W TO WILLOW N TO 200TH RD W 6 MI TO QUAIL RD N 1/2 MI U SD DOUBLE GATE

		6675	B [ ] [ ] .	NEOSHO	FALLS, KS 66	758	
TIME	FORMULA	LOAD SIZE	YARDS ORDERED,	L y ra	DRIVERARUCK	X OIR	PLANT/TRANSACTION
3:07:0 <b>0</b> p	WELL.	6. 00 yd	IE. 00 yd	0.00	34	0.00	
DATE	to Date	LOAD# #	ARDSDEL	BATCH#	WATERTRIM	SLUMP	TICKET NUMBER
-11-08	Today	3	24.00 ya	6618		4.00 in 1	21815
SE BURNS. Avoid Co Ct With Skin or Eyes on. KEEP CHILDREK THE IS A PERISHABLE THE IS A PERISHABLE THE PLANT. ANY CH NEED to the OFFICE IS Assend promises to Owed Into paid within 30 of The Area The Vereil.	WARNING ING TO THE SKIN A Wear Rubber Bloots and Gloves - Initiact With Eyes and Protonged C , Plush Thoroughly With Weter, If I AWAY. COMMODITY and BECOMES the PROF HANCES OR CANCELLATION of ORIG BEFORE LOADING STARTS. pay all costs, thickling responsible atto tays of delively will bear interest at the rate Aggregate or Color Custify. No Claim ses at the Cash Discount will be collected.	contact With Skin. In Case of imitation Persists, Get Medical PERTY of the PURCHASER UPON SINAL INSTRUCTIONS MUST be wheys fees, incurred in collecting and 24% per annium.  Allowed Unless Made at Time		MAGERELEASE TO BE MADE INSIDE CURB LINE) tuck in presenting this RELEASE to binon that the size and weight of his go to the premises and/or adjacent in this load where you desire it. It is that we can, but in order to do this sign this RELEASE relieving him and by from any damage that may occur ant property. buildings, sidewelds, linery of this martental, and that you as from the wheels of his vehicle so rest. Further, as additional considera- identify and hold harmless the driver any and all damage to the premises have be claimed by anyone to have	H₂0 Ad X GAL X WEIGHMASTER	Is Detrimental to Concided By Request/Author  White the Concidence of the Concidence	Ized By
Sumfer (A.)	CODE	DESCRIPTION				UNIT PRICE	EXTENDED PRICE
	WELL	WELL (10	ACKE PER UNI	7)	24.00		
	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/C	YLINDER TEST TAKEN	TIME ALLOWED		
	ARRIVED JOB	START UNLOADING	1. JOB NOT READY, 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN	6 TRUCK BROKE DOWN 7 ACCIDENT 8 CITATION 9 OTHER	TIME DUE		
		iul Or	6. ADDED WATER			ADDITIONAL CHARGE 1	
	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2	
						GRAND TOTAL	

KANSAS COTTOTATION COMMISSION FEB 0 2 2009

RECEIVED

CONSTRUCTION OF THE CONTROL OF THE C WICHTA, KS