RECEIVED

MAY 1.3 2002

KCC WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

CORRECRED

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 9313	API No. 15 - 205-25433-0000
Name: James D. Lorenz	County: Wilson
Address: 543A 22000 Rd.	SW_SW_NW_Sec. 2Twp. 30 _ S. R. 15 _ East _ West
City/State/Zip: Cherryvale, KS 67335-8515	2905' feet from (S) N (circle one) Line of Section
Purchaser: Farmland Industries	4950' feet from E/ W (circle one) Line of Section
Operator Contact Person: James D. Lorenz	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 328-4433	(circle one) NE SE NW SW
Contractor: Name: L & S Well Service	Lease Name: Baker Well #: WIW#1
License: 32450	Field Name: Fredonia
Wellsite Geologist: none	Producing Formation: Bartlesville
Designate Type of Completion:	Elevation: Ground: 818' Kelly Bushing: 823'
New Well Re-Entry Workover	Total Depth: 1011' Plug Back Total Depth:
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 45' of 7" Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc) W W	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 10 86'
Operator:	feet depth to surface w/ 120 sx cmt.
Well Name;	Au I WA
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf. Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls
Plug Back Plug Back Total Depth	Dewatering method used
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
	Lease Name: License No.:
1-12-02 1-15-02 1-17-02 Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R 🗆 East 🗌 West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workove information of side two of this form will be held confidential for a period of 1	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regula herein are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature:	KCC Office Use ONLY
Title: Date:	Letter of Confidentiality Attached
Subscribed and sworn to before me thisday of	If Denied, Yes Date:
19	Wireline Log Received
Notary Public:	Geologist Report Received
•	
Date Commission Expires:	

Operator Name: Jame	es D. Lorenz		Lease Nam	ne: Baker		Well #: WI	W#1	
	s. R. 15	✓ East West	County:					
tested, time tool open a temperature, fluid reco	and closed, flowing very, and flow rate:	and base of formations p g and shut-in pressures, s if gas to surface test, a inal geological well site	whether shut-in along with final o	pressure reached	l static level, hydr	ostatic pressur	es, bottom hole	
Drill Stem Tests Taken (Attach Additional Si	heets)	☐ Yes ☑ No	. [Log Forma	tion (Top), Depth		Sample	
Samples Sent to Geok	ogical Survey	☐ Yes 🗹 No	1	Name		Тор	Datum	
Cores Taken Electric Log Run (Submit Copy)		☐ Yes ☑ No ☐ Yes ☑ No ☐ R	ECEIVE	(D				
List All E. Logs Run:	•		IAY 1,3 20		-			
		K	CC MICHI.	ΓΑ				
		CASING Report all strings set-	RECORD Conductor, surface	New Used	ction, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
surface	10** 1	7"	45'	0-45'	Portland	12`	none	
production '	5.1/4	2"	1000'	0-1010	Portland	120	3%gel,flowseal	
المام مع الصحير الشهيش الشيء المحمد	· Free s Oran Sup	The second secon						
		ADDITIONAL	L CEMENTING /	SQUEEZE RECOR	D			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	#Sacks Use	d	Type and	Percent Additive		
Shots Per Foot		ON RECORD - Bridge Plu Footage of Each Interval Pe		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Dep				
Ţ	· · . 	, <u>,</u> , ,	pr				»···	
					·			
TUBING RECORD	Size		Packer At	Liner Run	Yes N	0		
Date of First, Resumed F	Production, SWD or E	nhr. Producing Met		owing Pum	ping 📋 Gas L	.ift 🗌 Ott	ner <i>(Explain)</i>	
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Water	Bbis.	Gas-Oil Ratio	Gravity	
Disposition of Gas N/	A METHOD OF C	COMPLETION		Production Int	erval			
Vented Sold	Used on Lease	Open Hole		Dually Comp.	Commingled	<u></u>		

L S Well Service
543-A 22000 Rd.
Cherryvale, KS 67335
620-328-4433

Jim Lorenz
Set Surface 1-12-02
Start Drilling 1-14-02
Completed Drilling 1-15-02
MAY 1, 3 2002

Baker WIW #1 S2, T30, R15 Wilson 2905' FSL 4950' FEL

0-265 265-316 316-536 536-566 566-586 586-696 696-736 736-756 756-766 766-776 776-786 786-791 791-976 976-981 981-1001	Shale Lime Shale Lime Shale Lime Shale Lime Shale Lime Shale Lime Shale Shale Shale Shale Shale Shale	KCC W	ICHITA	API #15-205-25433-0000 Surface pipe 45' of 7" Drilled 5 1/4" hole Set with 12 sacks Portland cement
981-1001 1001-1011	Shale Sand		Packer 1000'	

T.D. 1011'

L & S WELL SERVICE 543A 22000 ROAD 316-328R4433EIVED

00315

CHERRYVALE, KANSAS 67335-8515

MAY 1.3 2002

					en				1	and the E	/1/	
API	[#] 15- 205-	25433 -	0000	KCC W	ICHITA		MENTING TICKET		1-17-0	z John notified		
SECTION	TOWNSHIP	RANGE	. (COUNTY	STATE		RICT#	DATE B	EGAN	DATE COM	PLETE	
2	30	15		Wilson	KS	,	3	1-17-	02	1-17-6	12	
OWNER		•	CONTR	RACTOR		<u> </u>	CHARGE T					
Jan	nes D. Lor	enz					Jan	nos	1). L	oren2		
MAILING ADDR	ESS		CITY	,			STATE/ZIP					
543A	22000 RC	/	(Cherryvale				KS 67335-8515				
LEASE NAME/			SIZE O	F HOLE	CASING SIZE		AMOUNT 8	KIND OF	CEMENT	USED		
Bake	r WIW			51411	2x 10/1	•	120 SI	c. POI	Hana	1 i 3/00	Se/	
CEMENTER			HELPE	RS NAMES						flows		
Bart	Lorenz	•	S	even Mi	chall Re	id				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
	REMARKS:											
1011' of 2" ran down well with Robinson set down								1				
packer set at 1000' (last 10' o-1 pipe below packer												
perforated) I" pipe nan down backside and ament												
pumped to surface. I" pulled out - backside topped off.												
Used total of 120 SX. Portland ciment.												
											Ì	
									·-·-			

ΤY	-	_	_		_					_		
, v	ப	_	г 1			36	Λ.	n n	пК		м	
	_	_		_		ъ-	_	ıw		- 1	v	

[xx]	SURFACE PIPE 1-12-02 (45' of 7") with 12 sx. Portland cement
[XX]	PRODUCTION CASING 1011	'with set down packer (Robinson) set 1000'-last 10' of pipe below packer was perforated.
[]	SQUEEZE CEMENT at	1000 - last 10' of pipe below packer was
[]	PLUG & ABANDON	perforate.
1	OTHER	

THE ABOVE JOB WAS DONE UNDER SUPERVISION OF OWNER, OPERATOR, OR HIS AGENT WHOSE SIGNATURE APPEARS BELOW.

AGENT OF CONTRACTOR OR OPERATOR

SIGNATURE OF PLUGGING CONTRACTOR OPERATOR