Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## WELL PLUGGING RECORD

Form CP-4
December 2003
Type or Print on this Form
Form must be Signed
All blanks must be Filled

All blanks must be Filled K.A.R. 82-3-117 API Number: 15 - 031-22393-0000 Lease Operator: Birk Petroleum Demler Address: 874 12th Rd SW, Burlington, Ks 66839 Lease Name: Well Number: Phone: (620 ) 364 - 1311-office Operator License #: 31280 Type of Well: Andry hole - N2 Spot Location (QQQQ): N2 3700 (Oil, Gas D&A, SWD, ENHR, Water Supply Well, Cathodic, Other) (If SWD or ENHR) Feet from North / South Section Line The plugging proposal was approved on:  $\underline{02/24/2009}$ 3300 Feet from East / West Section Line by: Ryan Duling Two. <sup>23</sup> S. R. <sup>15</sup> Fast West \_ (KCC District Agent's Name) County:\_\_ ✓ Yes No Is ACO-1 filed? Yes No If not, is well log attached? 02/24/09 Producing Formation(s): List All (If needed attach another sheet) Date Well Completed: 02/24/09 Depth to Top: \_\_\_\_ \_\_\_\_\_ Bottom: \_\_\_ Plugging Commenced: Depth to Top: \_\_ \_\_ Bottom: \_\_ 02/24/09 Plugging Completed: Depth to Top: \_\_\_\_\_ Bottom: \_ Show depth and thickness of all water, oil and gas formations. Oil, Gas or Water Records Casing Record (Surface Conductor & Production) Formation Content From To Size Put In **Pulled Out** RECEIVED 7" 0 40' see attached drill log 2/14/09 KANSAS CORPORATION COMMISSION CONSERVATIONDIVISIO Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set. Hooked up to 2 7/8" drill pipe. Break circulation. Pump 12 sx cement to set 50' plug at t.d. Pull out to 950' and pump 2 sx gel. Then pump 12 sx cement to set 50' plug at Kansas City. Pull out to 250' and pump 2 sx gel. Then set solid plug 250' to surface using 46 sx cement. Name of Plugging Contractor: Birk Petroleum Address: 874 12th Rd SW, Burlington, Ks 66839 Name of Party Responsible for Plugging Fees: Birk Petroleum

State of Notary Public 7State of Kansas Bescribed and Swork for before me this Office of Operator) of Operator) on above-described well, being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

(Signature)

(Address) 874 DH PASU BULLIATOR KO 839

(Address) 874 DH PASU BULLIATOR KO 8

BIRK PETRO		ICE TICKET
874 12 <sup>TH</sup> RD S		
BURLINGTO		2/21/20
020-364-1311 -	OFFICE, 620-364-6646 - CELL COUNTY CF. DATE	:: <u>2/24/09</u>
CHARGE TO	Birk Petroleum COUNTY CT. CITY	/
ADDRESS	CITY SULLINGTON ST	ZIP
LEASE & WE	LLNO. Jem er #9 CONTRACTOR	
KIND OF JOB		ISE
DIR. TO LOC.		OLD (NEW)
QUANTITY	MATERIAL USED	SERV. CHG
700	Portland Rand Mix Com and	SERV. CHG
100	TOTHULA/NEWYNUX GINERT	
	DINK CHARCE	RECTIVED INSAS CURPORATION COMMISSION
	BULK TRK. MILES	FEB 2 7 2009
	PUMP TRK. MILES	CONSERVATION DIVISION
<u> </u>	1 N. 100 0 1 1 (2) = 1	WICHITA, KS
	PLUGS - 50' plug (a) T.D.	
	50' plug a base of Kansas (HV	
	I Solid Plug '250' to Sirtace TOTAL	
T.D. 1999	CSG. SET AT	
SIZE HOLE	TBG SET AT VOLUME	
MAX. PRESS	SIZE PIPE	
PLUG DEPTH	PKER DEPTH PLUG USED	
TIME FINISHED	<u> </u>	
REMARKS: HOSYLOS SCI SOUC	Doked up to 2 % " pipe. Brak Circulation ment - Set plugat TD. Fulled out to 950 and Sx cement to set plugal base of R.C. Pull out I plug 50 to surface using 46 Sx cemen	on. Pump pump 25001. F D 20. Pumpge
NAME		
CIMPITE !		
CEMENTER O	R TREATER OWNER'S REP.	

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbeyn, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indigated. We do not assume responsibility for strength lest when water is added at customer's request.

MOTICE TO OWNER

··· STADTO: BROW1

B & B COMPENATIVE WENTLINGS 900 S. PRETH ST.

BURLINGTON KS

1111118

P B COOP. VERMURES/BIRK GIL São to 7% (No. 11 11 NO ESPATHO WIA MI TO IRIS ROW 1, 8 WIE

ON YE LALIN SD

7		·	15/5/4/3/3		ZHILE:	Chiniba, No like	783	
4	TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
	A.				% CAL	BT	% AIR	
	99:41:17a	in the second	7.00 yd	7.00 yd	0.00	34	0.00	
ľ	DATE		LOAD #	YARDS DEL.	BATOH#.∡.	WATER TRIM	SLUMP	TICKET NUMBER
ſ	A.A A.A	o Date	5	39.00 yd	# 1.73			
	M2-24-09	Today	1	7.00 yd	0152		4.00 in	12931

WARNING 🕈

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Cantact With Skin.or Eyes, Flush Thoroughly With Water, if Intiation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE & PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be ELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' any sums owed.

All accounts not paid within 30 days of dalivery will bear interest at the rate of 24% per annum. This is the possible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Dalay Time Charged @ \$50/HR. CODE

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE, CURB LINE)

Dear Customer The driver of this truck in presenting the RELEASE to, you for your signature is of the opinion that the size entityweight of his truck may possibly cause damage to the premises and/or adjacent, property if places the material in this load where you desire it. It is

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

UNIT PRICE EXTENDED PRICE

QUANTITY

WELL (10 SACKS PER UNIT)

trucking Charge

DESCRIPTION

7.00

69.00

483.60

RE	URNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	SubTotal \$ 483.00
			12:21	1. JOB NOT READY 8. TRUCK BOKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. ORATION		ax % 5.300 25.60
	LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER	TIME DUE	btal \$ 508.50 rder \$ 508.60
	9:02	9:46	10:31			ADDITIONAL CHARGES
ŢÇ	TAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
						GRAND TOTAL

15-031-22393-00-00

KMK898(E

569 27 2009

CONSERVATION DIVISION Mighia, KE