

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 6766  
Name: N & W Enterprises, Inc  
Address: 1111 S Margrave  
City/State/Zip: Fort Scott, KS 66701  
Purchaser: Plains Marketing  
Operator Contact Person: Tom Norris  
Phone: ( 620 ) 223-6559  
Contractor: Name: Hat Drilling LLC  
License: 33734  
Wellsite Geologist: \_\_\_\_\_

Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SLOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_

<u>10/20/2006</u>	<u>10/27/2006</u>
Spud Date or Recompletion Date	Date Reached TD Completion Date or Recompletion Date

API No. 15 - 037-21846-0000  
County: Crawford  
SE/4 - SE - NE - SE Sec. 33 Twp. 28 S. R. 22  East  West  
1485 feet from S N (circle one) Line of Section  
1485 feet from E W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name: Meyer Well #: 20

Field Name: Walnut SE  
Producing Formation: Bartlesville

Elevation: Ground: N/A Kelly Bushing: \_\_\_\_\_  
Total Depth: 425 Plug Back Total Depth: 421

Amount of Surface Pipe Set and Cemented at 20 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from 421  
feet depth to Top w/ 40 sx cmt.

**Drilling Fluid Management Plan**  
(Data must be collected from the Reserve Pit) Cell II KGR 2/14/08

Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used \_\_\_\_\_

Location of fluid disposal if hauled offsite: \_\_\_\_\_


Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Thomas S. Perrin  
Title: President Date: 11/18/06  
Subscribed and sworn to before me this 18th day of November,  
2006.  
Notary Public: Virginia L. Norris  
Date Commission Expires: 3-30-09

**KCC Office Use ONLY**  
 Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
**RECEIVED**  
**NOV 27 2006**



**KCC WICHITA**

Operator Name: N. & W Enterprises, Inc Lease Name: Meyer Well #: 20  
 Sec. 33 Twp. 28 S. R. 22  East  West County: Crawford

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:	<input checked="" type="checkbox"/> Log    Formation (Top), Depth and Datum <input type="checkbox"/> Sample  <table style="width:100%; border: none;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Bartlesville</td> <td>391</td> <td>401</td> </tr> </table>	Name	Top	Datum	Bartlesville	391	401
Name	Top	Datum					
Bartlesville	391	401					

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10	8 5/8	7 lbs/ft	20'	Portland #1	5	N/A
Production	5 5/8	2 7/8	6.4 lbs/ft	421	Portland #1	40	N/A

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	391 to 401	20 sack sand frac	391-401

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
		2 7/8	421	N/A		
Date of First, Resumerd Production, SWD or Enhr. 11/09/2006			Producing Method			
			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity	
	1	N/A	3		30	

Disposition of Gas    **METHOD OF COMPLETION**    Production Interval

Vented     Sold     Used on Lease     Open Hole     Perf.     Dually Comp.     Commingled  
*(If vented, Submit ACO-18.)*     Other (Specify)

**RECEIVED**  
 NOV 27 2006  
**KCC WICHITA**

N & W Enterprises Inc

Ticket #: 40

1111 S. Margrave  
Fort Scott, KS 66701  
620-223-6559

TREATMENT REPORT & FIELD TICKET CEMENT

DATE		LEASE NAME					
10/19/2006		Meyer					
SECTION	TOWNSHIP	RANGE	COUNTY	SPOT LOCATION			WELL #
33	28	22	Crawford	S4-SE-NE-SE	1485 feet from South Line	1485 feet from East Line	Inj #20

Job Type: Long String    Hole Size: 5 5/8    Hole Depth: 425    Casing Size & Weight: 2 7/8  
4.7lbs

Casing Depth: 421    Drill Pipe: \_\_\_\_\_    Tubing: \_\_\_\_\_    Other: \_\_\_\_\_

Slurry Weight: \_\_\_\_\_    Slurry Vol: \_\_\_\_\_    Water gal/sk: \_\_\_\_\_    Cement Left in Casing: \_\_\_\_\_

Displacement: \_\_\_\_\_    Displacement PSI: \_\_\_\_\_    Mix PSI: \_\_\_\_\_    Rate: \_\_\_\_\_

Remarks: Established circulation, mixed 50# gel to flush hole, circulated cement to surface, flushed pump clean, pumped rubber plug to bottom shut in pressure 700 lbs.

Quantity: Description of Service

40	Sacks of Portland #1 cement
----	-----------------------------

RECEIVED  
KANSAS CORPORATION COMMISSION

DEC 13 2007

CONSERVATION DIVISION  
WICHITA, KS

Authorization:

Title:

Date:

*Foreman / Operator*

*10/20/06*