KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINA Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33397	API No. 15 - 011-23253-0000
Name: Running Foxes Petroleum Inc.	County: Bourbon
Address: 7060B South Tucson Way	NE_SW_SE_ Sec. 36 Twp. 24 S. R. 23
City/State/Zip: Centennial, CO 80112	1004 feet from N (circle ane) Line of Section
Purchaser:	1739 feet from (E) W (circle one) Line of Section
Operator Contact Person: Steven Tedesco	Footages Calculated from Nearest Outside Section Corner:
Phone: (303) 617-7242	(circle one) NE SE NW SW
Contractor: Name: McGowan Drilling	Lease Name: Vogel Well #: 15-36A
License: 5786	Field Name: Wildcat
Wellsite Geologist: Greg Bratton	Producing Formation: Bartlesville
Designate Type of Completion:	Elevation: Ground: 853' Kelly Bushing: NA
New Well Re-Entry Workover	Total Depth: 500 Plug Back Total Depth:
✓ Oil SWD Temp. Abd.	Amount of Surface Pipe Set and Cemented at 30 Fee
Gas ENHR SIGW	
Dry Other (Core, WSW, Expl., Cathodic, etc)	
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth setFee
	If Alternate II completion, cement circulated from
Well Name:	feet depth tow/sx cmt
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	• /
Plug Back Plug Back Total Depth	Chloride content ppm Fluid volume bbls
Commingled Docket No.	Dewatering method used air dry
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr,?) Docket No	Operator Name:
040/0007	Lease Name: License No.:
6/13/2007 6/15/2007 TBA Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West
Recompletion Date Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita,
Kansas 67202, within 120 days of the spud date, recompletion, workove	er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply.
Information of side two of this form will be held confidential for a period of 1	2 months if requested in writing and submitted with the form (see rule 82-3-
107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells	and geologist well report shall be attached with this form. ALL CEMENTING
. Sabilit of 4 form with all plugged wells	Submit OF TIT form with an temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regula	te the oil and gas industry have been fully complied with and the statements
herein are complete and correct to the best of my knowledge.	
Signature:	KCC Office Use ONLY
Title: Presetel Date: 10/16/01	M. T.
16th Galait	Letter of Confidentiality Received
Subscribed and sworn to before me this day of OCTO Land	Denied, Yes Date:
2007	Wireline Log Received RECEIVED Geologist Report Received RECEIVED
Notary Public: Lluna M Jung (GEOLOGIST REPORT RECEIVED KANSAS CORPORATION COMMISSION
C-22-08	O Distribution
Date Commission Expires: 5 - 2 - 3	OCT 1 8 2007
	CONSERVATION DIVISION WICHITA, KS

Operator Name: Rt	unning Foxes Pet	roleum Inc.	Lease Nar	_{ne:} Vogel		Well #: 15	-36A
	24 S. R. 23		County: B	ourbon	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
tested, time tool op temperature, fluid re	en and closed, flowi ecovery, and flow rat	and base of formations ng and shut-in pressure es if gas to surface test final geological well sit	s, whether shut-ir t, along with final (n pressure reach	ed static level, hyd	rostatic pressu	res, bottom hole
Drill Stem Tests Tak		Yes V No	. [✓ Log Form	ation (Top), Depth	and Datum	Sample
Samples Sent to Ge	eological Survey	☐ Yes ☐ No	1	Name		Тор	Datum
Cores Taken Electric Log Run (Submit Copy)		✓ Yes No ✓ Yes No		xcello Ipper Bartlesv	ille	134' 343'	719' 510'
List All E. Logs Run	:		l N	lississippian		491'	362'
Gamma Ray	, Sidewall Neu	tron, Dual Induc	etion	New Used			
	Size Hole	Report all strings se	t-conductor, surface Weight	, intermediate, prod Setting	uction, etc. Type of	# Sacks	Type and Percent
Purpose of String	Drilled	Set (In O.D.)	Lbs. / Ft.	Depth	Cement	Used	Additives
Surface	12 1/4"	8 5/8"	24 LBS	31'	Quickset	15	Kolseal
Production	6 3/4"	4 1/2"	10.5 LBS	474'	Quickset	65	Kolseal/gel
		ADDITIONA	U OSUSUTINO (A				
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Type of Cement	#Sacks Used			Percent Additives	3
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Se Specify Footage of Each Interval Perforate				racture, Shot, Cemer Amount and Kind of M		rd Depth
	Waiting on Com	pletion					
					•		
TUBING RECORD	Size	Set At	Packer At	Liner Run	Yes No		· .
Date of First, Resumero	d Production, SWD or E	nhr. Producing Me	thod	ving Pum	oing Co	ы П ол.	
Estimated Production Per 24 Hoùrs	Oil	Bbls. Gas				Gas-Oil Ratio	er (Explain) Gravity
Disposition of Gas	METHOD OF C			Production Into		R KANSAS COR	ECEIVED PORATION COMMISSION
(If vented, Sub		Open Hole Other (Spec	Perf.	Dually Comp.	Commingled		1 8 2007

CONSERVATION DIVISION WICHITA, KS

FED ID# MC ID # 156212 Shop # 620 437-2661 Cellular # 620 437-7582 Office # 316 685-5908

Hurricane Truck Services, Inc. P.O. Box 782228 Wichita, KS 67278-2228

Cement and Acid Service Ticket T 1916

Office # ;	316 685-5908	1 1310			
Office Fax #	316-685-5926				
Shop Address: 3	613A Y Road				
Madiso	on, KS 66860		DATE <u>6-18-07</u>		
	_	COUNTY $Bouco$ CITY			
CHARGE TO	Rupping Foxes				
•	. .			_	

ADDRESS ___ __CITY ______ST ____ZIP ____ LEASE & WELL NO. VOGEL 15-36A CONTRACTOR Humicane Well San KIND OF JOB LongsTring ____ TWP. _____ RNG. DIR. TO LOC. OLD (NEW Quantity **MATERIAL USED** Serv. Charge 700.00 Quick SET CEMENT 878.30 KOI-SEAL 4#19/SK 65,00 Gel Flush 34.00 Hrs. WoTer Transport 360.00 7.7 Two BULK TRK. MILES at 90 miles 314.35 90 PUMP TRK. MILES 247.50 Top Rubber 35.00 SALES TAX 65.16 RECEIVED COMMISSION RECEIVED RESIDENTION COMPORATION COMMISSION TOTAL CSG. SET AT 479 VOLUME 7.62 BUS SIZE HOLE DEC 1 4 2007 TBG SET AT VOLUME MAX. PRESS. SIZE PIPE 445 10-516. PLUG DEPTH PKER DEPTH TIME FINISHED REMARKS: Rigupto 41/2" casing, Break circulation with 10 Blds water, Pumped 10 Bld Get Flush, Solbund

PLUG USED TIME FINISHED

REMARKS: Rigupto 41/2" casing, Break circulation with 10 Bbs. water, Pumped 10 Bbs. Get Flush, Solburg with 10 Bbs. water spacer, Mixed 65 sks Quick Set coment by 4 th 16 kof Kol-SEAL of 138 bb. PYGAL

Shut down - washout Pump & Lines - Release Plug - Displace Plug with 7/2 Bbs water,

Final Pumping of 400 PSI - Bumped Plug to 1000 PSI - wait 2 minutes - Release Plessure - Float Held

Close casing in with 0 PSI - Good coment returns to Surface with 31/2 Bbl. slurry

EQUIPMENT USED

NAME

UNIT NO. NAME

Dan Kimbelin #185

Brad Butler
CEMENTER OR TREATER

Bryan #71 Brandon #186

Called by Kandy TalkingTon
OWNER'S REP.