

RECEIVED

OCT 14 2004

KCC WICHITA

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

ORIGINAL Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 32639  
 Name: Coral Production Corporation  
 Address: 1600 Stout Street, Suite 1500  
 City/State/Zip: Denver, Colorado  
 Purchaser: N.C.R.A.  
 Operator Contact Person: Jim Weber  
 Phone: (303) 623-3573  
 Contractor: Name: Murfin Drilling Co., Inc.  
30606  
 License: \_\_\_\_\_  
 Wellsite Geologist: Scott Banks  
 Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)  
 If Workover/Re-entry: Old Well Info as follows:  
 Operator: \_\_\_\_\_  
 Well Name: \_\_\_\_\_  
 Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_  
6/28/04 7/5/04 8/10/04  
 Spud Date or Date Reached TD Completion Date or Recompletion Date

API No. 15 - 051-25313-00-00  
 County: Ellis  
40' N - SE - SE - NW Sec. 20 Twp. 13 S. R. 16  East  West  
2270 feet from S  (circle one) Line of Section  
2310 feet from E  (circle one) Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 (circle one) NE SE  NW SW  
 Lease Name: Lang Well #: 1  
 Field Name: Wildcat  
 Producing Formation: Lansing  
 Elevation: Ground: 1955' Kelly Bushing: 1960'  
 Total Depth: 3515' Plug Back Total Depth: 3504' 3460  
 Amount of Surface Pipe Set and Cemented at 206' Feet  
 Multiple Stage Cementing Collar Used? DV tool used  Yes  No  
 If yes, show depth set 1101' Feet  
 If Alternate II completion, cement circulated from 1101'  
 feet depth to surface w/ 350 sacks 1 sx cmt.  
60/40 poz, 6% gel, 1/4# floccel/sack

Drilling Fluid Management Plan Cell II KGR 2/16-08  
 (Data must be collected from the Reserve Pit)  
 Chloride content 64,000 ppm Fluid volume 400 bbls  
 Dewatering method used allow to dry; then backfill  
 Location of fluid disposal if hauled offsite:  
 Operator Name: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
 Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
 County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jim R. Weber  
 Title: President Date: \_\_\_\_\_  
 Subscribed and sworn to before me this 11 day of October, 2004  
 19 \_\_\_\_\_  
 Notary Public: Stacy R. Spriggs  
 Date Commission Expires: 2/11/2005

**KCC Office Use ONLY**

Letter of Confidentiality Attached   
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received   
 Geologist Report Received   
 NO Distribution

NOTARY PUBLIC  
 STACY R. SPRIGGS  
 STATE OF COLORADO

**ORIGINAL**

Operator Name: Coral Production Corporation Lease Name: Lang Well #: 1  
 Sec. 20 Twp. 13 S. R. 16  East  West County: Ellis

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Anhydrite	1084'	(+876)'
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Heebner	3162'	-1202'
List All E. Logs Run: ELI Sonic log	3510' - 2500'	Lansing	3213'	-1253'
ELI Dual-Induction Log	3510 ft - 208'	Base K.C.	3488'	-1488'
ELI Density/Neutron log	3510 ft - 2800'	Gorham Sand	none	
ELI Microlog	3510' - 2800'	Arbuckle	3492'	-1532'

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacs Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	24#	206'	Comm.	160	3%CaCl <sub>2</sub> ; 2%gel
Production	7 7/8"	5 1/2"	14#	3514'	ASC	125	500 gal WFR-2 10% salt

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input checked="" type="checkbox"/> Protect Casing	1101'	POZ	350	60/40 POZ, 6% gel; 1/2# floccel/sack

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	
		Amount and Kind of Material Used	Depth
2	3492' through 3508' - Arbuckle	pumped 200 gal mud acid; 500 gal 20% mud acid; 100 gal mud acid	3492-08'
2	3411'-3416' ("K"zone); 3383-3391' (J")	250 gal mud acid; 1000 gal 20%	("K")
2	3366'-3370' (Lansing "I"Zone)	250 gal mud acid; 1500 gal 20%	(I&J&H)
2	3342'-3346' (Lansing "H"Zone)		
	set cast iron bridge plug @ 3460' - PBTD	Lansing Producer	

TUBING RECORD	Size 2 3/8"	Set At 3430'	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
---------------	----------------	-----------------	-----------	---

Date of First, Resumerd Production, SWD or Enhr. 08/10/04	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
--	---

Estimated Production Per 24 Hours	Oil Bbls. 15 BOPD	Gas Mcf NA	Water Bbls. 0	Gas-Oil Ratio	Gravity 34 deg
-----------------------------------	----------------------	---------------	------------------	---------------	-------------------

Disposition of Gas:  Vented  Sold  Used on Lease *(If vented, Sumit ACO-18.)*

METHOD OF COMPLETION:  Open Hole  Perf.  Dually Comp.  Commingled

Production Interval:  Other (Specify) \_\_\_\_\_

# ALLIED CEMENTING CO., INC.

16911

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: R

DATE <u>10/28/04</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION <u>7:30 a.m.</u>	JOB START	JOB FINISH <u>8:30 p.m.</u>
LEASE <u>Lang</u>	WELL # <u>1</u>	LOCATION <u>Victoria Exit 2 1/2 N</u>			COUNTY <u>Ellis</u>	STATE <u>KS.</u>	
OLD OR NEW (Circle one)				<u>1 1/2 E 3 1/2 N 10</u>	<u>JUL 08 2004</u>		

CONTRACTOR Murkin #8

TYPE OF JOB Surface

HOLE SIZE 12 1/4" T.D. 207'

CASING SIZE 8 3/8" DEPTH 206'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. 10'

PERFS. \_\_\_\_\_

DISPLACEMENT 12 1/4 1361

OWNER CORAL PRODUCTION CORP.

CEMENT AMOUNT ORDERED 1600 COM 342

EQUIPMENT

PUMP TRUCK CEMENTER Paul

# 3606 HELPER Shane

BULK TRUCK

# 282 DRIVER Refus

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON	<u>160</u>	@	<u>7.45</u>	<u>1224.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>11.00</u>	<u>33.00</u>
CHLORIDE	<u>5</u>	@	<u>30.00</u>	<u>150.00</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>168</u>	@	<u>1.35</u>	<u>227.00</u>
MILEAGE	<u>54/8 mile</u>			<u>169.00</u>
TOTAL				<u>1785.00</u>

RECEIVED  
OCT 14 2004  
KCC WICHITA

REMARKS:

Cement circulated

CHARGE TO: Coral Production

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB				
PUMP TRUCK CHARGE				<u>520.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>20</u>	@	<u>4.00</u>	<u>80.00</u>
<u>Plug 8 3/8 wood</u>		@		<u>45.00</u>
		@		
		@		
TOTAL				<u>645.00</u>

PLUG & FLOAT EQUIPMENT

MANIFOLD		@		
		@		
		@		
		@		
		@		
TOTAL				

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Louis McRenna

Louis McRenna  
PRINTED NAME

# ALLIED CEMENTING CO., INC.

17120

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

RECEIVED

SERVICE POINT: R

JUL 19 2004

DATE <u>7-4-04</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
CORAL PRODUCTION CORP.							<u>12/06/04</u>
LEASE <u>Lang</u>	WELL # <u>1</u>	LOCATION <u>Victoria T20 24 N</u>			COUNTY <u>Ellis</u>	STATE <u>Ks</u>	
OLD OR NEW (Circle one)		<u>1 1/2 6 8 5</u>					

CONTRACTOR Martin Dily

TYPE OF JOB prod string 2 stage

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_

CASING SIZE 5" DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT 14# 26 3/4 BBL

OWNER \_\_\_\_\_

CEMENT

AMOUNT ORDERED 350 @ 6.99 gal

1/4 16 floseal per sk

COMMON	<u>210</u>	@	<u>7.65</u>	<u>1,606.50</u>
POZMIX	<u>140</u>	@	<u>4.00</u>	<u>560.00</u>
GEL	<u>18</u>	@	<u>11.00</u>	<u>198.00</u>
CHLORIDE		@		
ASC		@		
Floseal	<u>87#</u>	@	<u>1.40</u>	<u>121.80</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>368</u>	@	<u>1.25</u>	<u>460.00</u>
MILEAGE	<u>.05/sk/mi.</u>			<u>423.20</u>
TOTAL				<u>2,589.50</u>

TOTAL 3,369.50

EQUIPMENT

343 Dave

PUMP TRUCK CEMENTER Steve

# \_\_\_\_\_ HELPER \_\_\_\_\_

BULK TRUCK

# 213 DRIVER Gary

BULK TRUCK

# 375 DRIVER Craig

RECEIVED

OCT 14 2004

KCC WICHITA

REMARKS:

Cement Circulated

Witness By

Dave Foyh Cementer

Gary Highertool pusher

James Hale Driver

CHARGE TO: Coral Production Co. P.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_ 650.00

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL 650.00

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

PLUG & FLOAT EQUIPMENT

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

SIGNATURE J. B. [Signature]

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME

# ALLIED CEMENTING CO., INC.

17119

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

JUL 19 2004

SERVICE POINT: R

DATE <u>7-4-04</u>	SEC. <u>20</u>	TWP. <u>13</u>	RANGE <u>14</u>	CALLER <u>CORAL PRODUCTION CORP.</u>	ON LOCATION <u>3:30 PM</u>	JOB START	JOB FINISH
LEASE <u>Lang</u>	WELL # <u>1</u>	LOCATION <u>Victoria I 70 2 1/2 N</u>			COUNTY <u>Ellis</u>	STATE <u>Ks</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one) <u>1 1/2 &amp; 1/2</u>							

CONTRACTOR Martin Dohy

TYPE OF JOB prod string (2 stage)

HOLE SIZE 7 7/8 T.D. 3515

CASING SIZE 5 1/2 DEPTH 3514

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL 1100 DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT 14 1/2 85 3/4 BBL

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED 150 ASC 10% salt

270 gal

500 gal WFR-2

COMMON	@		
POZMIX	@		
GEL	@	<u>3</u>	<u>11.00</u>
CHLORIDE	@		
ASC	@	<u>150</u>	<u>9.50</u>
WFR-2	@	<u>500 gal.</u>	<u>1.00</u>
	@		
	@		
	@		
	@		
	@		
HANDLING	@	<u>153</u>	<u>1.25</u>
MILEAGE	@	<u>.25/3k/mi.</u>	<u>175.95</u>
TOTAL			<u>2,325.20</u>

EQUIPMENT

343

PUMP TRUCK # 213 DRIVER Gary

CEMENTER HELPER Steve

BULK TRUCK # B-378 DRIVER Craig

REMARKS:

plug Rothoke 13 st.

mouse hole 10 st.

float held

SERVICE

DEPTH OF JOB		
PUMP TRUCK CHARGE		<u>1,130.00</u>
EXTRA FOOTAGE	@	
MILEAGE	@	<u>23 mi.</u>
	@	<u>4.00</u>
	@	<u>92.00</u>
	@	
	@	
TOTAL <u>1,222.00</u>		

CHARGE TO: Coral Production Corp

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

PLUG & FLOAT EQUIPMENT

MANIFOLD <u>2 Baskets</u>	@	<u>250.00</u>
<u>1 DU Tool</u>	@	<u>3,300.00</u>
<u>1 Guide Shoe</u>	@	<u>150.00</u>
<u>1 Cement</u>	@	<u>235.00</u>
<u>2 Cement</u>	@	<u>50.00</u>
	@	<u>400.00</u>
TOTAL <u>4,341.00</u>		

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE J. C. B...

PRINTED NAME