

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1
September 1999
Form Must Be Typed

ORIGINAL

Operator: License # 3882
Name: SAMUEL GARY JR. & ASSOCIATES, INC.
Address: 1670 BROADWAY, SUITE 3300
City/State/Zip: DENVER, CO 80202-4838
Purchaser: GARY-WILLIAMS ENERGY CORPORATION
Operator Contact Person: TOM LARSON
Phone: (620) 653-7368
Contractor: Name: SUMMIT DRILLING
License: 30141
Wellsite Geologist: TIM HEDRICK
Designate Type of Completion:

New Well Re-Entry Workover
 Oil SWD SLOW Temp Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. KCC
 Dual Completion Docket No. EFC 05 2005
 Other (SWD or Enhr.?) Docket No. CONFIDENTIAL

8/10/05 8/18/05 8/18/05
Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date

API No. 15 - 15-053-21149-0000

County: ELLSWORTH

NE SW SW Sec. 23 Twp. 17 S. R. 10 East West

990 feet from SOUTH Line of Section

1070 feet from WEST Line of Section

Footages Calculated from Nearest Outside Section Corner:

(circle one) NE SE NW SW

Lease Name: TRITSCH Well #: 1-23

Field Name: WILDCAT

Producing Formation: _____

Elevation: Ground: 1785' Kelly Bushing: 1795'

Total Depth: 3354' Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at 471 Feet

Multiple State Cementing Collar Used? Yes No

If yes, show depth set _____ Feet

If Alternate II completion, cement circulated from _____

feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

ALI IWHM 29-07

Chloride content _____ ppm Fluid volume _____ bbls

Dewatering method used _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License No.: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this information shall be filed with the Kansas Corporation Commission, 130 South Market-Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Thomas J. Fortal


Title: SR. GEOLOGIST Date: 12/05/2005

Subscribed and sworn to before me this 5th day of DECEMBER

2005

Notary Public: Crystal Taylor

Date Commission Expires: _____



KCC Office Use ONLY

YES Letter of Confidentiality Attached

If Denied, Yes Date: _____

Wireline Log Received

Geologist Report Received

UIC Distribution

RECEIVED
KANSAS CORPORATION COMMISSION

DEC 06 2005

CONSERVATION DIVISION
WICHITA, KS

CONFIDENTIAL

Side Two

ORIGINAL

Operator Name: SAMUEL GARY JR. & ASSOCIATES, INC. Lease Name: TRITSCH Well #: 1-23

Sec. 23 Twp. 17 S. R. 10 East West County: ELLSWORTH

INSTRUCTIONS: Show important tops and base of formation penetrated. Detail all cores. Report all final copes of drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geologist well site report.

Drill Stem Tests Taken [X] Yes [] No [X] Log Formation (Top), Depth and Datum [] Sample
Sample Sent to Geological Survey [X] Yes [] No
Cores Taken [] Yes [X] No
Electric Log Run [X] Yes [] No
List All E. Logs Run: DUAL INDUCTION, DUAL COMPENSATED POROSITY, BHC SONIC, MICROLOG

Table with 3 columns: Name, Top, Datum. Rows include TOPEKA, HEEBNER, DOUGLAS, BRN LIME, LANSING, ARBUCKLE, TD.

KCC
DEC 05 2005
CONFIDENTIAL

CASING RECORD Table with columns: Purpose of string, Size Hole Drilled, Size Casing Set (in O.D.), Weight Lbs./Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives.

ADDITIONAL CEMENTING/SQUEEZE RECORD Table with columns: Purpose, Depth Top/Bottom, Type of Cement, # Sacks Used, Type and Percent Additives.

PERFORATION RECORD - Bridge Plugs Set/Type and Acid. Fracture, Shot, Cement, Squeeze Record (Amount and Kind of Material Used) Depth.

RECEIVED
KANSAS CORPORATION COMMISSION
DEC 06 2005
CONSERVATION DIVISION
WICHITA, KS

TUBING RECORD Table with columns: Size, Set At, Packer At, Liner Run, Date of First, Resumed Production, SWD or Enhr., Producing Method, Estimated Production Per 24 Hours.

Disposition of Gas: [] Vented, [] Sold, [] Used on Lease. METHOD OF COMPLETION: [] Open Hole, [] Perf., [] Dually Comp., [] Commingled, [] Other (Specify). Production Interval.

✓150054

Allied Cementing Co., Inc
P.O. Box 31
Russell, KS 67665

CONFIDENTIAL

* I N V O I C E *

Invoice Number: 098054

Invoice Date: 08/19/05

Sold Samuel Gary, Jr. & Assoc.
To: % Larson Engineering, Inc.
562 W. Highway #4
Olmitz, KS
67561-8561

RECEIVED
KANSAS CORPORATION COMMISSION
DEC 06 2005

CONSERVATION DIVISION
WICHITA, KS

Cust I.D.....: Gary
P.O. Number...: Tritsch 1-23
P.O. Date.....: 08/19/05

Due Date.: 09/18/05
Terms.....: Net 30

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
Common	240.00	SKS	8.7000	2088.00	T
Gel	5.00	SKS	14.0000	70.00	T
Chloride	7.00	SKS	38.0000	266.00	T
Handling	252.00	SKS	1.6000	403.20	E
Mileage	26.00	MILE	15.1200	393.12	E
252 sks @.06 per sk per mi					
Surface	1.00	JOB	670.0000	670.00	E
Extra Footage	170.00	PER	0.5500	93.50	E
Mileage pmp trk	26.00	MILE	5.0000	130.00	E
Wood Plug	1.00	EACH	55.0000	55.00	T

All Prices Are Net, Payable 30 Days Following
Date of Invoice. 1 1/2% Charged Thereafter.
If Account CURRENT take Discount of \$ 416.88
ONLY if paid within 30 days from Invoice Date

Subtotal: 4168.82
Tax.....: 156.18
Payments: 0.00
Total....: 4325.00

{ 416.88 }
3908.12

DRLG COMP W/O LOE

AFE # 123

ACCT # 135/60

APPROVED BY T.C. Larson

ALLIED CEMENTING CO., INC.

17588 ✓

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

CONFIDENTIAL

SERVICE POINT:

Great Bend

DATE <u>8-11-05</u>	SEC. <u>23</u>	TWP. <u>17</u>	RANGE <u>10 W</u>	CALLED OUT <u>7:00 AM</u>	ON LOCATION <u>8:30 AM</u>	JOB START <u>10:30 AM</u>	JOB FINISH <u>11:05 AM</u>
LEASE <u>Tritsch</u>	WELL # <u>1-23</u>	LOCATION <u>Hi-Way 4 + Hollywood sktwp</u>		COUNTY <u>Ellisworth</u>	STATE <u>KS</u>		
OLD OR NEW (Circle one) <u>OLD</u>		2 North, 1/2 East - North into					

CONTRACTOR Summitt Drilling

TYPE OF JOB Surface Pipe

HOLE SIZE 12" 4 T.D. 175'

CASING SIZE 8 5/8 DEPTH 470'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. Approx 15'

PERFS. _____

DISPLACEMENT 28 1/2 BBLs

EQUIPMENT

OWNER Samuel Gary Jr. & Ass.

CEMENT

AMOUNT ORDERED 2 1/0 5x Common

390 y/c & 290 gel

COMMON	<u>240 y/c</u>	@	<u>8.70</u>	<u>2088.00</u>
POZMIX		@		
GEL	<u>504</u>	@	<u>14.00</u>	<u>70.00</u>
CHLORIDE	<u>744</u>	@	<u>38.00</u>	<u>266.00</u>
ASC		@		

RECEIVED
KANSAS CORPORATION COMMISSION
DEC 06 2005
CONSERVATION DIVISION
WICHITA, KS

PUMP TRUCK CEMENTER Jack

120 HELPER Ricky

BULK TRUCK

342 DRIVER Steve

BULK TRUCK

_____ DRIVER _____

HANDLING	<u>252 mt</u>	@	<u>1.60</u>	<u>403.20</u>
MILEAGE	<u>252 mt of 06</u>		<u>26</u>	<u>393.12</u>
			TOTAL	<u>3220.32</u>

REMARKS:

Run 11 lifts of used 8 5/8 csg. cement with 240 5x cement. Displace plug with 28 1/2 BBLs of fresh water.

Thanks

CHARGE TO: Samuel Gary Jr. & Ass.

STREET 1670 Broadway Suite 3300

CITY Denver STATE Colo ZIP 80202

SERVICE

DEPTH OF JOB	<u>470'</u>			
PUMP TRUCK CHARGE				<u>670.00</u>
EXTRA FOOTAGE	<u>170'</u>	@	<u>55</u>	<u>93.50</u>
MILEAGE	<u>26</u>	@	<u>5.00</u>	<u>130.00</u>
			TOTAL	<u>893.50</u>

PLUG & FLOAT EQUIPMENT

MANIFOLD		@		
<u>1-8 5/8 Wood</u>		@	<u>55.00</u>	<u>55.00</u>
			TOTAL	<u>55.00</u>

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Dan Cox

DAN COX
PRINTED NAME

Allied Cementing Co., Inc
P.O. Box 31

Russell, KS 67665

*
* I N V O I C E *
*

Invoice Number: 098123

Invoice Date: 08/24/05

✓ 0007

Sold Samuel Gary, Jr. & Assoc.
To: % Larson Engineering, Inc.
562 W. Highway #4
Olmitz, KS
67561-8561

CONFIDENTIAL

Cust I.D.....: Gary
P.O. Number...: Tritsch 1-25
P.O. Date.....: 08/24/05

Due Date.: 09/23/05
Terms.....: Net 30

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
Common	78.00	SKS	8.7000	678.60	T
Pozmix	52.00	SKS	4.7000	244.40	T
Gel	5.00	SKS	14.0000	70.00	T
Handling	135.00	SKS	1.6000	216.00	T
Mileage	26.00	MILE	8.1000	210.60	T
135 sks @.06 per sk per mi					
Rotary Plug	1.00	JOB	750.0000	750.00	T
Mileage pmp trk	26.00	MILE	5.0000	130.00	T

All Prices Are Net, Payable 30 Days Following
Date of Invoice. 1 1/2% Charged Thereafter.
If Account CURRENT take Discount of \$ 229.96
ONLY if paid within 30 days from Invoice Date

Subtotal: 2299.60
Tax.....: 144.88
Payments: 0.00
Total....: 2444.48

< 229.96 >
2214.52

DRUG COMP W/O LOS
A/E/P
ACCT # 135/72
APPROVED BY T.C. Larson

RECEIVED
KANSAS CORPORATION COMMISSION
DEC 06 2005
CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., INC. 17593

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

CONFIDENTIAL

SERVICE POINT: Great Bend

DATE <u>8-18-05</u>	SEC. <u>23</u>	TWP. <u>17</u>	RANGE <u>10W</u>	CALLED OUT <u>9:00 pm</u>	ON LOCATION <u>11:30 pm</u>	JOB START <u>12:15 AM</u>	JOB FINISH <u>3:00 AM</u>
LEASE <u>Tritsch</u>	WELL# <u>1-2#3</u>	LOCATION <u>Hiway 4 + Holly road</u>			COUNTY <u>Fellsworth</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one) <u>NEW</u>		Blk top-2 north 1/2 East North side					

CONTRACTOR Summit Drlg

TYPE OF JOB Rotary Plug

HOLE SIZE 7 7/8 T.D. 3300'

CASING SIZE _____ DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

OWNER Samuel Cary Jr. & Ass.

CEMENT AMOUNT ORDERED 130.5x 60/60 4/9 gel

COMMON	<u>7 Brel</u>	@	<u>8.70</u>	<u>678.60</u>
POZMIX	<u>SC Ref</u>	@	<u>14.70</u>	<u>244.40</u>
GEL	<u>5 Ref</u>	@	<u>14.00</u>	<u>70.00</u>
CHLORIDE		@		
ASC		@		

RECEIVED
KANSAS CORPORATION COMMISSION
@ DEC 06 2005
@ CONSERVATION DIVISION
@ WICHITA, KS

EQUIPMENT

PUMP TRUCK CEMENTER Jack

181 HELPER Blur

BULK TRUCK DRIVER Don

241 DRIVER _____

HANDLING	<u>135 Ref</u>	@	<u>1.60</u>	<u>216.00</u>
MILEAGE	<u>135 Ref</u>	@	<u>06 26</u>	<u>210.60</u>
				TOTAL <u>1419.60</u>

REMARKS:
1st plug @ 3250' with 35 sy
2nd plug @ 1350' with 35 sy
3rd plug @ 500' with 35 sy
1/2 plug @ 60' with 25 sy

Thanks

CHARGE TO: Samuel Cary Jr & Ass

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB	<u>3250'</u>			
PUMP TRUCK CHARGE				<u>750.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>26</u>	@	<u>5.00</u>	<u>130.00</u>

TOTAL 880.00

PLUG & FLOAT EQUIPMENT

MANIFOLD	@		
	@		
	@		
	@		

TOTAL _____

TAX	_____
TOTAL CHARGE	_____
DISCOUNT	_____ IF PAID IN 30 DAYS

SIGNATURE Dan Cox

DAN COX
PRINTED NAME

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.