

Operator Name: Arena Resources, Inc. Lease Name: Nally Land & Cattle CO. Well #: 1-36
 Sec. 36 Twp. 26S S. R. 31 East West County: Finney

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample																											
Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<table border="0" style="width: 100%;"> <tr> <td style="width: 60%;">Name</td> <td style="width: 20%;">Top</td> <td style="width: 20%;">Datum</td> </tr> <tr> <td>Blaine</td> <td>1149</td> <td>+1652</td> </tr> <tr> <td>Cedar Hills</td> <td>1337</td> <td>+1464</td> </tr> <tr> <td>Stone Corral (Base)</td> <td>1890</td> <td>+911</td> </tr> <tr> <td>Hollenberg</td> <td>2630</td> <td>+177</td> </tr> <tr> <td>Herrington</td> <td>2666</td> <td>+135</td> </tr> <tr> <td>Krider</td> <td>2674</td> <td>+107</td> </tr> <tr> <td>Odell</td> <td>2714</td> <td>+87</td> </tr> <tr> <td>Total Depth</td> <td>2736</td> <td>+65</td> </tr> </table>	Name	Top	Datum	Blaine	1149	+1652	Cedar Hills	1337	+1464	Stone Corral (Base)	1890	+911	Hollenberg	2630	+177	Herrington	2666	+135	Krider	2674	+107	Odell	2714	+87	Total Depth	2736	+65
Name	Top	Datum																										
Blaine	1149	+1652																										
Cedar Hills	1337	+1464																										
Stone Corral (Base)	1890	+911																										
Hollenberg	2630	+177																										
Herrington	2666	+135																										
Krider	2674	+107																										
Odell	2714	+87																										
Total Depth	2736	+65																										
Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																												
Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>																												
List All E. Logs Run: Dual Ind Log; Comp Neut/Density Log																												

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface Csg	12 1/4	8 5/8	24	570	Lite & CI 'A'	200 & 150	3% CC, 1/4# floeal,

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No

Date of First, Resumerd Production, SWD or Enhr.	Producing Method <input checked="" type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbbs.	Gas Mcf	Water Bbbs.	Gas-Oil Ratio Gravity

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

PRODUCTION INTERVAL _____

RECEIVED
KANSAS CORPORATION COMMISSION
JAN 05 2007
CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., INC. 25451

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Oakley

DATE <u>12/3/06</u>	SEC <u>36</u>	TWP. <u>26</u>	RANGE <u>31W</u>	CALLED OUT	ON LOCATION	JOB START <u>2:00 AM</u>	JOB FINISH <u>2:45</u>
LEASE <u>1st cc</u>		WELL# <u>1-36</u>		LOCATION <u>Capeland 13N 1W 31W/4</u>		COUNTY <u>Finnway</u>	STATE <u>Ks</u>
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Choyama #11

TYPE OF JOB cont 4% csg

HOLE SIZE 12 1/4 T.D. 572

CASING SIZE 2 1/2 DEPTH 572

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX 1000 MINIMUM 150

MEAS. LINE 40 SHOE JOINT 40

CEMENT LEFT IN CSG. 40

PERFS. _____

DISPLACEMENT 36,43

OWNER Arena Resources

CEMENT AMOUNT ORDERED

200 sks Lite + 3% oil 1/4" Flo-Seal

150 sks Class A + 3% oil

COMMON	<u>150 sks</u>	@	<u>12.20</u>	<u>1830.00</u>
POZMIX		@		
GEL		@		
CHLORIDE	<u>12 sks</u>	@	<u>46.60</u>	<u>559.20</u>
ASC		@		
	<u>Lite weight 200 sks</u>	@	<u>11.30</u>	<u>2260.00</u>
	<u>Flo-Seal 50#</u>	@	<u>2.00</u>	<u>100.00</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>374 sks</u>	@	<u>1.90</u>	<u>710.60</u>
MILEAGE	<u>99/5K/MI</u>			<u>1851.30</u>

EQUIPMENT

PUMP TRUCK CEMENTER Max

373-291 HELPER Dean

BULK TRUCK

347 DRIVER Walt

BULK TRUCK

_____ DRIVER _____

TOTAL _____

REMARKS:

cont 4% csg with 200 sks Lite + 150 sks Class A + 3% oil. Flo-Seal 50# did not hold cement did circulate

SERVICE

DEPTH OF JOB	<u>572</u>	FT	
PUMP TRUCK CHARGE			<u>815.00</u>
EXTRA FOOTAGE	<u>272</u>	@ <u>0.65</u>	<u>176.80</u>
MILEAGE	<u>55 mi</u>	@ <u>6.00</u>	<u>330.00</u>
MANIFOLD	<u>Head Hanta</u>	@	<u>100.00</u>
		@	
		@	

TOTAL _____

CHARGE TO: Choyama Drilling

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

<u>1-9/8 Rubber Plug</u>	@	<u>100.00</u>
<u>1-5/8 FWT Insert</u>	@	<u>325.00</u>
<u>3-5/8 Centralizers</u>	@ <u>55.00</u>	<u>165.00</u>
<u>1-5/8 Cement Plug</u>	@	<u>150.00</u>
<u>1-7/8 Hand Lock</u>	@	<u>30.00</u>

TOTAL _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cement and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Paul J. ...

PRINTED NAME

RECEIVED
KANSAS CORPORATION COMMISSION
JAN 05 2007
CONSERVATION DIVISION
WICHITA, KS

1/2/09



4920 S. Lewis, Suite 107 Tulsa, Oklahoma 74105
Phone (918) 747-6060 FAX (918) 747-7620

Kansas Corporation Commission
130 S. Market, Room 2078
Wichita, Kansas 67202

January 2, 2007

Re: Nally Land & Cattle Company 1-36
API # 15-055-21928
Finney County, KS

KCC
JAN 02 2007
CONFIDENTIAL

Gentlemen:

Arena Resources, Inc. respectfully requests that the referenced well completion information be held confidential for the maximum time allowed by rule.

Sincerely,

A handwritten signature in cursive script that reads "Mike Barnhart".

Mike Barnhart

www.arenaresourcesinc.com

RECEIVED
KANSAS CORPORATION COMMISSION
JAN 05 2007
CONSERVATION DIVISION
WICHITA, KS