

MAR 09 2009

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL PLUGGING RECORD
K.A.R. 82-3-117

Form CP-4
December 2003
Type or Print on this Form
Form must be Signed
All blanks must be Filled

19288-0000

Lease Operator: VESS OIL CORPORATION

Address: 1700 Waterfront Parkway, Bldg. 500, Wichita, KS 67206

Phone: (316) 682-1537 Operator License #: 5030

Type of Well: oil Docket #: _____
(Oil, Gas D&A, SWD, ENHR, Water Supply Well, Cathodic, Other) (If SWD or ENHR)

The plugging proposal was approved on: 01/09 (Date)

by: Ray Dinkel (KCC District Agent's Name)

Is ACO-1 filed? Yes No If not, is well log attached? Yes No

Producing Formation(s): List All (If needed attach another sheet)

LKC Depth to Top: 3022 Bottom: 3257 T.D. 3352

_____ Depth to Top: _____ Bottom: _____ T.D. _____

_____ Depth to Top: _____ Bottom: _____ T.D. _____

API Number: 15 - 167-39740

Lease Name: Rusch B

Well Number: 2

Spot Location (QQQQ): _____ - NE - NE - SW

2310 Feet from North / South Section Line

2970 Feet from East / West Section Line

Sec. 19 Twp. 12 S. R. 15 East West

County: Russell

Date Well Completed: 04/36

Plugging Commenced: 2/5/09

Plugging Completed: 2/9/09

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface Conductor & Production)				
Formation	Content	From	To	Size	Put In	Pulled Out
				10"	956	
				6-5/8"	3016	
				5-1/2"	2911-3286	

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

2/ 5/2009: P&A Perf. @ 1600'. TIH w/tbg to 3075'. Sptd 60 sx 60/40 poz w/6% gel and 200# hulls w/15 sx gel on top. Pld tbg to 1917'. Sptd 150 sx same cmt. w/300# hulls. Pld to 975', pmpd 165 sx same cmt w/300# hulls. Annulus on vac. TOH w/tbg. 2/ 6/2009: Ran tbg & tgd @ 1519'. Set tbg @ 1490' & pmpd 160 sx same cmt w/400# hulls. Pld 40 jts & set 1.5 hrs. Ran tbg & tgd @ 1519'. Sptd 30 sx cmt w/3% cc & 200# hulls. Pld tbg up & set 1.5 hrs. Ran tbg & tgd @ 1519'. Pmpd 90 sx cmt w/3% CC & 400# hulls. Pld tbg up & set 1 hr. Ran tbg & tagd @ 1519'. Pmpd 150 bbls rotary mud. Sptd 170 sx cmt w/3% CC & 850# hulls. SD - annulus on vac. TOH w/tbg. Found cmt on OD of 13th jt. 2/ 9/2009: Ran tbg & tgd @ 1240'. Set tbg @ 1210' & pmpd 280 sx 60/40 poz w/450# hulls. Pld tbg to 605' & pmpd 70 sx same cmt w/550# hulls. TOH w/tbg. Pmpd down 7" w/75 sx cmt - ASC w/3% CC & 500# hulls. Set 30 min & pmpd another 75 sx cmt - ASC w/3% CC. Set 2 hrs. Filled to surf. w/another 65 sx 60/40 poz w/4% Gel & 400# hulls. Connected to backside & pump 10 sx 60/40 poz w/4% gel at 150#. SIP - 150#. Apprvd by Ray Dinkel w/KCC.

Name of Plugging Contractor: Alfred Cementing Co., Inc. Smoky Hills Well Service License #: 32452 **KCC PER per CP2/3**

Address: P.O. Box 31, Russell, KS 67665-0031

Name of Party Responsible for Plugging Fees: Vess Oil Corporation

State of Kansas County, Sedgwick, ss.

Pat Canaday (Employee of Operator) or (Operator) on above-described well, being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.


(Signature) [Signature]

(Address) 1700 Waterfront Parkway, Bldg 500, Wichita, KS 67206

SUBSCRIBED and SWORN TO before me this 6th day of March

Michelle Henning My Commission Expires _____

Notary Public



Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

[Handwritten initials]

WELL RECORD

PROPERTY OF CENTRAL PETROLEUM COMPANY et al Derrick floor elev. 1902
 Record of Well No. 2 Rusch B Farm
 Location 330 feet south and 330 feet west of northeast corner of southwest quarter

Sec. 19 Twp. 12 Range 15 County Russell State Kansas
 Rig Commenced _____ Rig Completed _____
 Rig Contractor _____
 Drilling Commenced April 21, 1936 Drilling Completed May 31, 1936
 Contractor Harry Gore Price per foot \$ _____

CASING AND TUBING RECORD

SIZE	FEET In	MAKE Out	SIZE	FEET	MAKE
20 in.	<u>14</u>				
Conductor 15 1/2 in.		<u>350</u>	6 1/4 in.		
12 in.	<u>956</u>	<u>499</u>	5 8/16 in.		
Reamed from			4 7/8 in.		
8 1/4 in. <u>2380</u>		<u>2700</u>			
6 3/4 in. Cemented	<u>3016</u>				

Squeezed at 970' cemented up 100' deep

Water Well _____ ft. depth, Casing _____ ft.

NAME OF SANDS	TOP	BOTTOM	FEET OF SAND	INITIAL TORPEDO	
				Quarts	Date of Shot
Anhydrite	<u>937</u>				
Lime (Oil Show)	<u>2747</u>	<u>2750</u>			
Oswald (Oil)	<u>3016</u>	<u>3037</u>			
Oswald Pay	<u>3057</u>	<u>3075</u>			
Total Depth <u>3075</u> -- <u>(3107'</u> Total depth June 1939)					

Record of Sand and Oil Showing At 3075 Hole filled up 1200 feet in 8 hours
Well deepened to 3107' in June 1939

How Tubed _____, Plugged _____
 Production first 24 hours Potential 542 in 24 hour test
 Details of shot Acidized with 5000 gallons
 County _____ Recorded _____
 Sec. _____ Twp. _____ R. _____

DATE CLEANED OUT	TORPEDOED	
	Quarts	Date Re-Shot
	RECEIVED	
	KANSAS CORPORATION COMMISSION	
	MAR 09 2009	
	CONSERVATION DIVISION	
	WICHITA KS	

8	Soil		
20	Shale Yellow	2030	Shale Brown
140	Shale Dark	2100	Lime
195	Shale Dark	2107	Shale Light
225	Shale	2122	Lime, Hard
230	Sand (4 $\frac{1}{2}$ bailers)	2130	Lime Broken
245	Shale	2135	Lime Hard
265	Slate, Blue	2150	Red Rock (1Bailer)
300	Red Rock	2215	Lime
305	Light Shale	2225	Shale, Light
320	Sand (H.F.W.)	2250	Lime
325	Lime	2255	Shale
340	Shale Blue	2295	Lime
375	Red Rock	2308	Shale Brown
410	Sandy Shale	2315	Lime
445	Sand Water (HFW)	2340	Slate Shells
465	Shells, Sand	2346	Lime
520	Blue Shale	2356	Shale Blue
530	Sand Water (HFW)	2365	Shale, Shells
537	Sand	2370	Lime
560	Blue Shale	2380	Shale Blue
575	Light Shale	2400	Lime
600	Sand Whater (HFW)	2440	Shale Shells
615	Lime	2460	Band, (Gas 2440-50)
933	Red Rock	2466	Lime Hard
983	Lime	2475	Shale, Shells
1090	Red Rock	2503	Shale Dark
1135	Shale Blue	2517	Lime
1145	Shale Brown	2521	Shale, Light
1230	Red Rock	2525	Lime
1265	Shale Blue	2552	Shale
1575	Salt	2567	Lime
1590	Shale Blue	2570	Shale, Light
1600	Lime	2590	Lime
1615	Shale, Shells	2594	Shale
1625	Lime	2605	Lime Hard
1630	Shale, Light	2610	Shale
1645	Lime	2615	Lime
1655	Shale Light	2622	Shale, Blue
1690	Lime	2640	Lime
1710	Red Rock	2655	Shale Blue (3Bailers)
1735	Broken Lime	2680	Lime
1750	Shale Blue	2690	Shale
1775	Lime Hard	2700	Lime
1790	Lime Broken	2710	Shale
1800	Red Rock	2720	Lime
1810	Lime Broken	2725	Shale
1820	Red Rock	2735	Lime
1850	Lime Broken	2747	Shale
1860	Slate Gray	2750	Lime Soft
1935	Lime, (Gas 1915-20)	2915	Lime Hard
1950	Shale Brown	2920	Shale
1955	Red Rock	2960	Lime
1970	Lime	2980	Shells & Shale
1985	Shale Light	2992	Lime
2010	Lime	3000	Shale, Blue
2020	Shale Gray	3010	Shale, Pink
		3016	Shale Green
		3037	Lime Oil
		3042	Shal
		3057	Lime Hard

RECEIVED
KANSAS CORPORATION COMMISSION

MAR 29 2009

CONSERVATION DIVISION
WICHITA, KS

3075 Lime Oil

ALLIED CEMENTING CO., LLC. 035020A

TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell KS

DATE <u>2-5-09</u>	SEC. <u>19</u>	TWP. <u>12</u>	RANGE <u>15</u>	CALLED OUT	ON LOCATION	JOB START <u>2:15pm</u>	JOB FINISH <u>3:00pm</u>
LEASE <u>Rush B</u>		WELL # <u>2</u>		LOCATION <u>Gorham KS 7 North to Decker</u>		COUNTY <u>Russell</u>	STATE <u>KS</u>
<input checked="" type="radio"/> OLD OR NEW (Circle one)				<u>Rd 1 1/2 West 3/8 North</u>			

CONTRACTOR Smoky Hill well Service
 TYPE OF JOB Plug Abandoned Well
 HOLE SIZE _____ T.D. _____
 CASING SIZE 7" DEPTH _____
 TUBING SIZE 2 3/8 DEPTH 3075'
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT _____

OWNER _____
 CEMENT
 AMOUNT ORDERED 375 6 1/2 4 1/2 Gal
on side 800# Hulls and 15 Gal

COMMON	<u>225</u>	@	<u>13.50</u>	<u>3037.50</u>
POZMIX	<u>150</u>	@	<u>7.55</u>	<u>1132.50</u>
GEL	<u>38</u>	@	<u>20.25</u>	<u>567.00</u>
CHLORIDE		@		
ASC		@		
<u>Cottonseed Hulls 8</u>		@	<u>31.05</u>	<u>248.40</u>
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>411</u>	@	<u>2.35</u>	<u>924.75</u>
MILEAGE	<u>104/sk/mile</u>			<u>616.00</u>
TOTAL				<u>6526.65</u>

EQUIPMENT

PUMP TRUCK CEMENTER John Roberts
 # 409 HELPER Travis
 BULK TRUCK
 # 481 DRIVER Rocky
 BULK TRUCK
 # _____ DRIVER _____

REMARKS:

Ran 2 3/8 tubing to 3075' and spot 60sk cement w/ 200# Hulls on bottom + 18sk Bel above cement pulled up to 1977' mix 150 sk cement w/ 400# Hulls. Pull up to 975' mixed 165sk cement w/ 200# Hull. Pulled out of hole will tag cement next day.
Thank You!

SERVICE

DEPTH OF JOB				
PUMP TRUCK CHARGE				<u>875.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>15</u>	@	<u>7.00</u>	<u>105.00</u>
MANIFOLD		@		
		@		
		@		
TOTAL				<u>980.00</u>

CHARGE TO: Vess Oil
 STREET _____
 CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

RECEIVED
 KANSAS CORPORATION COMMISSION
 @
 MAR 09 2009
 @
 CONSERVATION DIVISION
 WICHITA KS

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME _____
 SIGNATURE [Signature]

SALES TAX (If Any) _____
 TOTAL CHARGES _____
 DISCOUNT _____ IF PAID IN 30 DAYS

ALLIED CEMENTING CO., LLC. 035021A

MIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell KS

DATE <u>2-6-09</u>	SEC. <u>19</u>	TWP. <u>12</u>	RANGE <u>15</u>	CALLED OUT	ON LOCATION	JOB START <u>3:45pm</u>	JOB FINISH <u>5:15pm</u>
LEASE <u>Rush B</u>		WELL # <u>2</u>		LOCATION <u>Gerham KS 7 North to Decker</u>		COUNTY <u>Russell</u>	STATE <u>KS</u>
<input checked="" type="radio"/> OLD <input type="radio"/> NEW (Circle one)			Rd 1 1/2 West 3/8 North				

CONTRACTOR Smoky Hill Well Service
 TYPE OF JOB Plug Abandoned Well
 HOLE SIZE _____ T.D. _____
 CASING SIZE 7" DEPTH _____
 TUBING SIZE 2 3/8" DEPTH 1500'
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT _____

OWNER _____

CEMENT
 AMOUNT ORDERED 450 6940 41.6-1
27 cc onsite
2000 # Hulls

COMMON	<u>270</u>	@ <u>13.50</u>	<u>3645.00</u>
POZMIX	<u>180</u>	@ <u>7.55</u>	<u>1359.00</u>
GEL	15	@ <u>20.25</u>	<u>303.75</u>
CHLORIDE	<u>10</u>	@ <u>51.50</u>	<u>515.00</u>
ASC		@	
<u>Cottonseed Hulls</u>	<u>20</u>	@ <u>31.05</u>	<u>621.00</u>
		@	
		@	
		@	
		@	
		@	
		@	
HANDLING	<u>495</u>	@ <u>2.25</u>	<u>1113.75</u>
MILEAGE	<u>100/sk/mile</u>		<u>742.50</u>
TOTAL			<u>8300.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER John Roberts
 # 409 HELPER Travis
 BULK TRUCK
 # 473 DRIVER Neale
 BULK TRUCK
 # _____ DRIVER _____


REMARKS:

Ran in w/ 2 3/8 tubing tag-cement @ 1500'
pulled up to 1470' mixed 160sk cement
w/ 400 # Hull. Pulled up wait 1hr. went back down
to 1470' mix 30sk 3% cc hot w/ 200 # Hulls pulled
up wait 1hr. went back to 1470' mixed 90sk 3% cc
hot w/ 400 # Hulls wait 1hr. Pumped 150 bbl
mud followed by 170sk cement w/ 3% cc
850 # Hulls. Come out of hole. Thanks!

SERVICE

DEPTH OF JOB _____	
PUMP TRUCK CHARGE _____	<u>875.00</u>
EXTRA FOOTAGE _____ @ _____	
MILEAGE <u>15</u> @ _____	<u>NA</u>
MANIFOLD _____ @ _____	
_____ @ _____	
_____ @ _____	
TOTAL <u>875.00</u>	

CHARGE TO: Vess Oil
 STREET _____
 CITY _____ STATE _____ ZIP _____



PLUG & FLOAT EQUIPMENT

RECEIVED
KANSAS CORPORATION COMMISSION

MAR 09 2009

CONSERVATION DIVISION
WICHITA, KS

TOTAL _____

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____

SIGNATURE _____

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

ALLIED CEMENTING CO., LLC. 035022A

ATTN TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell KS

DATE <u>2-9-09</u>	SEC. <u>19</u>	TWP. <u>12</u>	RANGE <u>15</u>	CALLED OUT	ON LOCATION	JOB START <u>3:00 pm</u>	JOB FINISH <u>5:00 pm</u>
LEASE <u>Rush B</u>	WELL # <u>2</u>		LOCATION <u>Gorham KS 7 North to Decker</u>		COUNTY <u>Russell</u>	STATE <u>KS</u>	
<input checked="" type="radio"/> OLD <input type="radio"/> NEW (Circle one)			<u>Rd 1 1/2 W 3/8 North</u>			<u>Russell</u>	

CONTRACTOR Smoky Hills Well Service
 TYPE OF JOB Plug Abandoned Well
 HOLE SIZE _____ T.D. _____
 CASING SIZE 7" DEPTH 3075'
 TUBING SIZE 2 3/8 DEPTH 1210'
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT _____

OWNER _____
 CEMENT 415
 AMOUNT ORDERED ~~357~~ 415 4% Gel
Hulls 1900#
150 Asc 3% CC

EQUIPMENT
 PUMP TRUCK CEMENTER John Roberts
 # 409 HELPER Travis
 BULK TRUCK
 # 473 DRIVER Jack
 BULK TRUCK
 # 410/473 DRIVER Neale

COMMON	<u>249</u>	@	<u>13.50</u>	<u>3361.50</u>
POZMIX	<u>166</u>	@	<u>7.55</u>	<u>1253.30</u>
GEL	<u>14</u>	@	<u>20.35</u>	<u>283.50</u>
CHLORIDE	<u>5</u>	@	<u>51.50</u>	<u>257.50</u>
ASC	<u>150</u>	@	<u>16.70</u>	<u>2505.00</u>
<u>Cottonseed Hulls 19</u>		@	<u>31.05</u>	<u>589.95</u>
HANDLING	357 <u>603</u>	@	<u>2.35</u>	<u>1356.75</u>
MILEAGE	<u>.104/sk/mile</u>			<u>904.50</u>
TOTAL				<u>10512.00</u>

REMARKS:

1210' mixed 280sk 6% 450# Hulls
605' mixed 70sk 6% 550# Hulls
Down casing 150 sk Asc 3% cc w/ 500# Hulls
Down casing 65 sk 6% w/ 400# Hulls
10 sk 6% in backside shut in 150psi
Thank You!

SERVICE

DEPTH OF JOB				
PUMP TRUCK CHARGE				<u>875.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>15</u>	@	<u>7.00</u>	<u>105.00</u>
MANIFOLD		@		
TOTAL				<u>980.00</u>

CHARGE TO: Vess Oil
 STREET _____
 CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME _____
 SIGNATURE [Signature]

RECEIVED @
 KANSAS CORPORATION COMMISSION
 MAR 09 2009
 CONSERVATION DIVISION
 WICHITA KS
 TOTAL _____
 SALES TAX (If Any) _____
 TOTAL CHARGES _____
 DISCOUNT _____ IF PAID IN 30 DAYS