## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 September 1999 Form Must Be Typed

## **WELL COMPLETION FORM**

**WELL HISTORY - DESCRIPTION OF WELL & LEASE** 

Operator: License # 33778	API No. 15 - 147-20522-00-02
Name: Shoreline Energy Partners, LLC	County: Phillips
Address: 453 South Webb Road #100	css4_nw4_ne4_ Sec. 32 Twp. 5 S. R. 20 East West
City/State/Zip: Wichita, KS 67207	4,290' feet from S/ N (circle one) Line of Section
Purchaser: Coffeyville Resources	1,650' feet from E/ W (circle one) Line of Section
Operator Contact Person: Hi Lewis	Footages Calculated from Nearest Outside Section Corner:
Phone: ( <u>316</u> ) <u>214-1738</u>	(circle one) NE (SE) NW SW
Contractor: Name: Alliance Well Service	Lease Name: Ray C Well #: 5
License 33346 3408 V	Field Name: Ray
Wellsite Geologist: Hi Lewis	Producing Formation: Reagan Sand
Designate Type of Completion:	Elevation: Ground: 2,201' Kelly Bushing: 2,203'
New Well Re-Entry Workover	Total Depth: 3,657' Plug Back Total Depth:
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 353' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? Yes No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator: OXY USA, Inc	feet depth tosx cmt.
Well Name: Ray C#5	Drilling Fluid Management Plan AUTTNIK
Original Comp. Date: 01-12-1991 Original Total Depth: 3,657'	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 80,000 ppm Fluid volume 200 bbls
Plug Back Plug Back Total Depth	Dewatering method used_n/a-cased hole washdown
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name: Darrah Oil
	Lease Name: Ray B License No.: 5088
11-05-2007	Quarter nw4 Sec. 32 Twp. 5 S. R. 20 East V West
Recompletion Date  Recompletion Date	County: Phillips Docket No.: D-17,290
Kansas 67202, within 120 days of the spud date, recompletion, workov Information of side two of this form will be held confidential for a period of	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, wer or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-s and geologist well report shall be attached with this form. ALL CEMENTING s. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulate and correct to the best of my knowledge.	late the oil and gas industry have been fully complied with and the statements
Signature: HWI aus	, KCC Office Use ONLY
Signature: 1 2-15-08	
Title:	Letter of Confidentiality Received
Title: PRESIDET  Date: 2-15-08  Subscribed and sworn to before me this 15th day of 9cebua	If Denied, Yes Date:
2008	Wireline Log Received
Market =	Geologist Report Received
Notary Public: //tluey/////warser	UIC Distribution KANSAS CORPORATION COMMISSION
Date Commission Expiles: STACEY   WILLIAMSON	
Date Commission Explies: STACEY L. WILLIAMSON NOTARY PUBLIC	FEB 19 2008
STATE OF KANSAS  My Appt. Exp. 3-5-20/0	CONSERVATION DIVISION

CONSERVATION DIVISION WICHITA KO

Operator Name: Shoreline Energy Partners, LLC			Lease N	Lease Name: Ray C			Well #: 5			
Sec. 32 Twp. 5				Phillips						
tested, time tool open temperature, fluid rec	and closed, flowing overy, and flow rates	nd base of formations po and shut-in pressures, s if gas to surface test, a inal geological well site r	whether shu long with fir	ut-in pres	ssure reached s	tatic level, hydros	static pressure	es, bottom	hole	
Drill Stem Tests Taken				Log Formation (Top), De			epth and Datum		Sample	
Samples Sent to Geological Survey			Name			Тор С		atum		
Cores Taken Electric Log Run (Submit Copy)		☐ Yes								
List All E. Logs Run:			•							
		CASING Report all strings set-	RECORD		w 📝 Used rmediate, producti	ion, etc.				
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weig Lbs./		Setting Depth	Type of Cement	# Sacks Used		nd Percent Iditives	
n/a-cased hole washdown	n/a	8 5/8" (original in 1991)	n/a		353'	n/a	n/a	n/a		
n/a-cased hole washdow	n/a	5 1/2" (original in 1991)	n/a		3,655'	n/a	n/a	n/a		
Γ		ADDITIONAL	CEMENTIN	IG / SQU	EEZE RECORD			····		
Purpose:  Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	#Sacks	Used		Type and P	ercent Additives			
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot Specify Footage of Each Interval Perforated (Amount and Interval Perforated)					ture, Shot, Cement		rd	Depth	
4 spf w 39 gram charges	3,595' - 3,598'				300 g 10% DS/DSFE 3,595'-3,598'					
TUBING RECORD 2 7	Size	Set At Packer At 3,572' n/a			Liner Run  Yes  No					
Date of First, Resumero	d Production, SWD or E	Enhr. Producing Me		Flowing	y <b>√</b> Pumpir	ng Gas Lif	t 🔲 Oth	er (Explain)		
Estimated Production Per 24 Hours	Oil 5	Bbls. Gas	Mcf	Wate	er Bi	bls. G	ias-Oil Ratio		Gravity 0	
Disposition of Gas	METHOD OF (			<del></del>	Production Inter		F	RECENT		
Vented Sold (If vented, Su	Used on Lease bmit ACO-18.)	Open Hole Other (Spec	✓ Perf.		ually Comp.	Commingled	,595'-3, <b>59</b>	B 192	OOMMISSIO	

CONSERVATION DIVINION.