Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

33344	API No. 15 - 099-23594-00-00 ORIGINAL
Operator: License # 33344 Name: Quest Cherokee, LLC	
211 M 14th Stroot	County: Labette
Address: 211 W. 14th Street City/State/Zip: Chanute, KS 66720	swswswSec17
Purchaser: Bluestem Pipeline, LLC	leet from 5 / N (circle one) Line of Section
Operator Contact Person: Richard Howard	leet from E 7 VV (circle one) Line of Section
本章	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 431-9500	(circle one) NE SE NW (SW) Lease Name: Burnham, James D. Well #: 17-1
Contractor: Name: Well Refined Drilling Company S S S S S S S S S S S S S S S S S S S	Field Name: Cherokee Basin CBM
License: 33072 Wellsite Geologist: Mark Brecheisen	Field Name: Mississippi
Wellsite Geologist:	Producing Formation: Mississippi 782'
Designate Type of Completion:	Elevation: Ground: 782' Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 885' Plug Back Total Depth: 882.33'
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 21'4" Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 882.33' feet depth to surface w/ 105 sx cmt.
Operator:	teet depth tosx cmt.
Well Name:	Drilling Fluid Management Plan AHI SB
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit) 3-19-08
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug Back Plug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No.	Operator Name:
Other (SWD or Enhr.?) Docket No.	Lease Name: License No.:
8/1/04 8/2/04 8/5/04	
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec. Twp. S. R. East West County: Docket No.:
	County Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with t Kansas 67202, within 120 days of the spud date, recompletion, workover Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs a TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-und geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regulationed herein are complete and opprect to the blest of my knowledge.	e the oil and gas industry have been fully complied with and the statements
Signature: Howard	KCC Office Use ONLY
Hood of Operations 6/20/2005	N/\)
This.	Letter of Confidentiality Received
Subscribed and sworn to before me this arm day of continuous	If Denied, Yes Date: , Wireline Log Received
20 05	Geologist Report Received
Notary Public: Quanter B. Soucher	UIC Distribution
Date Commission Expires: Quely 30, 2005 A. JENNIFI	ER R. HOUSTON
Notary Pul	blic - State of Kansas 7/30/05

Side Two

ORIGINAL

Operator Name: Que	est Cherokee, LL		Lease	Name: _	bullilalli, Jai	11 03 D.	Well #:	
Sec. 17 Twp. 3	4S. R. 18	. ✓ East	est County	y: Labe	tte			
INSTRUCTIONS: SI tested, time tool oper temperature, fluid red Electric Wireline Log	n and closed, flowin covery, and flow rate	g and shut-in press s if gas to surface	sures, whether sl test, along with t	hut-in pre	essure reached	static level, hydi	rostatic pressure	es, bottom hole
Drill Stem Tests Take		☐ Yes 🗸	No	√ L	og Formati	on (Top), Depth	and Datum	Sample
(Attach Additional Sheets) Samples Sent to Geological Survey		☐ Yes 🗸	Nam S ☑ No I ens				Top Absent	Datum Absent
Cores Taken					enapah Lime Altamont Lime		Absent	Absent
Electric Log Run			Voc				143'	+639'
(Submit Copy)					vnee Lime		254'	+528'
List All E. Logs Run:				1	digris Lime	ego Lime		+383'
Comp Density/ Dual Induction Gamma Ray/N					sissippi Lime		399' 823'	-41'
		=	ASING RECORD	_	ew Used	tion. etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Wei	ight	Setting Depth	Type of Cement	# Sacks Used	Type and Perce
Surface	12 1/4"	8-5/8"	24.75#		21'4"	"A"	4sx	Additives
Production	6 3/4"	4 1/2"	10.5#		882.33'	"A"	105sx	
		ADDIT	IONAL CEMENTI	NG / SQ	JEEZE RECORI)		
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Type of Ceme	nt #Sacks	s Used		Type and	Percent Additives	
	DEDECORAT	ION RECORD - Brid	ao Pluge Sot/Tupo		Acid Fra	cture Shot Came	nt Sauseze Becor	d
Shots Per Foot		Footage of Each Inter			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)			Dept
4	830'-832'	RECEIVED			Acid job done.			830'-8
	KANSAS CORPORATION COMMISSION							
	JUL 0 5 2005							
		CONSERVATION						
		WICHITA,	KS					
TUBING RECORD Wa	Size aiting on pipeline	Set At	Packer /	At	Liner Run	Yes N	lo	1
Date of First, Resumer	d Production, SWD or	Enhr. Produc	ing Method	Flowin	g Pumpi	ng 🔲 Gas I	_ift Othe	er (Explain)
Estimated Production Per 24 Hours	Oil	Bbls. Gas	s Mcf	Wat	er E	ibls.	Gas-Oil Ratio	Gravit
Disposition of Gas	METHOD OF	COMPLETION			Production Inter	rval		
☐ Vented ☐ Sold	Used on Lease	Oper	n Hole Peri	f. 🔲	Dually Comp.	Commingled		

CONSOLIDATED OIL WELL SERVICES, 211-W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TIEST NUMBER	1073	(1)
LOCATION Bartles	ville	-
FOREMAN TracyL.	William	34

TREATMENT REPORT & FIELD TICKET

		, ¢		CEMÊN	T	0	RIGIN	AL
DATE	CUSTOMER#	WEL	L NAME & NUM	BER	SECTION	TOWNSHIP	RANGE .	COUNTY
8-5-04	6628	Burnha	m 12-	7	17	345	188	Labette
CUSTOMER Quest	Cherok	/)	C		TRUCK #	DRIVER	TRUCK#	† DRIVER
MAILING ADDRE	SS	-	·	popularia en maj	289	Kirk Bobby		, was
CITY '		STATE .·	ZIP CODE		412	Cocp		
JOB TYPE	(5	HOLE SIZE	634	_ HOLE DEPTH	885	CASING SIZE & W	EIGHT 4/8	9,5#
CASING DEPTH	882	DRILL PIPE		_ TUBING			OTHER	
SLURRY WEIGH	ıT	SLURRY VOL_		WATER gal/s	k <u>is</u>	CEMENT LEFT in	CASING	
DISPLACEMENT	14,3	DISPLACEMEN	IT PSI	MIX PSI	<u> </u>	RATE		
REMARKS: RC	n 1sk	of ge	4 brok	e circul	ation R	an 9661	dye wi	th 15gal
Sod in	Silicate	in Pas	t 4661	Ran	105 sks	of Owc	with 5#	citionite
Dr- Fil	st 466) 1	@ 12,5p	00 4 LG1	nainder	(a) 13.8 -	Shut don	in twast	red up
Dehind	Alua Pu	moed o	ling to 1	bottom y	- latche	I plug int	o inser	t Released
Dressu	re # xh	utin	Circula	ated 6	bbl cem	ient slurr	v to pit	L
<u> </u>				*	1	,	·	
÷ .					, Til	, 1 ^t		
) (i		,	
				ç	<u>د</u> ج		ph.	. 8.
	•				·			* .

ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE Production Casing		110,00
5406	60	MILEAGE		141.00
	•			ca.,
			, .	
1107	1sk	Flo Seat		40,00
1110	115ks	Gilsonite .	200	223.85
IIIIB	150al	Sodium Silicate \$9 €	7	157.50
1118	acces /sk	Premium Gel 300	CE	12,40
1123	2500901	Premium Gel So City Water	TAN:	28.15
1126	105 s Rs	OWC SE SE	6	1244.25
		2 ! 7		1
1215	2901-	KCL F		46,20
			*	
550/C	3 hrs	Transport		253.00
5502 C	3hrs	80 Vác		234,00
5401	min	Ton Mileage		200.00
'			SALES TAX	111,29
		40	ESTIMATED	21101 211

AUTHORIZTION_____

TITLE_

TOTAL

TERMS

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Custome all be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE **ARE** NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.