

ORIGINAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

AMENDED

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33401
Name: Fred Ernst d/b/a Ernst Oil Company
Address: 1234 Walker Ave.
City/State/Zip: Walker, KS 67665
Purchaser: NCRA
Operator Contact Person: Fred Ernst
Phone: (785) 735-2588
Contractor: Name: Big Three Drilling, Inc.
License: 9292
Wellsite Geologist: Roger Fisher

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

8-26-05	9-1-05	9-20-05
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 163-23475-0000
County: Rooks
E/2 SE SW NW Sec. 19 Twp. 10 S. R. 17 East West
2310 feet from S / (N) (circle one) Line of Section
935 feet from E / (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Becker Well #: B-1
Field Name: Plainville

Producing Formation: Lansing-Kansas City
Elevation: Ground: 2095' Kelly Bushing: 2104'
Total Depth: 3704' Plug Back Total Depth: 3604'
Amount of Surface Pipe Set and Cemented at 232 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 1360 Feet
If Alternate II completion, cement circulated from 1360
feet depth to surface w/ 260 sx cmt.

Drilling Fluid Management Plan *AH II SB 3-14-08*
(Data must be collected from the Reserve Pit)
Chloride content 25,000 ppm Fluid volume 600 bbls
Dewatering method used evaporation

Location of fluid disposal if hauled offsite:
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

RECEIVED
FEB 03 2006
KCC WICHITA

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Owner Date: 2-1-06
Subscribed and sworn to before me this 1st day of February,
20 06.
Notary Public: [Signature]
Rebecca K. Crawford
Date Commission Expires: 3-20-07

KCC Office Use ONLY
NO Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Operator Name: Fred Ernst d/b/a Ernst Oil Company Lease Name: Becker Well #: B-1
 Sec. 19 Twp. 10 S. R. 17 East West County: Rooks

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
 (Submit Copy)

List All E. Logs Run:

Micro Log, Dual Receiver Cement Bond Log

Log Formation (Top), Depth and Datum Sample

Name	Top	Datum
Anhydrite	1496	+708
Topeka	3068	-964
Heebner Shale	3292	-1188
Lansing	3333	-1229
B/KC	3566	-1462

ORIGINAL

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface		8 5/8"		232'	Common	165 sx	3% gel, 2% cc
Production		5 1/2"		3704'	Common	160 sx	3% gel, 2% cc

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	1360/surface	Class A	250 sx	Class A + 6% gel + 1/4# flocele

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4 spf	3535-38/	500 gal	RECEIVED FEB 03 2006 KCC WICHITA
4 spf	3509-12, 3496-3500, 3471-74	1,000 gal	
4 spf	3370-74	no treatment	
4 spf	3390-93	no treatment	

TUBING RECORD	Size	Set At	Packer At	Liner Run
	2 7/8"	3535		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Date of First, Resumerd Production, SWD or Enhr.	Producing Method
	<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	10				

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval 3370-3538

Attachment to ACO-1
Becker B-1
API 15-163-23475-0000

DST #1, 3292'-3413' (45-45-45-45). Rec 210' watery mud (40% water, 60% mud). Chl 28,000 ppm. ISIP 1351, FSIP 1308, IFP 23-75, FFP 79-119.

DST #2, 3439'-3551' (30-30-30-30). Rec 35' slightly oil cut mud (2% oil, 98% mud). Some clean oil in tool. ISIP 1192, FSIP 1172, IFP 22-31, FFP 31-39.

DST #3, 3636'-3685' (30-30-30-30). Rec 8' mud. ISIP 643, FSIP 590, IFP 23-24, FFP 24-27.

ORIGINAL

RECEIVED
FEB 03 2006
KCC WICHITA

AUG 24

SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
				12:00 PM	1:55 PM	2:10 PM
WELL # <u>B</u>		LOCATION <u>Hays N to Rd CC IE</u>			COUNTY <u>Rawl</u>	STATE <u>KS</u>
(Circle one)		<u>31 E 1/4</u>				

NEARBY (Circle one)
 SURFACE
 121' T.D. 230'
 82' DEPTH 225'
 DEPTH
 DEPTH
 DEPTH
 MINIMUM
 SHOE JOINT

OWNER
 CEMENT
 AMOUNT ORDERED 165 lbs Cem 3% CC
2 1/2 Gal

DEPTH IN CSG. 15'
 EQUIPMENT 13' B61

COMMON 165 @
 POZMIX @
 GEL 3 @
 CHLORIDE 5 @
 ASC @

EQUIPMENT
 CEMENTER Steve
 HELPER Craig
 DRIVER Brian
 DRIVER

RECEIVED
 KANSAS CORPORATION COMMISSION
 DEC 26 2007
 CONSERVATION DIVISION
 WICHITA, KS
 HANDLING 173 @
 MILEAGE 54/mile @

REMARKS:

did Circulate

Thank You

Ernst Oil

TOTAL
 SERVICE
 DEPTH OF JOB
 PUMP TRUCK CHARGE
 EXTRA FOOTAGE @
 MILEAGE 45 @
 MANIFOLD @
 @
 @

STATE ZIP

PLUG & FLOAT EQUIPMENT

1 8 1/2 Wooden Plug @
 @
 @
 @

Cementing Co., Inc.
 requested to rent cementing equipment
 cementer and helper to assist owner or
 work as is listed. The above work was
 production and supervision of owner agent or
 read & understand the "TERMS AND

TOTAL
 TAX

ALLIED CEMENTING CO., INC. 22015

Federal Tax I.D.

PO BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

SEC <u>19</u>	TWP. <u>10</u>	RANGE <u>17</u>	CALLED OUT <u>5:00 Am</u>	ON LOCATION <u>8:00 Am</u>	JOB START <u>11:50 Am</u>	JOB FINISH <u>1:50 P</u>
WELL # <u>B-1</u>			LOCATION <u>PLAINWILL S. TO RD CC</u>			
(include one)			<u>1 1/2 E 1/2 N 1/4 E</u>			

Big Three
PRODUCTION STRING
3 1/2 TD. 3204
3 1/2 DEPTH 3204
DEPTH
INSERT C DEPTH 3668
MINIMUM
INS CSG 32
SHOE JOINT
89 1/2 BAL

OWNER _____
CEMENT AMOUNT ORDERED 160 SK Comm.

EQUIPMENT _____
CEMENTER Allen
HELPER Craig
DRIVER GARY
DRIVER _____

COMMON 160 @ _____
POZMIX @ _____
GEL @ _____
CHLORIDE @ _____
ASC @ RECEIVED
KANSAS CORPORATION COMMISSION
@ DEC 26 2007
@ CONSERVATION DIVISION
@ WICHITA, KS
@ _____
@ _____
HANDLING 160 @ _____
MILEAGE 51 Tox Mile @ _____

REMARKS:
on #76 JT. (1428)
@ 1500# (HELD)
FLOAT (HELD)
Note
Note THANKS
INST OIL (FRED)

TOTAL _____
SERVICE
DEPTH OF JOB _____
PUMP TRUCK CHARGE _____
EXTRA FOOTAGE @ _____
MILEAGE 51 @ _____
MANIFOLD @ _____
@ _____
@ _____
TOTAL _____

STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT
Guide Shoe @ _____
AFU INSERT @ _____
5-Cent @ _____
1-BSK @ _____
1-PORT COLLAR @ _____
5/8 Rubber Plug @ _____
TOTAL _____

Allied Cementing Co., Inc.
requested to rent cementing equipment
and helper to assist owner or
work as is listed. The above work was
and supervision of owner agent or
read & understand the "TERMS AND
listed on the reverse side:

TAX _____
TOTAL CHARGE _____
DISCOUNT _____ IF PAID IN 30 DAYS
Robert A. Wahlmzier
PRINTED NAME

Robert A. Wahlmzier

ALLIED CEMENTING CO., INC. 19851

Federal Tax I.D.#

ATTN TO P.O. BOX 312
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley

DATE <u>9-26-05</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION <u>8:30 AM</u>	JOB START <u>10:00 AM</u>	JOB FINISH <u>11:30</u>
LEASE <u>Becker</u>	WELL <u>B-1</u>	LOCATION <u>Hays North to CL</u>		COUNTY <u>Rooks</u>	STATE <u>Kan</u>		
OLD OR (NEW) (Circle one)		<u>2N-1E-10N-E.S.</u>					

CONTRACTOR <u>Chito's</u>	OWNER <u>Same</u>
TYPE OF JOB <u>Part Collar</u>	
HOLE SIZE _____ T.D. _____	CEMENT
CASING SIZE <u>5 1/2</u> DEPTH _____	AMOUNT ORDERED <u>350 SKS COMB</u>
TUBING SIZE <u>2 7/8</u> DEPTH _____	<u>6% Gal 1/4" # Flo-Sacl</u>
DRILL PIPE _____ DEPTH _____	<u>(used 250 SKS)</u>
TOOL <u>Part Collar</u> DEPTH <u>1360'</u>	COMMON <u>150 SKS @</u>
PRES. MAX _____ MINIMUM _____	POZMIX <u>100 SKS @</u>
MEAS. LINE _____ SHOE JOINT _____	GEL <u>13 SKS @</u>
CEMENT LEFT IN CSG. _____	CHLORIDE _____ @
PERFS. _____	ASC _____ @
DISPLACEMENT _____	<u>Flo-Sacl 63#</u> @

EQUIPMENT

PUMP TRUCK	CEMENTER	<u>Walt</u>
# <u>191</u>	HELPER	<u>Wayne</u>
BULK TRUCK		
# <u>396</u>	DRIVER	<u>Douglas</u>
BULK TRUCK		
# _____	DRIVER	

HANDLING <u>370 SKS @</u>	
MILEAGE <u>20 SKL miles</u>	
TOTAL	

REMARKS:
 Circ casing Pressure
 casing to 1000' held, open
 Tool, mixed 250 SKS cement
 Circ to surface, Displace 63#
 DBL shut tagl, Pressure test.
 Held, ran tubing in, Circ casing
 Clean,
 Thank You

CHARGE TO: Ernst oil Co

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB _____	
PUMP TRUCK CHARGE _____	
EXTRA FOOTAGE _____ @	
MILEAGE <u>45-miles</u> @	
MANIFOLD _____ @	
TOTAL	

PLUG & FLOAT EQUIPMENT

_____ @	
_____ @	
_____ @	
_____ @	
_____ @	

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

RECEIVED
 KANSAS CORPORATION COMMISSION

TOTAL DEC 26 2007

TAX _____ CONSERVATION DIVISION
 WICHITA, KS

DISCOUNT _____ IF PAID IN 30 DAY

SIGNATURE Robert A. [unclear] Robert A. [unclear]
 PRINTED NAME

JOB LOG

SWIFT Services, Inc.

DATE 12-17-05
TICKET NO. 7625

CUSTOMER

LEASE *Becker*

JOB TYPE *CMT Port Colter*

CHART NO.

TIME

PUMPS
T C
PRESSURE (PSI)
TUBING CASING

DESCRIPTION OF OPERATION AND MATERIALS

CHART NO.	TIME	PUMPS		PRESSURE (PSI)		DESCRIPTION OF OPERATION AND MATERIALS
		T	C	TUBING	CASING	
						ONLOCATION SWAB TESTING
						2250gals 15% NE Acid
						Swabbing 1000' O.I. Didn't need Acid to be used
						ordered cement for port Colter
						ONLOCATION Running in P.C. Tub. PPA 351F
						175.5K SMO cement, Sit up To.
		✓	✓	100	100	Load C. S. 6870
		-	-	800	800	Tub PDP Port Colter @ 1428'
						open P.C.
		✓		200		Eng. Rate
		✓		200		
		✓		100		Start Mixing Cement SMO @ 11.2% sol
		✓				Circ. CMT to pit! 15 WS
		✓				Start Mixing 14.0% sol Cement
		✓		150		Eng CMT
		✓		100		Start Disp
		✓		300		End Disp
						Close Port Colter
		✓		800	800	Pressure Test P.C. Closed
		X	✓			Run TO Joint
		X	✓		100	Circ. H ₂ O Clean
			✓		100	1st. Flgs CMT
			✓		100	2nd Flgs CMT
			✓		100	H ₂ O Clean
						WASH UP TR.
						Reckup
						Tickets - get full TR. out
						Job Complete
						Thank You!
						JACK, Chris, Matt

RECEIVED
KANSAS CORPORATION COMMISSION

DEC 26 2007

CONSERVATION DIVISION
WICHITA, KS

Alison

DATE <u>8-26-05</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION <u>12:00 PM</u>	JOB START <u>1:55 PM</u>	JOB FINISH <u>2:10 PM</u>
LEASE <u>Becker</u>	WELL # <u>B</u>	LOCATION <u>Hwy N to Rd CC 1E</u>		COUNTY <u>Wichita</u>	STATE <u>KS</u>		
OLD OR NEW (Circle one)			<u>511 Finc</u>				

CONTRACTOR Big 3 Drilling

TYPE OF JOB Surface

HOLE SIZE 12 1/4" T.D. 230'

CASING SIZE 8 1/2" DEPTH 225'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 15'

PERFS.

DISPLACEMENT 13# RB1

OWNER _____

CEMENT AMOUNT ORDERED 165 lbs Cem 38 CC

28 Gal

EQUIPMENT

PUMP TRUCK CEMENTER Steve

345 HELPER Craig

BULK TRUCK

362 DRIVER Brian

BULK TRUCK

DRIVER

COMMON 165 @ _____

POZMIX @ _____

GEL 3 @ _____

CHLORIDE 5 @ _____

ASC @ _____

RECEIVED @ _____

KANSAS CORPORATION COMMISSION @ _____

DEC 26 2007 @ _____

CONSERVATION DIVISION @ _____

WICHITA, KS @ _____

HANDLING 173 @ _____

MILEAGE 52/mile @ _____

REMARKS:

Cement did Circulate

Thank You

CHARGE TO: Ernst Oil

STREET _____

CITY _____ STATE _____ ZIP _____

TOTAL _____

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____

EXTRA FOOTAGE @ _____

MILEAGE 45 @ _____

MANIFOLD @ _____

TOTAL _____

PLUG & FLOAT EQUIPMENT

1 8 1/2 Woodson Plug @ _____

@ _____

@ _____

@ _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL _____

TAX _____

ALLIED CEMENTING CO., INC. 22015

Federal Tr

MIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>9-2-05</u>	SEC <u>19</u>	TWP. <u>10</u>	RANGE <u>17</u>	CALLED OUT <u>5:00am</u>	ON LOCATION <u>8:00am</u>	JOB START <u>1:50pm</u>	JOB FINISH <u>1:50pm</u>
LEASE <u>Becker</u>	WELL # <u>B-1</u>	LOCATION <u>Plainville S. To RD CC</u>		COUNTY <u>Rock</u>	STATE <u>Kansas</u>		
OLD OR NEW (Circle one) <u>NEW</u>				<u>1 1/2 E 1/2 N 1/4 E</u>			

CONTRACTOR Big Three
 TYPE OF JOB Production String
 HOLE SIZE 7 7/8 T.D. 2370'
 CASING SIZE 5 1/2 DEPTH 3700'
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL AFU INSERT DEPTH 3668'
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT
 CEMENT LEFT IN CSG. 32'
 PERFS.
 DISPLACEMENT 89 1/2 BBL

OWNER _____
 CEMENT AMOUNT ORDERED 160 sk Comm.
 COMMON 160 @ _____
 POZMIX @ _____
 GEL @ _____
 CHLORIDE @ _____
 ASC @ _____

EQUIPMENT
 PUMP TRUCK CEMENTER Allen
 # 345 HELPER Craig
 BULK TRUCK
 # 213 DRIVER GARY
 BULK TRUCK
 # _____ DRIVER

RECEIVED
 KANSAS CORPORATION COMMISSION
 DEC 26 2007
 CONSERVATION DIVISION
 WICHITA, KS
 HANDLING 160
 MILEAGE 51 Ton Mile

REMARKS:
Port Collar on #76 JT. (1425)
LAND Aug @ 1500# (HELD)
RELEASED - FLOAT (HELD)
15 SK @ RAT HOLE
10 SK @ HOUSE HOLE
THANKS

CHARGE TO: ERNST OIL (FRED)
 STREET _____
 CITY _____ STATE _____ ZIP _____

SERVICE
 DEPTH OF JOB _____
 PUMP TRUCK CHARGE _____
 EXTRA FOOTAGE @ _____
 MILEAGE 51 @ _____
 MANIFOLD @ _____
 TOTAL _____

STRING & FLOAT EQUIPMENT
Guide Shoe
AFU INSERT @ _____
5-CENT @ _____
1-BSK @ _____
1-PORT COLLAR @ _____
5/8 Rubber Plug @ _____
 TOTAL _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS
 SIGNATURE Robert A. Wahlmeier
 PRINTED NAME Robert A. Wahlmeier

ALLIED CEMENTING CO., INC. 19851

Federal Tax I.T.

ATTN TO P.O. BOX 317
RUSSELL, KANSAS 67665

SERVICE POINT: Oakley

DATE <u>9-26-05</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION <u>8:30 AM</u>	JOB START <u>10:00 AM</u>	JOB FINISH <u>11:30</u>
LEASE <u>Becker</u>	WELL <u>B-1</u>	LOCATION <u>Hays North to CL</u>		COUNTY <u>Rock</u>	STATE <u>Kan</u>		
OLD OR (NEW) (Circle one)		<u>2N-1E-6N-E.S</u>					

CONTRACTOR <u>Chito's</u>	OWNER <u>Same</u>
TYPE OF JOB <u>Part Collar</u>	
HOLE SIZE _____ T.D. _____	CEMENT
CASING SIZE <u>5 1/2</u> DEPTH _____	AMOUNT ORDERED <u>350 sks comm,</u>
TUBING SIZE <u>2 7/8</u> DEPTH _____	<u>6% Col 1 1/4" Flo-Seal</u>
DRILL PIPE _____ DEPTH _____	<u>(used 250 sks)</u>
TOOL <u>Part Collar</u> DEPTH <u>1360'</u>	COMMON <u>150 sks @</u>
PRES. MAX _____ MINIMUM _____	POZMIX <u>100 sks @</u>
MEAS. LINE _____ SHOE JOINT _____	GEL <u>13 sks @</u>
CEMENT LEFT IN CSG. _____	CHLORIDE _____ @
PERFS. _____	ASC _____ @
DISPLACEMENT _____	<u>Flo-Seal 63#</u> @

EQUIPMENT

PUMP TRUCK	CEMENTER <u>Walt</u>
# <u>191</u>	HELPER <u>Wayna</u>
BULK TRUCK	DRIVER <u>Douglas</u>
# <u>356</u>	DRIVER _____

REMARKS:
~~703~~ Circ casing, Pressure casing to 1000', Held, open tool, mixed 250 sks cement Circ to surface, Displace 63# API shot tool, Pressure test, Held, ran tubing in, Circ casing Clean,
 Thank You

HANDLING <u>370 sks @</u>	
MILEAGE <u>45- miles</u>	
TOTAL	

CHARGE TO: Ernst oil Co
 STREET _____
 CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB _____	
PUMP TRUCK CHARGE _____	
EXTRA FOOTAGE _____ @	
MILEAGE <u>45- miles</u> @	
MANIFOLD _____ @	
TOTAL	

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

PLUG & FLOAT EQUIPMENT

_____ @	
_____ @	
_____ @	
_____ @	
_____ @	
TOTAL	

SIGNATURE Robert A. Waples

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS
 PRINTED NAME Robert A. Waples