Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 33344	API No. 15 - 099-23425-0000
Name: Quest Cherokee, LLC RECEIVED	County: Neosho
Address: P O Box 100	<u>-cswswSec. 21Twp. 31SR. 18</u>
Address: JUL 0 6 2004 City/State/Zip: Benedict, KS 66714	700 feet from S / N (circle one) Line of Section
Purchaser: Bluestem Pipeline KCC WICHITA	600 feet from E /W (circle one) Line of Section
Operator Contact Person: Doug Lamb	Footages Calculated from Nearest Outside Section Corner:
Phone: (_620) _698-2250	(circle one) NE SE NW (SW)
Contractor: Name: Well Refined Drilling Company, Inc.	Lease Name: Greenwood, Charles R. Well #: 21-1
License: 33072	Field Name: Dartnell
Wellsite Geologist:	Producing Formation: Not yet complete
Designate Type of Completion:	Elevation: Ground: 903 Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 1002' Plug Back Total Depth: 997'
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 20' Feet
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth set Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 997
Operator:	feet depth to surface w/ 135 sx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) 2-14-08
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug Back Plug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	
Other (SWD or Enhr.?) Docket No	Operator Name:
03/02/04 03/03/04 03/16/04	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workove information of side two of this form will be held confidential for a period of 1	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulaterein are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements
Signature: Nouglas / Kent	KCC Office Use ONLY
Title: Manager / Date: 07/01/2004	Letter of Confidentiality Received
Subscribed and sworn to before me this 1st day of	If Denied, Yes Date:
20 04	Wireline Log Received Geologist Report Received
Notary Public: Generales 2. Houston	UIC Distribution
Date Commission Expires: Noter Public	R R. HOUSTON

ORIGINAL

Operator Name: Que	est Cherokee, LL	C					, Charles R.	Well #: _21-1	<u> </u>
Sec. 21 Twp. 3	1 S. R. 18	✓ East	West	County	/: Neos	ho :			
INSTRUCTIONS: SI tested, time tool oper temperature, fluid red Electric Wireline Loga	n and closed, flowing covery, and flow rate	g and shut-ins if gas to s	n pressures, urface test, a	whether shalong with f	nut-in pre	essure reache	d static level, hydi	rostatic pressure	es, bottom hole
Drill Stem Tests Take		Yes	s ✓ No		V L	og Forma	ation (Top), Depth	and Datum	Sample
Samples Sent to Ge	•	Yes	s ✓ No		Nam	e apah Lime		Top 209	Datum +694
Cores Taken		☐ Yes	s ✓ No			mont Lime	:	249	+654
Electric Log Run (Submit Copy) ✓ Yes No			Paw	nee Lime	393		+510		
List All E. Logs Run:		•		1	∕ego Lime (digris Lime	478 604		+425 +299	
Dual Induction Compensated	Log Density/Neutro	on Log	,			sissippi Lim	ne :	964	-61
		Report		RECORD	h-m-na-r	ew Used ermediate, prod	uction etc		
Purpose of String	Size Hole Drilled	Size	Casing In O.D.)	Wei Lbs.	ight	Setting Depth	Type of Cement	# Sacks Used	Type and Perco
Surface	12-1/4"	8-5/8"	,	24.75#		20'	"A"	4sx	
Production	6-3/4"	4-1/2"	-	10.5#		997'	"A"	135sx	
				<u> </u>					
Purpose:	Depth	Tuno	ADDITIONAL	L CEMENTI #Sacks		UEEZE RECO	· · · · · · · · · · · · · · · · · · ·	RECEIV	ED
Perforate Protect Casing Plug Back TD Plug Off Zone	Top Bottom	Турс	·			3 19		JUL 0 6 20 CC WICH	104
						1			
Shots Per Foot	1	Footage of Ea				Acid, i	d, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)		
None	Waiting on Pipe	line				. (.	· · · · · · · · · · · · · · · · · · ·		
	•								:
TUBING RECORD	Size	Set At		Packer /	Δ+	Liner Run	,		
TODING NEOUND	O12G	GEL AL		r acker /		Lister (1011	Yes	ło	
Date of First, Resumer	d Production, SWD or	Enhr.	Producing Me	thod	Flowin	ng Pun	nping Gas	Lift Oth	er <i>(Explain)</i>
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	ter	Bbls.	Gas-Oil Ratio	Gravi
Disposition of Gas	METHOD OF	COMPLETION				Production In	terval		:
Vented Sold	Used on Lease	[Open Hole	·	f	Dually Comp.	Commingled		



211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

RECEIVED JUL 0 6 2004 KCC WICHITA

TICKET NUMBER 24219

LOCATION _ [HANNTE

FIELD TICKET

DATE CUSTOMER ACCT # WELL NAME QTR/QTR	SECTION TWP RGE COUNTY FORMATION
CHARGE TO QUEST CHEROKEE LLC	OWNER No. 10 Miles
MAILING ADDRESS P.O. BOX 100	OPERATOR
CITY & STATE BENEDICT, KS 66714	CONTRACTOR

		160	•	
ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	UNIT PRICE	TOTAL AMOUNT
. 5401	1-WELL	PUMP CHARGE CEMENT PUMP		47250
1110	1-WELL 13 5KS	GILSONITE		252.20
1107	1/2 SK	CELLOFLAKE / FLO-SEAL		56,63
111113	156AL	SODIUM SILICATE		1500
1215	1 GAL	KCL		2200
12/5	, unc	, , , , , , , , , , , , , , , , , , ,		
				
		ju.		
•				
4407	3780 GALS	CITY WATER (90 BBL)		4753
1123	3180 GALS	CITY WHIELE (10 BOL)	, ,	7.
			-	
				
		\$ · · · · · · · · · · · · · · · · · · ·		
·				
		BLENDING & HANDLING		<u> </u>
5407	29 mi	TON-MILES (minimum)		190-
		STAND BY TIME		
		MILEAGE		
5501	5 HR 5 HR	WATER TRANSPORTS	_	4000
5502	5 HR	VACUUM TRUCKS		375€
		FRAC SAND		
1126	128 5KS	CEMENT OWC (135 SKS TOTAL)		144649
		· ·	SALES TAX	127.58
		(OWC; 5" GUSONITE: 14" FLO-SEAL)		
Ravin 2790	•		ESTIMATED TOTAL	3534.34
		,	_	

CUSTOMER or AGENTS SIGNATURE	 CIS FOREMAN _	TODDA	TIWDLE	
	v V			^ ^
CUSTOMER or AGENT (PLEASE PRINT)	 · · · · · · · · · · · · · · · · · · ·		DATE	
	:• • •	• .		189316

CONSOLIDATED OIL-WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

RECEIVED JUL 0 6 2004 KCC WICHITA

TICKET NUMBER	32805
LOCATION _ <i>&HK</i>	WUTE.
FOREMAN TOO	A TIMBIE

ISIP

15 MIN.

MAX-RATE

MIN RATE

TREATMENT REPORT

DATE	CUSTOMER#	WELL NAME # 2/	FORMATION	3	TRUCK #	DRIVER	TRUCK #	DRIVER	
3-16.04	6628	GREENWOOD			25,5	JOHN			
SECTION	TOWNSHIP	RANGE	COUNTY	14	206	WES			
21	3/5	18E	LB	:	140	Tim			
CUSTOMER					285	WILL		•	
DUFST	CHEROKEE	LLC		1					
MAILING ADDR	<u>CHEROKEE</u> RESS								
P.O. BOX	100			1					
P.O. BOX	-	,							
BEWEDICT STATE	-	•	,	ti.			-	11-12	
STATE		ZIP CODE		٠ د				B. John	
KANSAS 66714.			Ϋ́	TYPE OF TREATMENT					
	The state of the s			-4-	[] SURFACE PIPE [] ACID BREAKDOWN				
TIME ARRIVÊD	ON LOCATION		-	11	[] ACID STIMULATION				
	WELL	DATA		i.	[] SQUEEZE (CEMENT	[] ACID SPOT	TING	
HOLE SIZE	10 3/4	PACKER DEPT	Н	<u>}-</u>	[] PLUG & AB	[] PLUG & ABANDON		[] FRAC	
TOTAL DEPTH	1002'	PERFORATION	IS		[] PLUG BACK		[] FRAC + NITROGEN		
		SHOTS/FT			[] MISP. PUM	P	[]		
CASING SIZE	41/2	OPEN HOLE			[]OTHER	j	[]		
CASING DEPTI	H 997								
CASING WEIG	нт	TUBING SIZE		1	<u>,</u>	PRESSURE L	IMITATIONS	· + 5	
CASING COND	OITION	TUBING DEPTH	-				THEORETICAL	INSTRUCTED	
		TUBING WEIGH	- T .	я	SURFACE PIPE				
		TUBING COND	TUBING CONDITION		ANNULUS LONG	STRING	<u> </u>		
TREATMENT V	/IA			<u> </u>	TUBING				
· · · · · ·		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·] ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;					
· · · · · ·		WASH DOW	N 25 ft CA	151046 C		VERESH HZ	. Runt Be	L DYEW/	
INSTRUCTION	PRIOR TO JOB	WASH DOW	IN 25 ft CA	151NG CI CEMENT	RCULATE W UNTIL DYE	NFRESH 1370 RETURN 1	CUSH PUM	L DYE W/	
INSTRUCTION	PRIOR TO JOB	WASH DOW CHTE IN LA SET FLOAT	N 25 ft CA ST 5 BBL;	15106 C CEMENT (MENT LEA	RCULATE W UNTIL DYE	PERUSH HE RETURN I	FLUSH PUM INC 15.9	L DYEWI P. Pump	
INSTRUCTION 15 GAL S PLUE WK	PRIOR TO JOB	SET FLOAT	ON 25 FT CA 15T 5 BBL - SHOE . C	151MG C CEMENT (MENT LEA TITLE		NFRESH HTD RETURN 1 TAIL	INC 1.5.4	L DYE WI PP. PUMP	
INSTRUCTION 15 GAL S PLUE WK	PRIOR TO JOB	SET FLOAT	IN 25 FT CA 15T 5 BBL; - SHOE; CO	MENT LEA	RCULATE W UNTIL DYE	PERESH HE RETURN I	INC 1.5.4		
INSTRUCTION 15 4 AL 5 PLUG WKG AUTHO	PRIOR TO JOB OBJURN SILI OBJU	.SET FLOAT ROCEED	SHOE, C	MENT LEA TITLE	IRCULATE W WATIL DYE ADING 12.	TAIL	INC 1.5.4		
INSTRUCTION 15 GAL S PLUE WK	PRIOR TO JOB	SET FLOAT ROCEED BBL'S	10 25 ft CA 37 5 BBL 5HOC . CO	MENT LEA	RCULATE W UNTIL DYE	PSI	INC 1.5.4		
INSTRUCTION IS GAL S PLUG WKG AUTHO	PRIOR TO JOB OBJURN SILIS ORIZATION TO PE	SET FLOAT ROCEED BBL'S	SHOE, C	TITLE PROPPANT	IRCULATE W WATIL DYE ADING 12.	PSI	INC 1.5.4	ATE	
INSTRUCTION IS GAL S PLUG WKG AUTHO	PRIOR TO JOB OBJUM SILI OBJU	SET FLOAT ROCEED BBL'S	SHOE, C	TITLE PROPPANT	SAND/STAGE	PSI	INC 15.4	PRESSURE	
INSTRUCTION IS GAL S PLUG WKG AUTHO	PRIOR TO JOB OBJUM SILI OBJU	SET FLOAT ROCEED BBL'S	SHOE, C	TITLE PROPPANT PPG	SAND/STAGE	PSI	BREAKDOWN	PRESSURE	

RECEIVED

In consideration of the prices to be charged for our to be charged for our to be services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current to be charged for our to be services, Inc's (COWS) current to be charged for our to be services, Inc's (COWS) current to be charged for our to be services, Inc's (COWS) current to be charged for our to be services, Inc's (COWS) current to be charged for our to be services, Inc's (COWS) current to be charged for our to be services, Inc's (COWS) current to be charged for our to be services, Inc's (COWS) current to be charged for our to be services, Inc's (COWS) current to be charged for our to be services, Inc's (COWS) current to be charged for our to be services, Inc's (COWS) current to be charged for our to be services, Inc's (COWS) current to be charged for our to be services, Inc's (COWS) current to be charged for our to be services, Inc's (COWS) current to be charged for our to be services, Inc's (COWS) current to be charged for our to be services, Inc's (COWS) current to be charged for our to be services, Inc's (COWS) current to be charged for our to be services, Inc's (COWS) current to be charged for our to

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged at Maximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales, use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Custome all be responsible for and secure COWSagainst any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option, to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or con--sequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.