ORIGINAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33344	API No. 15 - 205-25748-0000
Name: Quest Cherokee, LLC	County: Wilson
Address: PO Box 100 RECEIVED	nenw_Sec. 12 Twp. 28 S. R. 16 🗸 East 🗌 West
D	660 feet from S / (Circle one) Line of Section
Purchaser: Bluestem Pipeline, LLC	1900 feet from E (W) (circle one) Line of Section
Operator Contact Person: Douglas L. Lamb KCC WICHITA	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 698-2250	(circle one) NE SE (NW) SW
Contractor: Name: Barton T. Lorenz	Lease Name: Campbell, Verna Mae Well #: 12-1
License: 33286	Field Name: Cherokee Basin CBM
Wellsite Geologist: Micheal L. Ebers	Producing Formation: Not yet complete
Designate Type of Completion:	Elevation: Ground: 1082 Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 1288 Plug Back Total Depth: 1286
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 21.4 Feet
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth set Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 1286
Operator:	feet depth to surface w/ 186 -3-19-08 sx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug Back Plug Back Total Depth	Dewatering method used
Commingled Docket No.	, ;
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No.	Operator Name:
3/19/04 3/22/04 3/27/04	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
	and geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regulaterein are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements
Signature: Wonglas Z Kamb	KCC Office Use ONLY
Title: Manager Date: 07/22/2004	Letter of Confidentiality Received
Subscribed and sworn to before me this 22 day of Quely	If Denied, Yes Date:
	Wireline Log Received
20.04	Geologist Report Received
Notary Public: Jenny S. + Muster (B. JENNI	FER R. HOUSTON
Date Commission Expires: Chuly 30, 0005 Notary F	Public - State of Kenses
My Appt. Expire	05 (). As 21 DMS

Operator Name: Qui	est Cherokee, LL	C				∍ampoeii, v	en a Mae	Well #: _12-1	***************************************	
Sec. 12 Twp. 2	8 S. R. 16	✓ Eas	t West	Count	y: Wilso	n	h ₁	*		
ested, time tool ope emperature, fluid red	how important tops a n and closed, flowing covery, and flow rate s surveyed. Attach	g and shut s if gas to	t-in pressures, surface test, a	whether s along with	hut-in pre	essure reache	d static level, hyd	rostatic pressure	es, bottom hole	
Drill Stem Tests Taken ☐ Yes ☑ No (Attach Additional Sheets)			✓ Log Formation (Top), De		ation (Top), Depth	and Datum	Sample			
Samples Sent to Geological Survey				Nam	e apah Lime		Top 638	Datum +444		
Cores Taken		□ Y	′es ✓ No		Altamont Lime			672	+410	
Electric Log Run (Submit Copy)		✓ Y	es No		Paw	nee Lime		790	+292	
List All E. Logs Run:					Osw	ego Lime	į.	844	+238	
					-	digris Lime		956 <u>.</u>	+126	
Dual Induction Compensated	n Log d Density-Neu	tron Lo	g		Mis	sissippi Lim	e ::	1258	-176	
.		Repo	CASING ort all strings set-	RECORD	_	ew Used ermediate, prodi	uction, etc.	h	· · · · · · · · · · · · · · · · · · ·	
Purpose of String	Size Hole Drilled	Si	ze Casing at (In O.D.)	Weight		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	11"	8-5/8"	(III O.D.)	24.75#		21.4'	"A"	5sx	, Addition	
Production	6-3/4"	4-1/2"		10.5#		1286'	"A"	186sx		
						19				
		·	ADDITIONA	L CEMENT	ING / SQ	UEEZE RECO	RD			
Purpose:Perforate	Depth Top Bottom	Type of Cement		#Sacks Used		Type and Percent Additives				
Protect Casing Plug Back TD			-				is to		JUL 2 6 2004	
Plug Off Zone							· · · · · · · · · · · · · · · · · · ·	K	CC WICHIT	
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record Specify Footage of Each Interval Perforated (Amount and Kind of Material Used)						d Depth			
None	Waiting on pipe	line				.5				
						ì				
						1	· · · · · · · · · · · · · · · · · · ·			
	,									
						3				
TUBING RECORD	Size	Set A	t	Packer	At	Liner Run	Yes	٧o		
Date of First, Resume	rd Production, SWD or	Enhr.	Producing Me	thod			,			
					Flowin			·	er (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	, Wa	ter	Bbls.	Gas-Oil Ratio	Gravity	
Disposition of Gas	METHOD OF	COMPLETI	ON			Production In	terval			
Vented Sold	Used on Lease ubmit ACO-18.)		Open Hole		rf.	Dually Comp.	Commingled			



^{**}211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUMBER

24306

LOCATION CHANUTE

FIELD TICKET

	#1. 1		• •			
DATE CU 3-27-04	JSTOMER ACCT # WELL N 6628 LAMPBELL	AME QTR/QTR	SECTION TWP RGE	COUNTY	FORMATION	
			OWNER	RECEIV	/ED	
	CHARGE TO QUEST CHEROKEE LLC		· · · · · · · · · · · · · · · · · · ·		• .	
MAILING ADDRESS ρ. ο. Βοχ 100			OPERATOR JUL 2 6 2004			
CITY & STATE REWEDICT, KANSAS 66714			CONTRACTOR	KCC WICHITA		
ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION C	F SERVICES OR PRODUCT	UNIT PRICE	TOTAL AMOUNT	
:5401	1-WELL	PUMP CHARGE CEN	IENT PUMP		525°°	
1110	18 SKS	GILSONITE	•		34920 7520	
1167	2 5K5_	CELLOFLAKE	IFCO-SEAL		7530_	
11118	15 GAL	SODIUM SILIC	•		15000	
1215	1 GAL	KCL			22°	
			<u>}</u>			
			.4.		•.	
		,	<u> </u>			
				t		
1123	4200 GAL	CITY WATER	(100 BBL)		47 25	
			44. V ,			
			· ·			
			. i.			
·						
			A= .			
· · · · · · · · · · · · · · · · · · ·		BLENDING & HANDLING	Ğ. <u>12</u>			
5407	10 mi	TON-MILES MINIM	ym		140∞	
		STAND BY TIME	E. Same	1	., ,	
		MILEAGE	<u> </u>			
5501	4 HR	WATER TRANSPORTS	÷		320 <u>00</u>	
5502	4 HR	VACUUM TRUCKS	*		300°	
	<u> </u>	FRAC SAND				
		,				
1126	1735KS	CEMENTOWC ((186 SKS TOTAL)		1954.99	
			•	SALES TAX	162.34	
		COWC: 5# GILSON	HITE /4" FLO-SEAL)		· · · · · · · · · · · · · · · · · · ·	
Davida 0700	<u> </u>					
Ravin 2790				ESTIMATED TOTAL	4096.19	
		•	• • • • • • • • • • • • • • • • • • •	·		
CUSTOMER or AGI	ENTS SIGNATURE	•	CIS FOREMAN TODO A.	TINDIE		
- COOTOMET OF AGI			i	· /* // L.E.		
		,		•		
CUSTOMER or AGI	ENT (PLEASE PRINT)		• •-	DATE .		

CONSOLIDATED OIL WELL SERVICES, INC. 211 W-14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

TICKET NUMBER	32879
LOCATION	WINUTE
FOREMAN Tou	DA.TINDLE

ISIP
15 MIN.
MAX RATE
MIN RATE

TREATMENT REPORT

DATE	CUSTOMER#	WELL NAME	FORMATION	j.	TRUCK #	DRIVER	TRUCK #	DRIVER
3-27-04	6628	CAMPBELL	# 7.7		255	HERE		
SECTION	TOWNSHIP	RANGE	COUNTY:		206	RICHARD.		
12	285	16€	WL		140 "	Tim	DEC	
CUSTOMER			ed."	À	285	CHRIS	REC	EIVED
QUEST CI	HFROKEE LL	C.	•	**			11.11	2 6 2004
MAILING ADDR				-	. ,			1
P.O. BOX	100			**************************************			KCC	WICHITA
CITY				:			<u> </u>	
. BENEDICT STATE	,							100
STATE		ZIP CODE		4				The second se
KANSAS		66714		<u> </u>		TYPE OF TE	REATMENT	
					[]SURFACE		[] ACID BREA	KDOWN
TIME ARRIVED	ON LOCATION			, a	[HPRODUCT	ION CASING	[] ACID STIMU	JLATION
	WELL DATA			, ;	[] SQUEEZE	CEMENT	[] ACID SPOT	TING
HOLE SIZE /	03/4	PACKER DEPT	Н	, 	[] PLUG & AE	BANDON	[]FRAC	
TOTAL DEPTH	1288'	PERFORATION	IS	1	[] PLUG BAC	K	[] FRAC + NITROGEN	
		SHOTS/FT		, ,	[] MISP. PUM	MP .	[]	
CASING SIZE	41/2	OPEN HOLE			[]OTHER		[]	
CASING DEPTI	н <i>1286</i>							1 , *
CASING WEIG	CASING WEIGHT TUBING SIZE			9	PRESSURE LIMITATIONS			
CASING COND	OITION	TUBING DEPT	Н	ļ- <u>(</u> ,			THEORETICAL	INSTRUCTED
	TUBING WEIGHT			12 - 1 Sec.	SURFACE PIPE		<u> </u>	
		TUBING COND	ITION ·	ر المار	ANNULÚS LONG	STRING		
TREATMENT V	/IA	1-			TUBING	· .	<u> </u>	<u> </u>
		* * *,		<i>t</i>	•			•
INSTRUCTION	PRIOR TO JOB	CIRCULATE	w/FRE	5H H20	RUN 12 1	SEL DYE W	115 GAL 50	DIUM .
SILICATE 1	W LAST SE	BU: CEME	ENT UNTIL	DYE K	EFTURN FI	USH PIJMP:	Pump PLO	16 W/ KCL
WATER:	SET FLO	AT SHOE	CEMENT	LEAD .	NG 12.5 WASH DOWN	TAIL I	N@ 13.9	-
AUTHO	ORIZATION TO P	ROCEED	•	TITLĖ	WASH DOWN	5 JUINTS 6	CASING DI	ATE
			- , , [/]			- • .		1
TIME	CTACE	BBL'S	INLOATE	PROPPANT	T SAND / STAGE	PSI	T	
AM / PM	STAGE	PUMPED	INJ RATE	PPG	SAND/STAGE			
			`.	;		7,1	BREAKDOWN	PRESSURE
		:		31			DISPLACEMEN	VT 1 to a second
		1					MIX PRESSUR	
		 -::		Y			MIN PRESSUR	E Min W. 19

TERMS COC

In consideration of the prices to be charged for our services, equipment and products as set forth in Consolidated Oil Well Services, Inc's (COWS) current Price Schedule, and for the performance of services and supplying of materials; customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices payable to P.O. Box 884, Chanute, KS 66720. Invoices payable within 30 days of invoice date. Charges subjected to interest after 30 days from invoice date. Interest will be charged attimaximum rate allowed by law. In the event it is necessary to employ an attorney to enforce collection of such account, customer agrees pay all collection costs and attorney's fees in the amount of 20% of said amount.

Any applicable federal, state or local sales; use, occupation, consumer's or emergency taxes shall be added to the quoted price.

A sales tax reimbursement of 2% is applied to chemical and product charges for all services performed on oil and gas wells in the State of Texas.

All process license fees required to be paid to others will be added to the scheduled prices.

All prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products, and materials to be supplied by COWS.

"The customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the customer shall be present to specify depths, pressures, or materials used for any service which is to be performed."

- (a) COWS shall not be responsible for, and customer shall secure COWS against any liability for damage to property of customer and of the well owner (if different ent from customer), unless caused by the willful misconduct or gross negligence of COWS, this provision applying to but not limited to sub-surface damage and surface damage arising from subsurface damage.
- (b) Customer shall be responsible for and secure COWS against any liability for reservoir loss of damage, or property damage resulting from sub-surface pressure, losing control of the well-and/or a well blowout, unless such loss or damage is caused by the willful misconduct of gross negligence of COWS.

- (c) Customer be responsible for and secure COWS against any and all liability of whatsoever nature for damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS hereunder.
- (d) Customer shall be responsible for and secure COWS against any liability for injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole, unless such damage shall be caused by the willful misconduct or gross negligence of COWS.
- (e) COWS makes no guarantee of the effectiveness of the products, supplies or materials, nor of the results of any treatment or services.
- (f) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS gross negligence or willful misconduct in the preparation or furnishing of it.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants only title to the products, supplies and materials and that the same are free from defects in workmanship and materials. THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED OR MERCHANTABILITY, FITNESS OR OTHERWISE WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and customer's exclusive remedy in any cause of action (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any products, supplies or materials is expressly limited to the replacement of such products, supplies or materials on their return to COWS or, at COWS's option; to the allowance to the customer of credit for the cost of such items. In no event, shall COWS be liable for special, incidental, indirect, punitive or consequential damages.

COWS personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be liable for and CUSTOMER SHALL INDEMNIFY AGAINST ANY DAMAGED ARISING FROM THE USE OF SUCH INFORMATION, even if such is contributed by the COWS negligence or fault.