

# ORIGINAL

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1  
September 1999  
Form Must Be Typed

Operator: License # 32334  
 Name: Chesapeake Operating, Inc.  
 Address: P. O. Box 18496  
 City/State/Zip: Oklahoma City, OK 73154-0496  
 Purchaser: Duke  
 Operator Contact Person: Jim Reisch, Barbara Bale  
 Phone: (405) 848-8000  
 Contractor: Name: Murfin Drilling  
 License: 30606  
 Wellsite Geologist: Vern Schrag  
 Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SLOW     Temp.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc.)  
 If Workover/Re-entry: Old Well Info as follows:  
 Operator: \_\_\_\_\_  
 Well Name: \_\_\_\_\_  
 Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_  
01/23/04    02/02/04    03/11/04  
 Spud Date or    Date Reached TD    Completion Date or  
 Recompletion Date    Recompletion Date

KANSAS CORPORATION COMMISSION  
RECEIVED  
JUL 09 2004  
CONSERVATION DIVISION  
WICHITA, KS

API No. 15 - 081-21505 - 0000  
 County: Haskell  
SW NW SW Sec. 34 Twp. 29 S. R. 34  East  West  
1500 feet from (S) N (circle one) Line of Section  
400 feet from E (W) (circle one) Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 (circle one) NE SE NW (SW)  
 Lease Name: MLP Clawson Well #: 4-34  
 Field Name: So. Eubank Waterflood Unit  
 Producing Formation: Chester  
 Elevation: Ground: 2970' Kelly Bushing: 2975'  
 Total Depth: 5600' Plug Back Total Depth: 5548'  
 Amount of Surface Pipe Set and Cemented at 1834 Feet  
 Multiple Stage Cementing Collar Used?  Yes  No  
 If yes, show depth set 3000' Feet  
 If Alternate II completion, cement circulated from \_\_\_\_\_  
 feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.


**Drilling Fluid Management Plan** *ALT I with 1-25-08*  
 (Data must be collected from the Reserve Pit)  
 Chloride content 1200 ppm Fluid volume 300 bbls  
 Dewatering method used \_\_\_\_\_  
 Location of fluid disposal if hauled offsite: \_\_\_\_\_  
 Operator Name: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
 Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
 County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Barbara J. Bale for Jim Reisch  
Jim Reisch  
 Title: Asset Manager Date: 07/07/04  
 Subscribed and sworn to before me this 8th day of July  
20 04  
 Notary Public: Lucretia A. Morris #00018352

**KCC Office Use ONLY**  
 Letter of Confidentiality Attached  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

Date Commission Expires: 11/27/04  


# ORIGINAL

Side Two

Operator Name: Chesapeake Operating, Inc. Lease Name: MLP Clawson Well #: 4-34  
 Sec. 34 Twp. 29 S. R. 34  East  West County: Haskell

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional Sheets)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Chase	2571	-1404
Electric Log Run (Submit Copy)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Heebner Shale	3994	-1019
List All E. Logs Run: DIL; CNL/FDC/ML		Lansing	4095	-1120
		Starks Shale	4532	-1557
		Cherokee Shale	4886	-19-1
		Morrow Shale	5230	-2255
		St. Genevieve	5564	-2589

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacs Used	Type and Percent Additives
Surf	12-1/4	8-5/8	24#	1834'	Cl. C 15:85 Poz	150 623	
Prod	7-7/8	5-1/2	15.5#	5599'	240 Cl. H	240	
Port Collar				-2997'	Lite Cl. C	375 150	1/4# Flo Seal

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input checked="" type="checkbox"/> Plug Off Zone	5481' - 94'	Common	150	Set retainer, Sqz thru retainer TD 1800 PSIG


Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	5467-71'	NA	
1 1	5438-54'	NA	

TUBING RECORD		Size 2-7/8"	Set At 5469'	Packer At NA	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. 03/13/04		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls. 40	Gas Mcf 0	Water Bbls. 70	Gas-Oil Ratio	Gravity

Disposition of Gas:  Vented  Sold  Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION:  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval: \_\_\_\_\_



# ALLIED CEMENTING CO., INC. 14313

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
*Medicine Lodge*

DATE: <i>2/23/04</i>	SEC: <i>34</i>	TWP: <i>29s</i>	RANGE: <i>34w</i>	CALLED OUT	ON LOCATION: <i>W. 10th</i>	JOB START: <i>11:45 AM</i>	JOB FINISH: <i>1:00 PM</i>
LEASEE: <i>S.R.P. Clawson</i>	WELL #: <i>4-34</i>	LOCATION: <i>Sublette W 9w 25 E/S</i>		COUNTY: <i>Haskell</i>	STATE: <i>KS</i>		

OLD OR NEW (Circle one)

CONTRACTOR: *Superior Services Linc*  
 TYPE OF JOB: *Cmt. Port. Collar*  
 HOLE SIZE: *5 1/2* T.D. *5000*  
 CASING SIZE: *5 1/2* DEPTH: *5570*  
 TUBING SIZE: *2 1/2* DEPTH: *2996*  
 DRILL PIPE DEPTH:  
 TOOL: *Port Collar* DEPTH: *2996*  
 PRES. MAX: *3000* MINIMUM: *250*  
 MEAS. LINE SHOULDER JOINT  
 CEMENT LEFT IN CSG.  
 PERFS.  
 DISPLACEMENT: *17.37 MBL*

OWNER: *S.A.M.T.*  
 CEMENT AMOUNT ORDERED:  
*375 sks Light weight + 4 1/2 Flt - seal*  
*150 sks Class C*  
 COMMON: *150 sks C @ 10.15 1522.50*  
 POZMIX @  
 GEL @  
 CHLORIDE @  
 LITHEWIGHT: *375 sks @ 7.35 2756.25*  
 FLT-SEAL: *94 @ 1.40 131.60*  
 HANDLING: *555 sks @ 1.15 638.25*  
 MILEAGE: *30 x 58.5 x .25 832.50*  
 TOTAL: **5881.10**

EQUIPMENT  
 PUMP TRUCK CEMENTER: *Max*  
 # *392* HELPER: *David Felso*  
 BULK TRUCK # *353-314* DRIVER: *Trevy*  
 BULK TRUCK # *364* DRIVER: *Thad*

### REMARKS:

*Test Csg to 3000 PSI Open Test Fail -  
 Evaluation Rate 4 BBL/min @ 400 PSI  
 Mix: 375 sks Lite & 150 sks Class C  
 Displace 17 MBL Class C Tool Test  
 Csg to 3000 PSI Run 2 1/2 hrs  
 Reverse Hole at casing  
 Cement did circulate*

### SERVICE

DEPTH OF JOB: *2996*  
 PUMP TRUCK CHARGE: *650.00*  
 EXTRA FOOTAGE @  
 MILEAGE: *30 mi @ 3.50 105.00*  
 PLUG @  
 TOTAL: **755.00**

CHARGE TO: *Chesapeake Operating*  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

### FLOAT EQUIPMENT

\_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE: *6636.10*  
 DISCOUNT: *663.61* IF PAID IN 30 DAYS

SIGNATURE: *[Signature]*

PRINTED NAME \_\_\_\_\_

**ANY APPLICABLE TAX  
 WILL BE CHARGED  
 UPON INVOICING**

CONSERVATION DIVISION  
WICHITA, KS

JUL 09 2004

RECEIVED  
KANSAS CORPORATION COMMISSION

# ALLIED CEMENTING CO., INC. 14274

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Oakley

DATE <u>1-25-04</u>	SEC. <u>34</u>	TWP. <u>29<sup>s</sup></u>	RANGE <u>34<sup>w</sup></u>	CALLED OUT	ON LOCATION <u>11:00 AM</u>	JOB START <u>3:45 PM</u>	JOB FINISH <u>5:15 PM</u>
LEASE <u>M/LP Clawson</u>	WELL # <u>4-34</u>	LOCATION <u>160 + Santa Black Top</u>			COUNTY <u>Haskell</u>	STATE <u>Kan</u>	
OLD OR NEW (Circle one) <u>NEW</u>				<u>53-2W-1/2S</u>			

CONTRACTOR <u>MurFin Drilling Co #21</u>	OWNER <u>Same</u>
TYPE OF JOB <u>Sur Face</u>	
HOLE SIZE <u>12 1/4</u>	T.D. <u>18.36'</u>
CASING SIZE <u>8 5/8</u>	DEPTH <u>18.34'</u>
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH
TOOL	DEPTH
PRES. MAX <u>1000#</u>	MINIMUM <u>700#</u>
MEAS. LINE	SHOE JOINT <u>44.42</u>
CEMENT LEFT IN CSG. <u>44.42</u>	
PERFS.	
DISPLACEMENT <u>114 - BBL</u>	

**EQUIPMENT**

PUMP TRUCK # <u>373</u>	CEMENTER <u>Walt</u>	HELPER <u>Andrew</u>
BULK TRUCK # <u>361</u>	DRIVER <u>Larry</u>	
BULK TRUCK # <u>347</u>	DRIVER <u>Fuzzy</u>	

<b>CEMENT</b>			
AMOUNT ORDERED	<u>150 SKS "C", 2% CC</u>		
	<u>625 SKS 15' 85' 8% Gel, 3% CC</u>		
	<u>1/4# Flo-Seal</u>		
Class "C"	<u>150 SKS @ 10.15</u>		<u>1,522.50</u>
POZ MIX			
GEL			
CHLORIDE	<u>25 - SKS @ 3.00</u>		<u>750.00</u>
	<u>15' 85' 8% Gel @ 625.00</u>		<u>5,375.00</u>
	<u>Flo-Seal 194# @ 1.30</u>		<u>271.60</u>
HANDLING	<u>845 - SKS @ 1.15</u>		<u>971.75</u>
MILEAGE	<u>5¢ per SK/mile</u>		<u>1,267.50</u>
<b>RECEIVED</b>			
KANSAS CORPORATION COMMISSION			
			<b>TOTAL</b> <u>10,158.35</u>

JUL 09 2004

**REMARKS:**

CONSERVATION DIVISION  
WICHITA, KS

**SERVICE**

Mix 625 SKS Lite @ 12.2 PPG  
Tail in w 150 SKS "C", 2% CC  
Release Plus  
Displace 114 - BBL, water behind  
Plus @ 700# lyeal Plus @ 1000#  
Constant Die Pipe  
45 ft in Pit

DEPTH OF JOB		
PUMP TRUCK CHARGE		<u>4130.00</u>
EXTRA FOOTAGE	@	
MILEAGE	<u>30 - miles @ 3.50</u>	<u>105.00</u>
PLUG	<u>8 5/8 Rubber @ 100.00</u>	<u>100.00</u>
<b>TOTAL</b> <u>4,335.00</u>		

CHARGE TO: Chesapeake Oper  
STREET \_\_\_\_\_  
CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**FLOAT EQUIPMENT**

	<u>8 5/8</u>		
1 - AEU 11.5 gal	@		<u>242.00</u>
3 - Centralizers	@	<u>33.00</u>	<u>99.00</u>
1 - Basket	@	<u>165.00</u>	<u>165.00</u>
<b>TOTAL</b> <u>506.00</u>			

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
TOTAL CHARGE 11,977.35  
DISCOUNT - 2,399.87 IF PAID IN 30 DAYS  
9,577.48

SIGNATURE Mark Kneeland

MARK KNEELAND  
PRINTED NAME

# ALLIED CEMENTING CO., INC. 13701

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Oakley

DATE <u>2-2-04</u>	SEC. <u>34</u>	TWP. <u>29<sup>s</sup></u>	RANGE <u>34<sup>w</sup></u>	CALLED OUT	ON LOCATION <u>7:00 AM</u>	JOB START <u>12:30<sup>AM</sup></u>	JOB FINISH <u>1:45<sup>AM</sup></u>
LEASEE <u>M.P. Clauson</u>		WELL.# <u>4-34</u>	LOCATION <u>Satauta 4N-2W-1/2S</u>	COUNTY <u>Haskell</u>		STATE <u>Kan</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Mrs. Erin Dalg. Co. #21 OWNER Same

TYPE OF JOB Production

HOLE SIZE 7 1/4" T.D. 5600'

CASING SIZE 5 1/2" DEPTH 5599'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL Port Collar DEPTH 3000'

PRES. MAX 1500# MINIMUM 200#

MEAS. LINE \_\_\_\_\_ SHOE JOINT 44.27'

CEMENT LEFT IN CSG. 44.27'

PERFS. \_\_\_\_\_

DISPLACEMENT 132.3 BBL

**EQUIPMENT**

PUMP TRUCK # <u>373</u>	CEMENTER <u>Walt, Max</u>
BULK TRUCK # <u>353</u>	HELPER <u>Fuzzy</u>
BULK TRUCK # _____	DRIVER <u>Thad</u>
BULK TRUCK # _____	DRIVER _____

**CEMENT**

AMOUNT ORDERED 240 SKS H<sup>A</sup>, 10% Gypseal

10% Salt, 6# Kalseal, 8 # F1-160

500 gal Mud Clean

class "H"

COMMON	<u>240 SK</u>	@	<u>8.70</u>	<u>2,088.00</u>
POZMIX		@		
GFI		@		
<del>COMMON</del>	<u>25 SKs</u>	@	<u>7.50</u>	<u>187.50</u>
<u>Kalseal</u>	<u>1440#</u>	@	<u>50¢</u>	<u>720.00</u>
<u>Gypseal</u>	<u>22 SKs</u>	@	<u>17.85</u>	<u>392.70</u>
<u>F1-160</u>	<u>180#</u>	@	<u>8.00</u>	<u>1,440.00</u>
<u>500 gal Mud Clean</u>		@	<u>7.5¢</u>	<u>375.00</u>
<u>26 gal Cla-Pro</u>		@	<u>22.90</u>	<u>595.40</u>
HANDLING	<u>287-SKS</u>	@	<u>1.15</u>	<u>3,300.00</u>
MILEAGE	<u>5¢ per sk/mile</u>			<u>430.50</u>

TOTAL 6559.15

RECEIVED  
KANSAS CORPORATION COMMISSION

JUL 09 2004

REMARKS:

SERVICE

CONSERVATION DIVISION

WICHITA, KS

Pumped 500gal Flush

Tail in w/ 240 SKS cement

Clear Pump Lines, release Plug

Displace 132.3 BBL 4% KCL brine

2 1250# handled Plug 1500#

release Pressure, Float Held

TL

DEPTH OF JOB	
PUMP TRUCK CHARGE	<u>1,428.00</u>
EXTRA FOOTAGE @	
MILEAGE <u>30 miles</u> @	<u>3.50</u> <u>105.00</u>
PLUG <u>5 1/2 Rubber Plug</u> @	<u>60.00</u>
TOTAL	<u>1,593.00</u>

CHARGE TO: Chesapeake Operating

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

FLOAT EQUIPMENT

5 1/2"

<u>1- Guide Shoe</u>	@	<u>120.00</u>
<u>1 Shoe Fill Float Collar</u>	@	<u>320.00</u>
<u>15- Centralizers</u>	@ <u>40¢</u>	<u>600.00</u>
<u>2- Basket</u>	@ <u>128.00</u>	<u>256.00</u>
<u>1- Port Collar</u>	@	<u>1,750.00</u>

TOTAL 3,046.00

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE 3,046.00

DISCOUNT 0.00 IF PAID IN 30 DAYS

SIGNATURE Mark Kneeland

MARK KNEELAND  
PRINTED NAME

# ALLIED CEMENTING CO., INC. 14313

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
*Medicine Lodge*

DATE: <i>2/23/04</i>	SEC: <i>34</i>	TWP: <i>29s</i>	RANGE: <i>34w</i>	CALLED OUT	ON LOCATION: <i>10:00 AM</i>	JOB START: <i>11:45 AM</i>	JOB FINISH: <i>1:00 PM</i>
SE.W.F. <i>Clawson</i>		WELL # <i>4-34</i>		LOCATION: <i>Sublette 1/4 9w 2s E/S</i>		COUNTY: <i>Haskell</i>	STATE: <i>KS</i>
OLD OR <u>NEW</u> (Circle one)							

RECEIVED  
KANSAS CORPORATION COMMISSION

JUL 09 2004

CONTRACTOR *Superior Servicing Inc.*  
 TYPE OF JOB *CMT Port Collar*  
 HOLE SIZE ~~5 1/2~~ T.D. ~~5590~~  
 CASING SIZE *5 1/2* DEPTH *5590*  
 TUBING SIZE *2 1/2* DEPTH *2996*  
 DRILL PIPE DEPTH  
 TOOL *Port Collar* DEPTH *2996*  
 PRES. MAX *3000* MINIMUM *250*  
 MEAS. LINE SHOE JOINT  
 CEMENT LEFT IN CSG.  
 PERFS.  
 DISPLACEMENT *17.37 BBL*

OWNER *SAME*  
 CEMENT  
 AMOUNT ORDERED  
*375 sks Light weight + 150 sks Class C*  
 CONSERVATION DIVISION  
 WICHITA, KS  
 COMMON *150 sks C @ 10.15 1522.50*  
 POZMIX @  
 GEL @  
 CHLORIDE @  
*Lite weight 375 sks @ 7.35 2756.25*  
*Flt-S sol 94 lb @ 1.40 131.60*  
 HANDLING *553 sks @ 1.15 638.25*  
 MILEAGE *30 X 5.85 X .05 832.50*  
 TOTAL *5881.10*

### EQUIPMENT

PUMP TRUCK CEMENTER *Max*  
 # *352* HELPER *David*  
 BULK TRUCK  
 # *353-314* DRIVER *Travy*  
 BULK TRUCK  
 # *364* DRIVER *Thad*

### REMARKS:

*Test Csg to 3000 PSI Open Tool Take  
 Evaluation Rate 4 BBL/min @ 400 PSI.  
 Mix 375 sks Lite + 150 sks Class C.  
 Displace 17 BBL Close Tool Test  
 Csg to 3000 PSI Run 2 JTs Tkg  
 Reverse Hole clean  
 Cement did circulate*

### SERVICE

DEPTH OF JOB *2996*  
 PUMP TRUCK CHARGE *650.00*  
 EXTRA FOOTAGE @  
 MILEAGE *30 mi @ 3.50 105.00*  
 PLUG @  
 TOTAL *755.00*

CHARGE TO: *Chesapeake Operating*  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

### FLOAT EQUIPMENT

\_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_

TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE ~~\_\_\_\_\_~~  
 DISCOUNT ~~\_\_\_\_\_~~ IF PAID IN 30 DAYS

SIGNATURE *W. A. [Signature]*

PRINTED NAME \_\_\_\_\_

ANY APPLICABLE TAX  
WILL BE CHARGED  
UPON INVOICING