

RECEIVED

JUN - 6 2005

KCC WICHITA

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 32754  
Name: Elysium Energy, L.L.C.  
Address: 1625 Broadway, Suite 2000  
City/State/Zip: Denver, CO 80202  
Purchaser: NCRA  
Operator Contact Person: Chris Gottschalk  
Phone: (785) 434-4638  
Contractor: Name: Discovery Drilling Co., Inc.  
License: 31548

Wellsite Geologist: Ron Nelson  
Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

Deepening  Re-perf.  Conv. to Enhr./SWD

Plug Back  Plug Back Total Depth

Commingled  Docket No. \_\_\_\_\_

Dual Completion  Docket No. \_\_\_\_\_

Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_

<u>11/10/04</u>	<u>11/13/04</u>	<u>12/4/04</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 051-25364-0000

County: Ellis

W2 NE SE Sec. 11 Twp. 11 S. R. 18  East  West

1840 feet from 3 / N (circle one) Line of Section

990 feet from 6 / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:

(circle one) NE SE NW SW

Lease Name: Carmichael Well #: 7

Field Name: Bemis-Shutts

Producing Formation: Arbuckle

Elevation: Ground: 1878' Kelly Bushing: 1886'

Total Depth: 3463' Plug Back Total Depth: 3445'

Amount of Surface Pipe Set and Cemented at 212.2 Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from 3463

feet depth to 1710' w/ 500 sx cmt.

Drilling Fluid Management Plan  
(Data must be collected from the Reserve Pit) *ALT II with 1-24-08*

Chloride content 11000 ppm Fluid volume 120 bbls

Dewatering method used Haul free fluids

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: Elysium Energy, L.L.C.

Lease Name: Burnett SWD License No.: 32754

Quarter SW Sec. 12 Twp. 11 S. R. 18  East  West

County: Ellis Docket No.: D-27931

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]


Title: Regulatory Engineer Date: 6/1/2005

Subscribed and sworn to before me this 1st day of June

19 2005

Notary Public: [Signature]

Date Commission Expires: 8/26/06



KCC Office Use ONLY

Letter of Confidentiality Attached

If Denied, Yes  Date: \_\_\_\_\_

Wireline Log Received

Geologist Report Received

UIC Distribution

Operator Name: Elysium Energy, L.L.C. Lease Name: Carmichael Well #: 7  
 Sec. 11 Twp. 11 S. R. 18  East  West County: Ellis **KCCWICHITA**

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Anhydrite	1142'	+744'
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Topeka	2839'	-952'
List All E. Logs Run:		Toronto	3080'	-1194'
DIL, CNL, CDL, Micro		LKC	3102'	-1216'
		Arbuckle	3398'	-1512'

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	23	212.2'	Common	150	2%gel,3%CC
Production	7-7/8"	5-1/2"	15.5	3463'	SMDC	350	11.2 ppg
					SMDC	150	14 ppg

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input checked="" type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	610'/1150'	Class ALHD	225 sx	3% CC
	Surf/610'	60/40	150 sx	6% gel

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
4	3398-3404'		

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
		2-7/8"	3399'			
Date of First, Resumed Production, SWD or Enhr.			Producing Method			
12/5/2004			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity	
	48		207			

Disposition of Gas  Vented  Sold  Used on Lease *(If vented, Sumit ACO-18.)*

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval 3398'-3404'

# ALLIED CEMENTING CO., INC. 16276

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: 2

DATE <u>3-10-05</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH <u>4:30pm</u>
<u>CARMECHEAL</u> LEASE	WELL #	LOCATION <u>HAYS &amp; 7E NW</u>			COUNTY <u>ELLIS</u>	STATE <u>KS</u>	
<input checked="" type="radio"/> OLD <input type="radio"/> NEW (Circle one)							

CONTRACTOR \_\_\_\_\_ OWNER \_\_\_\_\_

TYPE OF JOB PUMPING

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_

CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_

CEMENT AMOUNT ORDERED \_\_\_\_\_

COMMON \_\_\_\_\_ @ \_\_\_\_\_

POZMIX \_\_\_\_\_ @ \_\_\_\_\_

GEL \_\_\_\_\_ @ \_\_\_\_\_

CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_

ASC \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

HANDLING \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

EQUIPMENT

PUMP TRUCK CEMENTER MARK

# 345 HELPER DAVE

BULK TRUCK

# 222 DRIVER GARY

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

REMARKS:

3-ALL C. 1840 TEST TO 1000"

SPOT 2 SAND SHUT DOWN

CHARGE TO: ELYSIUM

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE \_\_\_\_\_

TOTAL \_\_\_\_\_

SERVICE

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_ 750<sup>00</sup>

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ N/C

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL 750<sup>00</sup>

PLUG & FLOAT EQUIPMENT

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_

RECEIVED

JUN - 6 2005

KCC WICHITA

# ALLIED CEMENTING CO., INC. 16277

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: 2

DATE <u>3-11-05</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
<u>CARROLL LEASE</u>	WELL #	LOCATION <u>HAYS N TO REVER RD</u>			COUNTY <u>ELLIS</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one) <u>OLD</u>				<u>2E JUN</u>			

CONTRACTOR \_\_\_\_\_ OWNER \_\_\_\_\_  
 TYPE OF JOB SQUEEZE  
 HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_  
 CASING SIZE 5 1/2 DEPTH \_\_\_\_\_  
 TUBING SIZE 2 1/2 DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL X-DEPT DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT \_\_\_\_\_

EQUIPMENT  
 PUMP TRUCK CEMENTER MARIL  
 # 346 HELPER STEVE  
 BULK TRUCK  
 # 222 DRIVER CARY  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

REMARKS:  
DEPT C  
ALL C  
PUMPED INTO 322' MIN @ 800' - NO  
CELL - MIXED 175 SK @ 11.400 50 SK  
@ 15.500, DISPLACED 8% BR - SQUEEZE  
TO 700' WASH CLEAN ALLIED TOOLS  
SPLIT 200 @ 300'

CHARGE TO: ELYSIUM  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE \_\_\_\_\_

CEMENT  
 AMOUNT ORDERED 225 ALWD 37.00  
 COMMON \_\_\_\_\_ @ \_\_\_\_\_  
 POZMIX \_\_\_\_\_ @ \_\_\_\_\_  
 GEL \_\_\_\_\_ @ \_\_\_\_\_  
 CHLORIDE 2 @ 36.00 72.00  
 ASC \_\_\_\_\_ @ \_\_\_\_\_  
ALWD 225 @ 14.00 314.25  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 HANDLING 227 @ 1.50 340.50  
 MILEAGE .055 / ML / MILE 567.00  
 TOTAL 4135.90

SERVICE  
 DEPTH OF JOB \_\_\_\_\_  
 PUMP TRUCK CHARGE 750.00  
 EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE 45 @ 4.50 202.50  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL 952.50

PLUG & FLOAT EQUIPMENT  
 MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_  
 TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_

RECEIVED  
 JUN - 6 2005  
 KCC WICHITA

# ALLIED CEMENTING CO., INC. 18594

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
*Russell*

DATE <i>3-14-05</i>	SEC.	TWP.	RANGE	CALLED OUT <i>7:30 AM</i>	ON LOCATION <i>9:20 AM</i>	JOB START	JOB FINISH <i>10:05 AM</i>
LEASE <i>Cosmichec</i>	WELL # <i>7</i>	LOCATION <i>HAYLEN TO ROAD 135 N.W.</i>			COUNTY <i>Ellis</i>	STATE <i>Ks</i>	
<input checked="" type="radio"/> OLD OR NEW (Circle one)							

CONTRACTOR \_\_\_\_\_

TYPE OF JOB *Backside*

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_

CASING SIZE *6 1/2* DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED  
*150 bags 6 1/2" 8 1/2" gel*

COMMON	<i>90</i>	@	<i>8<sup>00</sup></i>	<i>747<sup>00</sup></i>
POZMIX	<i>60</i>	@	<i>4<sup>50</sup></i>	<i>270<sup>00</sup></i>
GEL	<i>9</i>	@	<i>13<sup>00</sup></i>	<i>117<sup>00</sup></i>
CHLORIDE		@		
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<i>159</i>	@	<i>1<sup>50</sup></i>	<i>238<sup>00</sup></i>
MILEAGE	<i>.055/SK/MILE</i>			<i>419<sup>26</sup></i>
TOTAL				<i>1792<sup>26</sup></i>

EQUIPMENT

PUMP TRUCK CEMENTER *Bill*

# *316* HELPER *Shane*

BULK TRUCK

# \_\_\_\_\_ DRIVER *213*

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

REMARKS:

*Top side 12:00pm 300 #*  
*Cement down backside w/ 150 bags to 1/4*  
*may 400 # shut in 100 #*

SERVICE

DEPTH OF JOB				
PUMP TRUCK CHARGE				<i>750<sup>00</sup></i>
EXTRA FOOTAGE		@		
MILEAGE	<i>48</i>	@	<i>4<sup>50</sup></i>	<i>216<sup>00</sup></i>
MANIFOLD		@		
		@		
TOTAL				<i>966<sup>00</sup></i>

CHARGE TO: *Elysiun*

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

PLUG & FLOAT EQUIPMENT

	@			
	@			
	@			
	@			
	@			
TOTAL				_____

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE *[Signature]*

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_

RECEIVED

JUN - 6 2005

KCC WICHITA