

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 31725
Name: Shelby Resources, LLC
Address: 5893 Saddle Creek Trail
City/State/Zip: Parker, Co. 80134
Purchaser: Plains Marketing
Operator Contact Person: Jim Waechter
Phone: (303) 840-2183
Contractor: Name: Murfin Drilling Co., Inc.
License: 30606
Wellsite Geologist: Jeff Zoller

RECEIVED

JAN 18 2005

KCC WICHITA

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

<u>9/22/04</u>	<u>9/26/04</u>	<u>10/05/04</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 065-22992-0000
County: Graham *Ap 70's + 80' w of*
W/2 SW Sec. 33 Twp. 9 S. R. 21 East West
1250' feet from S (circle one) Line of Section
580' feet from W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Allphin Well #: 3

Field Name: Cooper
Producing Formation: Arbuckle
Elevation: Ground: 2328' Kelly Bushing: 2333'
Total Depth: 3974' Plug Back Total Depth: 3974'
Amount of Surface Pipe Set and Cemented at 224' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 1809' Feet
If Alternate II completion, cement circulated from 1809'
feet depth to surface w/ 225 sx cmt.

Drilling Fluid Management Plan *Alt II KGR 2/25/08*
(Data must be collected from the Reserve Pit)
Chloride content 3200 ppm Fluid volume 180 bbls
Dewatering method used haul off free fluids

Location of fluid disposal if hauled offsite:
Operator Name: Shelby Resources, LLC
Lease Name: Bemis Shutts A License No.: 31725
Quarter NE Sec. 28 Twp. 11 S. R. 17 East West
County: Ellis Docket No.: D-00,351

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jim Waechter
Title: Managing Member Date: 1/12/05
Subscribed and sworn to before me this 12th day of January
20 05
Notary Public: James B. Bauer
Date Commission Expires: _____

JAMES B. BAUER
NOTARY PUBLIC
STATE OF COLORADO
My Commission Expires **09-28-2008**

KCC Office Use ONLY

Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Operator Name: Shelby Resources, LLC Lease Name: Allphin Well #: 3
 Sec. 33 Twp. 9 S. R. 21 East West County: Graham

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy)
 List All E. Logs Run:

Log Formation (Top), Depth and Datum Sample
 Name Top Datum
 Anhydrite 1804' 529'
 Heebner 3513' -1180
 Lansing Kansas City 3554' -1221
 Arbuckle 3887' -1554

Compensated Neutron Density, Dual Induction,
 Microlog, Cement Bond Log

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./ Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	25	224'	common	160	3%cc, 2%gel
Production	7 7/8"	5 1/2"	14	3966'	ASC	175	10% salt, 2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4 spf	3888'-3890'	natural	

RECEIVED
JAN 18 2005
KCC WICHITA

TUBING RECORD		Size	Set At	Packer At	Liner Run
		2 7/8"	3850'	n/a	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. 10/10/04			Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	60	n/a	6		24

Disposition of Gas **METHOD OF COMPLETION** Production Interval
 Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
 (If vented, Submit ACO-18.) Other (Specify)

ALLIED CEMENTING CO., INC.

18752

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: R

DATE <u>9-21-04</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH <u>6:45 PM</u>
LEASE <u>Aliphin</u>	WELL # <u>3</u>	LOCATION <u>Church of God 2w</u>			COUNTY <u>Grant</u>	STATE <u>Ks</u>	
OLD OR NEW (Circle one)				<u>3/4 S 4 E</u>			

CONTRACTOR Martin Dely Ry' 8

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 231

CASING SIZE 8 1/2 DEPTH 229

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 10 1/2

PERFS. _____

DISPLACEMENT 20# 14 1/4 BBL

OWNER _____

CEMENT AMOUNT ORDERED 150 com 3 1/2

EQUIPMENT

345 Dave

PUMP TRUCK # _____ CEMENTER HELPER Steve

BULK TRUCK # _____ DRIVER _____

BULK TRUCK # 213 DRIVER Rufus

COMMON	<u>150</u>	@	<u>7.85</u>	<u>1179.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>11.00</u>	<u>33.00</u>
CHLORIDE	<u>5</u>	@	<u>33.00</u>	<u>165.00</u>
ASC		@		
RECEIVED				
JAN 18 2005				
KCC WICHITA				
HANDLING	<u>158</u>	@	<u>1.35</u>	<u>213.30</u>
MILEAGE	<u>5 1/2 SK/MILE</u>			<u>474.00</u>
TOTAL				<u>2062.00</u>

REMARKS:

Cement Cir

CHARGE TO Shelby Resources LLC

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>570.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>60</u>	@	<u>4.00</u> <u>240.00</u>
MANIFOLD		@	
<u>8 1/2 wooden</u>		@	<u>55.00</u>
TOTAL <u>865.00</u>			

PLUG & FLOAT EQUIPMENT

	@	
	@	
	@	
	@	
	@	
TOTAL _____		

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Larry Pickner

LARRY PICKNER
PRINTED NAME

ALLIED CEMENTING CO., INC. 18857

REMIT TO: P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: 2

DATE <u>9-26-04</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION <u>11:30 AM</u>	JOB START <u>3:00 PM</u>	JOB FINISH <u>3:45 AM</u>
LEASE <u>ALLIEN</u>	WELL # <u>3</u>		LOCATION <u>CHURCH OF GOD IS 2W</u>			COUNTY <u>CRANKIN</u>	STATE <u>KS</u>
<input checked="" type="radio"/> OLD OR <input type="radio"/> NEW (Circle one)				<u>NE</u>		RECEIVED	

CONTRACTOR MURPHY S

TYPE OF JOB PROD. STRING

HOLE SIZE 7/8 T.D. 3973

CASING SIZE 5 1/2 DEPTH 3989

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT 10⁸²

CEMENT LEFT IN CSG. 10⁸²

PERFS. _____

DISPLACEMENT 97 BBL

EQUIPMENT

PUMP TRUCK CEMENTER MARK

366 HELPER SHANE

BULK TRUCK _____

213 DRIVER CRAIG

BULK TRUCK _____

_____ DRIVER _____

OWNER _____

JAN 18 2005

CEMENT **KCC WICHITA**

AMOUNT ORDERED 175000 10% SALT 2% GEL

1500 GAL WFR-2

COMMON _____	@ _____	_____
POZMIX _____	@ _____	_____
GEL <u>3</u>	@ <u>11.00</u>	<u>33.00</u>
CHLORIDE _____	@ _____	_____
ASC <u>175</u>	@ <u>9.00</u>	<u>1715.00</u>
<u>SALT</u> <u>17</u>	@ <u>15.00</u>	<u>255.00</u>
<u>WFR-2</u> <u>500 gals</u>	@ <u>1.00</u>	<u>500.00</u>
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
HANDLING <u>145</u>	@ <u>1.35</u>	<u>263.25</u>
MILEAGE <u>5 1/2 SK/mile</u>	_____	<u>585.00</u>
TOTAL		<u>3351.25</u>

REMARKS:

15 SK C.R.H.

10 SK C.M.H.

P. COLLAR ON #59 @ 1829 9⁸

PLUG LANNED

FLOAT HELD

CHARGE TO: SHELBY

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____ 1180.00

EXTRA FOOTAGE _____ @ _____

MILEAGE 60 @ 4.00 240.00

MANIFOLD _____ @ _____

5 1/2 TRP @ _____ 60.00

_____ @ _____

TOTAL 1480.00

PLUG & FLOAT EQUIPMENT

<u>5 1/2</u>	@ _____	_____
<u>G.S.</u>	@ _____	<u>150.00</u>
<u>INSERT</u>	@ _____	<u>235.00</u>
<u>40 CENT</u>	@ <u>50.00</u>	<u>200.00</u>
<u>2-BASKET</u>	@ <u>128.00</u>	<u>256.00</u>
<u>(L) P. COLLAR</u>	@ _____	<u>1500.00</u>
TOTAL		<u>2341.00</u>

To Allied Cementing Co., Inc:

You are hereby requested to rent cementing equipment and furnish cement and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE _____

PRINTED NAME _____

ALLIED CEMENTING CO., INC. 12063

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Oakley

DATE <u>10-6-04</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION <u>9:45 AM</u>	JOB START	JOB FINISH <u>PM</u>
LEASE <u>Alphia</u>	WELL # <u>3</u>	LOCATION <u>Church of God 15</u>			COUNTY <u>Graham</u>	STATE <u>Kan.</u>	
OLD OR NEW (Circle one) <u>(N)</u>		LOCATION <u>2W-1/2N-E15</u>					

RECEIVED
JAN 18 2005

CONTRACTOR Gaschler Well Service OWNER Same

TYPE OF JOB Port Collar

HOLE SIZE _____ T.D. _____

CASING SIZE 9 1/2 DEPTH _____

TUBING SIZE 2 7/8 DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL Port Collar DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PLUGS Plug @ 3100'

DISPLACEMENT _____

CEMENT		<u>KCC WICHITA</u>	
AMOUNT ORDERED	<u>375 SKS</u>	<u>190 Pcs</u>	
<u>6% Gel, 1/4" Flo-Seal</u>			
<u>(Used 250 SKS)</u>			
COMMON	<u>150 SKS</u>	@ <u>7.85</u>	<u>1177.50</u>
POZMIX	<u>100 SKS</u>	@ <u>4.10</u>	<u>410.00</u>
GEL	<u>13 SKS</u>	@ <u>11.00</u>	<u>143.00</u>
CHLORIDE		@	
		@	
		@	
		@	
		@	
		@	
		@	
		@	
HANDLING	<u>394 SKS</u>	@ <u>1.38</u>	<u>531.90</u>
MILEAGE	<u>05¢ PER SK / MI/E</u>		<u>1182.00</u>
TOTAL			<u>3532.60</u>

EQUIPMENT

PUMP TRUCK	CEMENTER <u>Walt</u>
# <u>323</u>	HELPER <u>Andrew</u>
BULK TRUCK	
# <u>386</u>	DRIVER <u>Lannie</u>
BULK TRUCK	
# _____	DRIVER _____

REMARKS:

SERVICE

Circ oil out of hole, Test Plug @ 1000' Hold, open tool mixed 250 SKS cement, Circ to Surface, Displace 10 1/2 BBL Shut Tool, Test to next Hold ran 10 Jts, Circ Hole Clean Pump Oil Back in Hole Thank You

DEPTH OF JOB		
PUMP TRUCK CHARGE		<u>700.00</u>
EXTRA FOOTAGE	@	
MILEAGE	<u>60 miles</u>	@ <u>4.00</u> <u>240.00</u>
PLUG	@	
	@	
	@	
TOTAL <u>940.00</u>		

CHARGE TO: Shelby Resources

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
TOTAL _____		

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Bruce Kahn

PRINTED NAME _____