

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 31389  
Name: Noble Petroleum Inc.  
Address: 3101 N Rock Road, Suite 125  
City/State/Zip: Wichita KS 67226  
Purchaser: \_\_\_\_\_  
Operator Contact Person: Jay Ablah  
Phone: (316) 636-5155  
Contractor: Name: Berentz Drilling Company, Inc.  
License: 5892  
Wellsite Geologist: Gerald D. Honas

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_

9-06-06 9-13-06  
Spud Date or Date Reached TD Completion Date or  
Recompletion Date Recompletion Date

API No. 15 - 039-20980-0000  
County: Decatur  
\_\_\_\_\_ NW SW Sec. 1 Twp. 4 S. R. 27  East  West  
2050 feet from S N (circle one) Line of Section  
165 feet from E W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name: Votapka Well #: 1  
Field Name: \_\_\_\_\_  
Producing Formation: \_\_\_\_\_  
Elevation: Ground: 2605 Kelly Bushing: 2609  
Total Depth: 4005 Plug Back Total Depth: \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at 224' Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan: P&A KJR 3/17/08  
(Data must be collected from the Reserve Pit)  
Chloride content: \_\_\_\_\_ ppm Fluid volume: 500 bbls  
Dewatering method used Evaporation  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jay Ablah  
Title: President Date: 9/28/06  
Subscribed and sworn to before me this 28th day of September  
20 06  
Notary Public: Mari J. Rech  
Date Commission Expires: November 16, 2007

**MARI J. RECH**  
Notary Public - State of Kansas  
My Appt. Expires 11-16-07

**KCC Office Use ONLY**  
 Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

**RECEIVED**  
**OCT - 4 2006**  
**KCC WICHITA**

Operator Name: Noble Petroleum Inc. Lease Name: Votapka Well #: 1  
 Sec. 1 Twp. 4 S. R. 27  East  West County: Decatur

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)  
 Samples Sent to Geological Survey  Yes  No  
 Cores Taken  Yes  No  
 Electric Log Run  Yes  No  
 (Submit Copy)  
 List All E. Logs Run:

Log Formation (Top), Depth and Datum  Sample  
 Name Top Datum

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8		224'	Common	160	3% CC/2% Gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing				
___ Plug Back TD				
___ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type		Acid, Fracture, Shot, Cement Squeeze Record	
	Specify Footage of Each Interval Perforated		(Amount and Kind of Material Used)	
				Depth

TUBING RECORD		Size	Set At	Packer At	Liner Run
					<input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr.			Producing Method		
			<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas  Vented  Sold  Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify)

Production Interval

**RECEIVED**  
 OCT - 4 2006  
**KCC WICHITA**

RECEIVED  
 U.C.  
**KCC WICHITA**

# ALLIED CEMENTING CO., INC.

25965

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley

DATE <u>9-13-06</u>	SEC. <u>1</u>	TWP. <u>4S</u>	RANGE <u>27W</u>	CALLED OUT	ON LOCATION <u>5:00 PM</u>	JOB START <u>6:00 PM</u>	JOB FINISH <u>9:00 PM</u>
LEASE <u>Votapka</u>	WELL # <u>1</u>	LOCATION <u>Jennings 3N-1W-1/2N</u>		COUNTY <u>Decatur</u>	STATE <u>Kan</u>		
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR Berentz Drig

TYPE OF JOB PTA

HOLE SIZE 7 7/8 T.D. 4005'

CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE 4 1/2 x 11 DEPTH 3950'

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_

OWNER Same

CEMENT AMOUNT ORDERED 215 SKs 60/40 per  
60/60 1/4# Flo-Seal

COMMON	<u>129 SKs</u>	@	<u>12.20</u>	<u>1,573.80</u>
POZMIX	<u>86 SKs</u>	@	<u>6.10</u>	<u>524.60</u>
GEL	<u>11 SKs</u>	@	<u>16.63</u>	<u>183.13</u>
CHLORIDE		@		
ASC		@		
	<u>Flo-Seal 54#</u>	@	<u>2.00</u>	<u>108.00</u>
		@		
		@		
		@		
		@		
		@		
		@		
		@		

EQUIPMENT

PUMP TRUCK CEMENTER Walt

# 102 HELPER Jarrad

BULK TRUCK

# 315 DRIVER Larry

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

HANDLING	<u>228 SKs</u>	@	<u>1.90</u>	<u>433.20</u>
MILEAGE	<u>9¢ per sk/mile</u>			<u>1,231.20</u>
TOTAL				<u>4,053.95</u>

REMARKS:

- 25 SKs @ 3950'
- 25 SKs @ 2150'
- 100 SKs @ 1425'
- 40 SKs @ 275'
- 10 SKs @ 40'
- 15 SKs in RH

Thank You

CHARGE TO: Noble Petroleum

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Steele Rig 6

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>955.00</u>
EXTRA FOOTAGE	@		
MILEAGE <u>60-miles</u>	@	<u>6.00</u>	<u>360.00</u>
MANIFOLD	@		
	@		
	@		

RECEIVED

OCT - 4 2006

TOTAL 1,315.00

KCC WICHITA & FLOAT EQUIPMENT

<u>1-DH Plug 8 5/8</u>	@	<u>35.00</u>
	@	
	@	
	@	
	@	

TOTAL 35.00

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_

# ALLIED CEMENTING CO., INC.

25955

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Oakbay

DATE <u>9-6-06</u>	SEC. <u>1</u>	TWP. <u>43</u>	RANGE <u>27W</u>	CALLED OUT	ON LOCATION <u>1:00 pm</u>	JOB START <u>3:45 pm</u>	JOB FINISH <u>4:00 pm</u>
LEASE <u>Votapka</u>	WELL # <u>1</u>	LOCATION <u>Jennings 3N-1W</u>		COUNTY <u>Decatur</u>	STATE <u>Kan</u>		
OLD OR NEW (Circle one) <u>NEW</u>				<u>1/2N</u>			

CONTRACTOR Berents Digs #6

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 225'

CASING SIZE 8 5/8 DEPTH 224'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 15'

PERFS.

DISPLACEMENT 13 1/4

OWNER Same

CEMENT

AMOUNT ORDERED 160 sks com

3% CC - 2% Cel

COMMON	<u>160 sks @</u>	<u>12.20</u>	<u>1,952.00</u>
POZMIX	<u>@</u>		
GEL	<u>3 sks @</u>	<u>16.65</u>	<u>49.95</u>
CHLORIDE	<u>5 sks @</u>	<u>46.60</u>	<u>233.00</u>
ASC	<u>@</u>		
	<u>@</u>		
	<u>@</u>		
	<u>@</u>		
	<u>@</u>		
	<u>@</u>		
	<u>@</u>		
	<u>@</u>		

EQUIPMENT

PUMP TRUCK CEMENTER Walt

# 102 HELPER Lonnie

BULK TRUCK

# 218 DRIVER Kelly

BULK TRUCK

# DRIVER

HANDLING	<u>168 - sks @</u>	<u>1.90</u>	<u>319.20</u>
MILEAGE	<u>94.75 sk/mile</u>		<u>907.20</u>
TOTAL			<u>3,461.35</u>

REMARKS:

Cement in Cells

Thank You

CHARGE TO: Noble Petroleum

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB	_____		
PUMP TRUCK CHARGE	_____		<u>815.00</u>
EXTRA FOOTAGE	<u>@</u>		
MILEAGE	<u>60 - miles @</u>	<u>6.00</u>	<u>360.00</u>
MANIFOLD	<u>@</u>		
	<u>@</u>		
	<u>@</u>		

RECEIVED

OCT - 4 2006

TOTAL 4,175.00

KCC WICHITA  
PLUG & FLOAT EQUIPMENT

	<u>@</u>		
	<u>@</u>		
	<u>@</u>		
	<u>@</u>		
	<u>@</u>		

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Steve Shinn

Steven Shinn  
PRINTED NAME

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.