

ORIGINAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
October 2008
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 9860
Name: Castle Resources Inc.
Address 1: PO Box 87
Address 2: _____
City: Schoenchen State: KS Zip: 67667 + _____

Contact Person: Jerry Green
Phone: (785) 625-5155
CONTRACTOR: License # 33237
Name: Anderson Drilling
Wellsite Geologist: Jerry Green

Purchaser: _____
Designate Type of Completion:
 New Well _____ Re-Entry _____ Workover _____
_____ Oil _____ SWD _____ SLOW
_____ Gas _____ ENHR _____ SIGW
_____ CM (Coal Bed Methane) _____ Temp. Abd.
 Dry _____ Other _____
(Core, WSW, Expl., Cathodic, etc.)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
_____ Deepening _____ Re-perf. _____ Conv. to Enhr. _____ Conv. to SWD
_____ Plug Back: _____ Plug Back Total Depth
_____ Commingled _____ Docket No.: _____
_____ Dual Completion _____ Docket No.: _____
_____ Other (SWD or Enhr.?) _____ Docket No.: _____
11-21-08 12-02-08
Spud Date or _____ Date Reached TD _____ Completion Date or
Recompletion Date _____ Recompletion Date _____

API No. 15 - 179-21211-00-00
Spot Description: _____
NE 525 NW 830 Sec. 31 Twp. 8 S. R. 28 East West
Feet from North / South Line of Section
Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Sheridan
Lease Name: Cooper Well #: 2
Field Name: Wildcat


Producing Formation: _____
Elevation: Ground: 2778 Kelly Bushing: _____
Total Depth: 4150 Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at: 261 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: _____
feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan D+A AH II NGL
(Data must be collected from the Reserve Pit) 3-9-09
Chloride content: 30,000 ppm Fluid volume: 500 bbls
Dewatering method used: Allow to dry & backfill
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: _____
Title: President Date: 02/10/2009
Subscribed and sworn to before me this 10th day of February
20 09
Notary Public: Katherine Bray

Date Commission Expires: 7-3-12


KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
_____ UIC Distribution

Operator Name: Castle Resources Inc. Lease Name: Cooper Well #: 2
 Sec. 31 Twp. 8 S. R. 28 East West County: Sheridan

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (Attach Additional Sheets) Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (Submit Copy) List All E. Logs Run: <i>need 1 log w/ ACOI: RADIATION GUARD LOG</i>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Anhydrite</td> <td>2408-42</td> <td>375</td> </tr> <tr> <td>Howard</td> <td>3559</td> <td>-776</td> </tr> <tr> <td>Topeka</td> <td>3644</td> <td>-861</td> </tr> <tr> <td>Heebner</td> <td>3855</td> <td>-1072</td> </tr> <tr> <td>LKC</td> <td>3894</td> <td>-1111</td> </tr> <tr> <td>BKC</td> <td>4130</td> <td>-1347</td> </tr> <tr> <td>RTD</td> <td>4150</td> <td>-1367</td> </tr> </table>	Name	Top	Datum	Anhydrite	2408-42	375	Howard	3559	-776	Topeka	3644	-861	Heebner	3855	-1072	LKC	3894	-1111	BKC	4130	-1347	RTD	4150	-1367
Name	Top	Datum																							
Anhydrite	2408-42	375																							
Howard	3559	-776																							
Topeka	3644	-861																							
Heebner	3855	-1072																							
LKC	3894	-1111																							
BKC	4130	-1347																							
RTD	4150	-1367																							

*kan
2/2/09*

CASING RECORD New Used
 Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	28	261	COM	200	3% CC; 2% GEL.

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone			200	

**RECEIVED
KANSAS CORPORATION COMMISSION**

Shots Per Foot	PERFORATION RECORD - Bridge Plug Set Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	N/A		

SEP 2 2009

**CONSERVATION DIVISION
WICHITA, KS**

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or Enhr.		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbbs.	Gas Mcf	Water Bbbs.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease (If vented, Submit ACO-18.)	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
--	--	--

REMIT TO
RR 1 BOX 90 D
HOXIE KS 67740

RECEIVED
KANSAS CORPORATION COMMISSION

FEB 12 2009

SCHIPPERS OIL FIELD SERVICE L.L.C.

290

CONSERVATION DIVISION

DATE <i>1/27/09</i>	SEC. <i>31</i>	WICHITA, KS RANGE/TWP. <i>8/29</i>	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASE <i>Cooper</i>			WELL # <i>2</i>			
					COUNTY <i>SD</i>	STATE <i>KS</i>

CONTRACTOR <i>AAZ</i>	OWNER <i>Castle Rosanna</i>		
TYPE OF JOB			
HOLE SIZE <i>12 1/4</i>	T.D. <i>268</i>	CEMENT	
CASING SIZE <i>8 5/8</i>	DEPTH	AMOUNT ORDERED	
TUBING SIZE	DEPTH		
DRILL PIPE <i>4 1/2</i>	DEPTH		
TOOL	DEPTH		
PRES. MAX	MINIMUM	COMMON	<i>205 @ 14⁵⁰</i>
DISPLACEMENT <i>15 5 bbl</i>	SHOE JOINT	POZMIX	@
CEMENT LEFT IN CSG. <i>7084</i>		GEL	<i>4 @</i>
PERFS		CHLORIDE	<i>6 @</i>
		ASC	@
EQUIPMENT			@
			@
PUMP TRUCK			@
# <i>5a</i>			@
BULK TRUCK			@
# <i>Dave</i>			@
BULK TRUCK			@
#			@
			@
		HANDLING	<i>215 @</i>
		MILEAGE	@
			TOTAL

REMARKS	SERVICE <i>Surface</i>	
<i>Play Down @ 12:45 AM</i>	DEPT OF JOB	@
	PUMP TRUCK CHARGE	@ <i>950</i>
	EXTRA FOOTAGE	@
	MILEAGE	@
<i>Circ Cement to Pit</i>	MANIFOLD	@ <i>100</i>
		@
		TOTAL

CHARGE TO: <i>Castle Rosanna</i>	
STREET	STATE
CITY	ZIP

To: Schippers Oil Field Service LLC

You are hereby requested to rent cementing equipment and furnish staff to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

PLUG & FLOAT EQUIPMENT	
<i>8 5/8</i>	@ <i>67</i>
	@
	@
	@
	@
	TOTAL
TAX	
TOTAL CHARGE	
DISCOUNT (IF PAID IN 20 DAYS)	

SIGNATURE *Fred Berg*

PRINTED NAME

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "SOS" shall mean Schippers Oil Field Services, LLC. and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

--TERMS: Unless satisfactory credit has been established, CUSTOMER must tender full cash payment to SOS before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, CUSTOMER agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that CUSTOMER may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the CUSTOMER or at the option of SOS, refunded directly to CUSTOMER. For purposes of this paragraph, SOS and CUSTOMER agrees that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

--ATTORNEY FEES: In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.

--PRICES AND TAXES: All merchandise listed in SOS's current price schedule are F.O.B. SOS's local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by SOS shall be added to the quoted prices charged to CUSTOMER.

--TOWING CHARGES: SOS will make a reasonable attempt to get to and from each job site using its own equipment. Should SOS be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by SOS, will be charged to and paid by CUSTOMER.

--PREPARATION CHARGES: If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay SOS for the expenses incurred by SOS as a result of the cancellation.

--DEADHAUL CHARGES: Unless otherwise specified on the front of this Contract, a deadhaul charge as set for in SOS'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

--SERVICE CONDITIONS AND LIABILITIES:

1. SOS carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond SOS'S control, SOS shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless SOS, its officers, agents and employees, from and against any and all claims or suits for:

A. Damage to property or for bodily injury, sickness, disease, or death, brought by any person including CUSTOMER and/or the well owner; and:

B. Oil spill, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with SOS'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of SOS or its employees.

2. With respect to any of SOS'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to SOS at the landing. CUSTOMER shall either recover the lost item without cost to SOS or reimburse SOS the current replacement cost of the item unless the loss or damage results from the sole negligence of SOS or its employees.

3. SOS does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

--WARRANTIES:

1. SOS warrants all merchandise manufacture or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. SOS'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, as its option, for any merchandise which is determined by SOS to be defective. THIS IS THE SOLE WARRANTY OF SOS AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and SOS shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

A. Nothing in this contract shall be construed as a warranty by SOS of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.

B. Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by SOS or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by SOS, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of SOS or its employees in the preparation or furnishing of such facts, information or data.

C. Work done by SOS shall be under the direct supervision and control of the CUSTOMER or his agent and SOS will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

ALLIED CEMENTING CO., LLC. 044026

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Dodley, Ks

DATE <u>12/2/08</u>	SEC <u>31</u>	TWP. <u>8</u>	RANGE <u>28</u>	CALLED OUT	ON LOCATION <u>12:45 Am</u>	JOB START <u>11:00 Am</u>	JOB FINISH <u>12:00 noon</u>
COOPER LEASE	WELL # <u>#2</u>	LOCATION <u>Hoxie 3 S, 2 W, Sinto</u>			COUNTY <u>Sheridan</u>	STATE <u>Ks</u>	
OLD OR NEW (Circle one) <u>NEW</u>							

CONTRACTOR A & A Drilling

TYPE OF JOB AWP

HOLE SIZE 7 7/8 T.D.

CASING SIZE 8 5/8 DEPTH 250'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT

OWNER Same

CEMENT AMOUNT ORDERED 205 SK, 60/40 400

EQUIPMENT

PUMP TRUCK CEMENTER Alan

422 HELPER Wayne

BULK TRUCK DRIVER Wil

377 DRIVER

RECEIVED
KANSAS CORPORATION COMMISSION
FEB 12 2009
CONSERVATION DIVISION
WICHITA, KS

COMMON	<u>125</u>	@	<u>15.45</u>	<u>1931.25</u>
POZMIX	<u>80</u>	@	<u>8.00</u>	<u>640.00</u>
GEL	<u>7</u>	@	<u>20.00</u>	<u>140.00</u>
CHLORIDE		@		
ASC		@		
HANDLING	<u>212 SK</u>	@	<u>2.40</u>	<u>508.80</u>
MILEAGE	<u>10.4 SK/mile</u>	@		<u>848.00</u>
TOTAL				<u>4073.05</u>

REMARKS:

25 SK @ 2430'
100 SK @ 16.00'
40 SK @ 300'
10 SK @ 40'
30 SK @ Rat Hole

Thank You
Alan, Wayne, Wil

CHARGE TO: Castle Resources Inc

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB	<u>2430</u>		
PUMP TRUCK CHARGE			<u>118.50</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>40</u>	@	<u>7.20</u>
MANIFOLD		@	<u>280.00</u>
TOTAL			<u>1465.00</u>

PLUG & FLOAT EQUIPMENT

	@		
	@		
	@		
	@		
	@		
TOTAL			

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME Larry Bruggant

SIGNATURE [Signature]