

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1  
October 2008  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280  
Name: Birk Petroleum  
Address 1: 874 12th Rd SW  
Address 2: \_\_\_\_\_  
City: Burlington State: Ks Zip: 66839 + \_\_\_\_\_  
Contact Person: Brian L. Birk  
Phone: (620) 364-1311 - office  
CONTRACTOR: License # 31280  
Name: Birk Petroleum  
Wellsite Geologist: None  
Purchaser: Coffeyville Resources  
Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  
 Gas  ENHR  SIGW  
 CM (Coal Bed Methane)  Temp. Abd.  
 Dry  Other \_\_\_\_\_  
(Core, WSW, Expl., Cathodic, etc.)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr.  Conv. to SWD  
 Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled Docket No.: \_\_\_\_\_  
 Dual Completion Docket No.: \_\_\_\_\_  
 Other (SWD or Enhr.?) Docket No.: \_\_\_\_\_  
11/20/08 11/25/08 11/26/08  
Spud Date or Date Reached TD Completion Date or Recompletion Date

API No. 15 - 031-22369-0000  
Spot Description: \_\_\_\_\_  
SW NW NE SW Sec. 7 Twp. 23 S. R. 15  East  West  
2025 Feet from  North /  South Line of Section  
1585 Feet from  East /  West Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
 NE  NW  SE  SW  
County: Coffey  
Lease Name: Merritt Well #: 14  
Field Name: Winterschied  
Producing Formation: Squirrel  
Elevation: Ground: 1129 est. Kelly Bushing: \_\_\_\_\_  
Total Depth: 1271 Plug Back Total Depth: 1271  
Amount of Surface Pipe Set and Cemented at: 40' Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set: \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from: 1252  
feet depth to: Surface w/ 150

Drilling Fluid Management Plan  
(Data must be collected from the Reserve Pit)  
Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls  
Dewatering method used: \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: Agent Date: 12/15/08  
Subscribed and sworn to before me this 15th day of December,  
20 08.  
Notary Public: [Signature]  
Date Commission Expires: January 22, 2012

**KCC Office Use ONLY**  
N  
 Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

RECEIVED  
KANSAS CORPORATION COMMISSION  
FEB 03 2009

LAURA C. BIRK  
Notary Public - State of Kansas  
My Appt. Expires 01/22/2012

CONSERVATION DIVISION  
WICHITA, KS

Operator Name: Birk Petroleum Lease Name: Merritt Well #: 14  
 Sec. 7 Twp. 23 S. R. 15  East  West County: Coffey

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input checked="" type="checkbox"/> Sample  Name Top Datum See attached drill log Squirrel Sand 1253'
--	---

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface Casing	9 3/4"	7"		40'	Portland	16	Calcium
Long String	6"	2 7/8"		1252'	Portland	150	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
None	Open hole completion 1252' - 1271'	Frac w/120 sx sand	1252-1271'

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 FEB 03 2009

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Date of First, Resumed Production, SWD or Enhr. 12/2/08		Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)	
Estimated Production Per 24 Hours	Oil Bbbs. 15	Gas Mcf	Water Bbbs. 10
		Gas-Oil Ratio	Gravity

CONSERVATION DIVISION  
 WICHITA, KS

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input checked="" type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	---	--

802 N. Industrial Rd.  
 P.O. Box 664  
 Iola, Kansas 66749  
 Phone: (620) 365-5588

**Payless Concrete Products, Inc.**



**CONDITIONS**  
 Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.  
**NOTICE TO OWNER**  
 Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SENT TO:

RB001  
 B & B COOPERATIVE VENTURES  
 900 S. FOURTH ST.

BURLINGTON KS  
 66839

SHIP TO:

B111/20  
 B & B COOP. VENTURES/BIRK OIL  
 54 W TO 75 HWY N 11 MI TO 220  
 TH OR (1ST) W 4 MI TO IRIS RD  
 SW N 1.5 MI E SD GATE @ TANKS  
 YATES CENTER, KS 66783

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
07:53:43a	WELL	7.50 yd	15.00 yd	0.00	BT 34	0.00	
DATE	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
11-26-08	2 Today	15.50 yd 7.50 yd	7623		4.00 in	22369	

**WARNING**

**IRRITATING TO THE SKIN AND EYES**

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS AND IRRITATION TO THE SKIN AND EYES. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY AND BECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/Hr.

**PROPERTY DAMAGE RELEASE**

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer: The driver of this truck in presenting this RELEASE to you, for your signature is of the opinion that the size and weight of this truck may possibly cause damage to the premises and/or adjacent property that places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

X

**Excessive Water is Detrimental to Concrete Performance**  
**H<sub>2</sub>O Added By Request/Authorized By**

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

*[Signature]* 7/4

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
7.50	WELL	WELL (10 SACKS PER UNIT)	79.00	592.50
3.50	TRUCKING	TRUCKING CHARGE	50.00	175.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	
		10:14	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER		SubTotal \$ 692.50
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER		Tax \$ 6.00 43.63
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE	Total \$ 736.13
7:19	9:00	9:10			Order \$ 736.13
AL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 1
					ADDITIONAL CHARGE 2
					<b>GRAND TOTAL</b>

RECEIVED  
 KANSAS CONSTRUCTION COMMISSION

FEB 03 2009

CONSTRUCTION DIVISION  
 WICHITA, KS

802 N. Industrial Rd.  
P.O. Box 664  
Iola, Kansas 66749  
Phone: (620) 365-5588

# Payless Concrete Products, Inc.



**CONDITIONS:**  
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any transfer to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which arise at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.  
**NOTICE TO OWNER:**  
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SHIP TO:

SOLD TO:  
BB001

B & B COOPERATIVE VENTURES  
900 S. FOURTH ST.

BT11/20

B & B COOP. VENTURES/BIRK OF  
54 W TO 75 HWY N 11 MI TO 220  
TH DR (1ST) W 4 MI TO IRIS RD  
SW N 1.5 MI E SD DATE & TANKS  
YATES CENTER, KS 66783

BURLINGTON KS  
66839

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
08:09:15a	WELL	7.50 yd	15.00 yd	0.00	BT 34	0.00	
DATE	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
11-26-08	3 Today	23.00 yd 15.00 yd	7684		4.00 (h)	22570	

**WARNING**  
**IRRITATING TO THE SKIN AND EYES**  
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact with Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. NH-04m Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

**PROPERTY DAMAGE RELEASE**  
I, the undersigned, hereby release, defend, hold harmless and agree to indemnify the driver of this truck and the driver's employer from and against all claims, damages, losses, costs, expenses, attorney's fees, and all other liabilities, including reasonable attorneys' fees, that may be asserted against or incurred by the driver or the driver's employer, arising out of or from the delivery of this material to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and the supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED: \_\_\_\_\_  
X

**Excessive Water is Detrimental to Concrete Performance**  
H<sub>2</sub>O Added: By Request/Authorized By \_\_\_\_\_

GAL X

**WEIGHMASTER**

LOAD RECEIVED BY: \_\_\_\_\_  
X

**NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.**

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
7.50	WELL	WELL (10 SACKS PER UNIT)	15.00	69.00
				517.50

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY/EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	SubTotal \$
		12:14	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER		517.50
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER		Tax % 6.300 32.60
					Total \$ 550.10
					Order \$ 1886.23
					ADDITIONAL CHARGE 1
					ADDITIONAL CHARGE 2
					<b>GRAND TOTAL</b>

RECEIVED  
KANSAS CORPORATION COMMISSION

FEB 03 2009

CONSERVATION DIVISION  
WICHITA, KS

**B & B COOPERATIVE VENTURES**  
**900 South 4<sup>th</sup>**  
**Burlington, Ks 66839**  
**620-364-1311**  
**BIRK PETROLEUM LIC. #31280**

<b>DATE: 11/25/08</b>	<b>Lease: MERRITT</b>
<b>Operator: Birk Petroleum</b>	<b>Well No.: 14</b>
<b>900 South 4<sup>th</sup> St.</b>	<b>API: 15-031-22369-0000</b>
<b>Burlington, Ks 66839</b>	<b>Description: 7-23-15E; 2025' FSL; 1585' FWL</b>
<b>Spud: 11/20/08 T.D.: 11/25/08</b>	<b>County: Coffey</b>

<b>Formations</b>	<b>From</b>	<b>To</b>	<b>Formations</b>	<b>From</b>	<b>To</b>
Top Soil/Clay/Sandstone	0	13	Shale	502	514
Lime	13	14.5	Lime	514	518
Clay	14.5	19	Shale	518	522
Lime	19	21	Lime	522	541
Clay	21	25	Shale	541	594
Shale	25	95	Lime	594	735
Lime	95	101	Shale	735	756
Coal	101	103	Lime	756	761
Lime	103	106	Shale	761	768
Shale	106	116	Lime	768	780
Red Shale	116	120	Shale	780	789
Shale	120	129	Lime/Shale	789	846
Lime	129	143	Lime	846	851
Shale	143	155	Shale	851	861
Black Shale	155	157	Lime/Shale/Black Shale	861	886
Shale	157	162	Lime	886	912
Lime	162	165	Shale	912	1094
Shale	165	285	Lime	1094	1107
Lime	285	290	Shale	1107	1112
Shale	290	299	Lime	1112	1116
Lime	299	302	Shale	1116	1162
Shale	302	461	Lime	1162	1168
Lime	461	465	Shale	1168	1192
Shale	465	471	Lime	1192	1196
Lime	471	489	Shale	1196	1200
Shale	489	491	Lime	1200	1202
Lime	491	502	Shale	1202	1253
			Oil Sand	1253	1271
			T.D. 1271'		

RECEIVED  
KANSAS CORPORATION COMMISSION

FEB 03 2009

CONSERVATION DIVISION  
WICHITA, KS

Surface bit: 9 3/4"    Length: 40'    Size: 7"    Cement: 16 sx circ. To surface  
Drill bit: 6"    T.D.: 1271'    Long String: 2 7/8" @ 1252'

---

RECEIVED  
KANSAS CORPORATION COMMISSION

FEB 03 2009

CONSERVATION DIVISION  
WICHITA, KS