

ORIGINAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
October 2008
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280
Name: Birk Petroleum
Address 1: 874 12th Rd SW
Address 2: _____
City: Burlington State: Ks Zip: 66839 + _____
Contact Person: Brian L. Birk
Phone: (620) 364-1311 - office
CONTRACTOR: License # 31280
Name: Birk Petroleum
Wellsite Geologist: None
Purchaser: Coffeyville Resources
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW
 Gas ENHR SIGW
 CM (Coal Bed Methane) Temp. Abd.
 Dry Other _____
(Core, WSW, Expl., Cathodic, etc.)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr. Conv. to SWD
 Plug Back: _____ Plug Back Total Depth _____
 Commingled Docket No.: _____
 Dual Completion Docket No.: _____
 Other (SWD or Enhr.?) Docket No.: _____
01/23/09 02/03/09 02/04/09
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 031-22391-0000
Spot Description: _____
NW NW SE SW Sec. 7 Twp. 23 S. R. 15 East West
1225 Feet from North / South Line of Section
1585 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Coffey
Lease Name: Merritt Well #: 16
Field Name: Winterschied
Producing Formation: Squirrel
Elevation: Ground: 1129 est. Kelly Bushing: _____
Total Depth: 1320 Plug Back Total Depth: 1317.79
Amount of Surface Pipe Set and Cemented at: 40' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: 1317.79
feet depth to: Surface w/ 160 sx cm.

Drilling Fluid Management Plan AH II NCR 4-3-09
(Data must be collected from the Reserve Pit)
Chloride content: _____ ppm Fluid volume: _____ bbls
Dewatering method used: haul off
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Linda K. Birk
Title: Agent Date: 3/5/09
Subscribed and sworn to before me this 5th day of March,
20 09.
Notary Public: Laura C. Birk
Date Commission Expires: January 22, 2012

KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

LAURA C. BIRK
Notary Public - State of Kansas
My Appt. Expires 01/22/2012

RECEIVED
KANSAS CORPORATION COMMISSION
MAR 09 2009
CONSERVATION DIVISION
WICHITA, KS

Operator Name: Birk Petroleum Lease Name: Merritt Well #: 16
 Sec. 7 Twp. 23 S. R. 15 East West County: Coffey

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: <i>rec'd 1 log w/ A201: GR/NEUTRON/CL</i>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Kansas City Lime</td> <td>464'</td> <td></td> </tr> <tr> <td>Squirrel Sand</td> <td>1252'</td> <td></td> </tr> </table>	Name	Top	Datum	Kansas City Lime	464'		Squirrel Sand	1252'	
Name	Top	Datum								
Kansas City Lime	464'									
Squirrel Sand	1252'									

rec'd 1 log w/ A201: GR/NEUTRON/CL
9/2/09

CASING RECORD <input checked="" type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface Casing	9 3/4"	7"		40'	Portland	16	Calcium
Long String	6"	2 7/8"		1317.79	Portland	160	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
3	2" DML RTG perms. 1254-1264, & 1298-1304'	Spot 15% acid on perms, frac w/85 sx	1254-1264 1298-1304

RECEIVED
 KANSAS CORPORATION COMMISSION
 MAR 11 2009
 CONSERVATION DIVISION
 WICHITA KS

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or Enhr. <u>02/11/09</u>		Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)	
Estimated Production Per 24 Hours	Oil Bbls. <u>0.5</u>	Gas Mcf	Water Bbls. <u>12</u>
		Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
-------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------

B & B COOPERATIVE VENTURES
900 South 4th
Burlington, Ks 66839
620-364-1311
BIRK PETROLEUM LIC. #31280

DATE: 02/03/09	Lease: MERRITT
Operator: Birk Petroleum	Well No.: 16
900 South 4 th St.	API: 15-031-22391-0000
Burlington, Ks 66839	Description: 7-23-15E; 1625' FSL; 1585' FWL
Spud: 01/23/09 T.D.: 02/03/09 Complete: 02/04/09	County: Coffey

Formations	From	To	Formations	From	To
Top Soil	0	4	Shale	545	600
Clay	4	9	Lime	600	912
Sandstone	9	14	Shale	912	1100
Lime	14	15	Lime	1100	1107
Shale	15	19	Shale	1107	1143
Lime	19	23	Lime	1143	1145
Shale	23	32	Shale	1145	1170
Lime	32	33	Lime	1170	1180
Shale	33	41	Shale	1180	1197
Lime	41	43	Lime	1197	1208
Shale	43	62	Shale	1208	1218
Shale	62	91	Lime	1218	1221
Lime	91	102	Shale	1221	
Shale	102	105	Black Shale	1242	1246
Lime	105	107	Lime/Shale	1246	1250
Shale	107	130	Blue Shale	1253	1258
Lime	130	146	Gas Sand/Odor/Oil Sand	1259	1261
Shale	146	164	Oil Sand - Broken	1261	1282
Lime	164	170	Sandy Shale	1282	1320
Shale	170	196	T.D. 1320'		
Lime	196	200			
Shale	200	285			
Lime	285	293			
Shale	293	465			
Lime	465	494			
Shale	494	496			
Lime	496	523			
Shale	523	527			
Lime	527	545			

RECEIVED
KANSAS CORPORATION COMMISSION

MAR 09 2009

CONSERVATION DIVISION
WICHITA, KS

MERRITT #16 CON'T

Surface bit: 9 3/4" Length: 62' Size: 7" Cement: 16 sx circ. To surface
Drill bit: 6" T.D.: 1320' Long String: 2 7/8" @ 1317.79'

RECEIVED
KANSAS CORPORATION COMMISSION
MAR 09 2009
CONSERVATION DIVISION
WICHITA, KS

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLD TO:

SHIP TO:

BPM01
B & B COOPERATIVE VENTURES
5200 E. FOURTH ST.
BURLINGTON, KS
66839

B & B COOP VENTURES/BARK OIL
54 W TO 75 HWY N 1 MI TO 220TH
W 1/2 MI TO TRIS RD N 1/2 S MI E
9D
YATES CENTER, KS 66702

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
12:35:18p	WELL	8.00 yd	16.00 yd	0.00	BT 34	0.00	
DATE	LOAD #	YARDS DEL	BATCH #	WATER/TRIM	SLUMP	TICKET NUMBER	
03-04-09	2	16.00 yd	7979		4.00 in	22817	

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement! Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS! Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention! KEEP CHILDREN AWAY!

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/Hr.

PROPERTY DAMAGE RELEASE
(To be signed if delivery to be made inside curb line)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can; but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED _____ X

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By _____ GAL X

WEIGHMASTER _____

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY: _____ X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.00	WELL	WELL (10 SACKS PER UNIT)	69.00	552.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	Subtotal \$ 552.00	Tax % 5.300 29.26	Total \$ 581.26	Order \$ 1320.47
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER					
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE	ADDITIONAL CHARGE 1			
12:46	1:28	1:36			ADDITIONAL CHARGE 2			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	GRAND TOTAL			

RECEIVED
KANSAS CORPORATION COMMISSION
MAR 05 2009
CONSERVATION DIVISION
WICHITA KS

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS:
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER:
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLD TO:

B8001
B & B COOPERATIVE VENTURES
900 S. FOURTH ST.
BIRMINGHAM, MS
35209

SHIP TO:
B & B COOP VENTURES/PIPK OIL
14 W 10 75 N HWY N 1 MI 10 1/2 W 10 1/2
VATES CENTER, KS 66784

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
12:21:16p	WELL	8.00 yd	16.00 yd	0.00	BT 34	0.00	
DATE	LOAD #	YARDS DEL	BATCH #	WATER/TRIM	SLUMP	TICKET NUMBER	
02-04-09	1	8.00 yd	7978		4.00 in	22816	

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE releasing the driver, the supplier, and the company from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

X

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY

[Signature]

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.00	WELL	WELL (10 SACKS PER UNIT)	69.00	552.00
3.00	TRUCKING	TRUCKING CHARGE	50.00	150.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
12:46	1:28	1:36		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		

SubTotal \$	702.00
Tax @ 5.300	37.21
Total \$	739.21
Order \$	739.21
ADDITIONAL CHARGE 1	
ADDITIONAL CHARGE 2	
GRAND TOTAL	

RECEIVED
KANSAS CORPORATION COMMISSION
MAR 09 2009
CONSERVATION DIVISION
WICHITA, KS