

Operator Name: Ritchie Exploration, Inc. Lease Name: Wendling Well #: 5 Twin
 Sec. 19 Twp. 12 S. R. 20 East West County: Ellis

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

| | |
|--|---|
| Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: R A Guard Log | <input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum (See Attached Document) <div style="text-align: center;"> KCC MAR 06 2007 CONFIDENTIAL </div> |
|--|---|

| CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used | | | | | | | |
|---|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. | | | | | | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| Surface | 12 1/4" | 8 5/8" | 20# | 223' | 60/40 pozmix | 140 | 2% gel, 3% CC |
| Production | 7 7/8" | 5 1/2" | 14# | 3963' | 60/40 pozmix | 160 | 10% salt, 3% Gilsonite |
| | | | | | | | |

| ADDITIONAL CEMENTING / SQUEEZE RECORD | | | | |
|--|------------------|----------------|-------------|----------------------------|
| Purpose: | Depth Top Bottom | Type of Cement | #Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone | | | | |
| | | | | |

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) | Depth |
|----------------|---|---|-------|
| 3 | 3842' - 3849' (Marmaton) 06/94 (under CIBP @ 3825'-01/30/07) | 400 gal 15% MCA, 3000 gal MOD 202 (06/94) | |
| 3 | 3727'-3730', 3700'-3704', 3681'-3684' (LKC) 07/94 | 1500 gal 15% NE (07/94) | |
| 4 | 3745'-3750', 3575'-3578', 3538'-3540' (LKC) 01/07 | 2000 gal 15% NE & 20 perf balls (01/07) | |
| | | | |

| | | | | |
|---|-----------|--|-------------|---|
| TUBING RECORD | | Size Set At | Packer At | Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| | | 2 3/8" (Seal-Tite) | 3500' | |
| Date of First, Resumerd Production, SWD or Enh. | | Producing Method | | |
| 03/03/07 | | <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) | | |
| Estimated Production Per 24 Hours | Oil Bbbs. | Gas Mcf | Water Bbbs. | Gas-Oil Ratio Gravity |

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

RECEIVED
MAR 07 2007
KCC WICHITA

KCC

MAR 06 2007

Phone 9-3-483-2627; Russell, Kansas
Phone 316-793-5861, Great Bend, Kansas

Phone Plainville 913-434-2812
Phone Ness City 913-798-3843

CONFIDENTIAL

ALLIED CEMENTING CO., INC.

4004

Home Office P. O. Box 31

Russell, Kansas 67665

New

| | | | | | | | | | | | | | | | |
|---------------------|--------------------------------|-----|------------|-------------|-----|----------|-----------------|------------|---------|-------------|--------|-----------|--------|--------|-------|
| Date | 6-20-94 | Sec | 19 | Twp. | 12S | Range | 20W | Called Out | 12:15PM | On Location | 3:00PM | Job Start | 6:15PM | Finish | 7:00P |
| Lease | WENDLING TWIN | | Well No. | #5 | | Location | ELLIS 3N 12W 4N | | County | ELLIS | | State | KANSAS | | |
| Contractor | MURFIN DALL RIG #8 | | | | | Owner | Same | | | | | | | | |
| Type Job | PRODUCTION STRING (AFT COLLAR) | | | | | | | | | | | | | | |
| Hole Size | 7 7/8 | | I.D. | 3965 | | | | | | | | | | | |
| Csg. | 5 1/2 | | Depth | 3964 | | | | | | | | | | | |
| Tbg. Size | | | Depth | | | | | | | | | | | | |
| Drill Pipe | | | Depth | | | | | | | | | | | | |
| Tool JOINT | BAKER | | Depth | 1595' | | | | | | | | | | | |
| Cement Left in Csg. | AFU INSERT | | Shoe Joint | 16' 3950' | | | | | | | | | | | |
| Press Max. | | | Minimum | | | | | | | | | | | | |
| Meas Line | ✓ | | Displace | ✓ 9 1/2 BBL | | | | | | | | | | | |
| Perf. | | | | | | | | | | | | | | | |

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Charge To RITCHIE EXPLORATION INC.
Street 125 Market #1000
City Wichita State Kansas
The above was done to satisfaction and supervision of owner agent or contractor.

Purchase Order No. [Signature]
X [Signature]

500 GALL WFR 2 CEMENT
Amount Ordered 175 SK @ 60% 10% SALT 32 GIL

EQUIPMENT

| | | |
|--------------|----------|-------------|
| Pumptrk #177 | Cementer | [Signature] |
| | Helper | [Signature] |
| Pumptrk #160 | Cementer | |
| | Helper | |
| Bulktrk #160 | Driver | [Signature] |
| Bulktrk | Driver | |

| | | |
|---------------|-----------------------|-----|
| Consisting of | | |
| Common | 105 @ 5.75 | 603 |
| Poz Mix | 70 @ 3.00 | 210 |
| Sal. Salt | 14 @ 5.25 | 73 |
| Glasside | Glasside - 446# @ 39¢ | 173 |
| Quickset | | |
| WFR-2 | @ 1.00 | 500 |
| Sales Tax | | |

Handling @ 1.00 175
 Mileage 44.15 @ 1.70/mile 140

20 RECEIVED
 MAR 07 2007
 Sub Total
 Total 1876

| | | |
|--------------------------------|------------|---------|
| Floating Equipment | 5 1/2 CSG. | |
| 1 - GUIDE SHOE | | 125.00 |
| 1 - AFU INSERT | | 189.00 |
| 2 - BASKETS @ 127.00 | | 254.00 |
| 4 - TURBO CENTRALIZERS @ 56.00 | | 224.00 |
| 2 - CENTRALIZERS @ 56.00 | | 112.00 |
| 1 - BAKER PART COLLAR | | 1785.00 |
| | | 2100.00 |

| | | |
|--------------|---------------------|---------|
| DEPTH of Job | | |
| Reference: | Pump TRUCK CHRG | 980.00 |
| | 225 DOLLARS | 45.00 |
| | 1-5 1/2 RUBBER PLUG | 45.00 |
| | ROTATING HEAD | N/C |
| | Sub Total | |
| | Tax | |
| | Total | 1070.00 |

Remarks:
 FLOAT HEAD
 15 SK @ RATHOLE

KCC

MAR 06 2007

CONFIDENTIAL

Phone 913-483-2627, Russell, Kansas
Phone 316-793-5861, Great Bend, Kansas

Phone Plainville 913-434-2812
Phone Ness City 913-798-3843

ALLIED CEMENTING CO., INC.

4772

Home Office P. O. Box 31

Russell, Kansas 67665

new

| | | | | | | | | | | | | | | | |
|---------------------|----------------------|------------|-------|----------|------------------|--------|-------|------------|---------|-------------|---------|-----------|---------|--------|----------|
| Date | 6-27-94 | Sec. | 19 | Twp. | 12 | Range | 20 | Called Out | 7:00 AM | On Location | 8:30 AM | Job Start | 9:30 AM | Finish | 10:40 AM |
| Lease | Wendling | Well No. | 5-211 | Location | Edlis 3N 1 1/2 W | County | Edlis | State | Kansas | | | | | | |
| Contractor | Express Well Service | | | | | | | | | | | | | | |
| Type Job | Port collar | | | | | | | | | | | | | | |
| Hole Size | 7 7/8 | T.D. | | | | | | | | | | | | | |
| Csg. | 5 1/2 | Depth | 3964 | | | | | | | | | | | | |
| Tbg. Size | 2" | Depth | 1594 | | | | | | | | | | | | |
| Drill Pipe | | Depth | | | | | | | | | | | | | |
| Tool | Baker Puller | Depth | 1594 | | | | | | | | | | | | |
| Cement Left in Csg. | | Shoe Joint | | | | | | | | | | | | | |
| Press Max. | 1300 | Minimum | | | | | | | | | | | | | |
| Meas Line | | Displace | | | | | | | | | | | | | |
| Perf. | | | | | | | | | | | | | | | |

Owner Same

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Charge To Ritchie Exploration

Street 125 N. Meibach # 100

City Wichita State Kansas

The above was done to satisfaction and supervision of owner agent or contractor.

Purchase Order No. *[Signature]*

X *[Signature]*

CEMENT

| | | |
|----------------|------------------|-----------|
| Amount Ordered | 205 50/50 6% Gel | |
| Consisting of | 1/4 Flo Seal | |
| Common | 103 | 575 592. |
| Poz. Mix | 102 | 300 306. |
| Gel. | 11 | 9.00 99.0 |
| Chloride | | |
| Quickset | | |
| Flo Seal 51# | 110 | 56. |
| Handling | 1.00 | 205. |
| Mileage 20m | .04 | 164. |
| Sub Total | | 1422 |
| Total | | |

EQUIPMENT

| | | | |
|---------|---------|----------|----------|
| Pumptrk | No. 177 | Cementer | P. Davis |
| | | Helper | Will |
| Pumptrk | No. | Cementer | |
| | | Helper | |
| | | Driver | |
| Bulktrk | 291 | Driver | Stora |

DEPTH of Job

| | |
|------------------|--------|
| Reference: | 525 02 |
| 225 Per Mile 20m | 45.00 |
| Sub Total | 570.00 |
| Tax | |
| Total | |

Remarks:

Cement Cir.

RECEIVED

MAR 07 2007

KCC WICHITA

KCC

MAR 06 1997

CONFIDENTIAL

Phone 913-483-2627, Russell, Kansas
Phone 316-793-5861, Great Bend, Kansas

Phone Plainville 913-434-2812
Phone Ness City 913-798-3843

ALLIED CEMENTING CO., INC.

4003

Home Office P. O. Box 31

Russell, Kansas 67665

New

| Date | Sec | Twp. | Range | Called Out | On Location | Job Start | Finish |
|--------------------------------------|-----|----------------------------|--------------|--|-------------|---------------------|---------------------|
| 6-15-94 | 19 | 12 S | 20 W | 7:00 PM | 8:30 AM | 10:00 PM | 10:30 P |
| Lease <i>WENDLING TWIN</i> | | | Well No. # 5 | Location <i>ELLIS 3N 1 1/2 W</i> | | County <i>ELLIS</i> | State <i>KANSAS</i> |
| Contractor <i>MURFIN DRUG RIG #8</i> | | | | Owner <i>Same</i> | | | |
| Type Job <i>SURFACE</i> | | | | To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cement and helper to assist owner or contractor to do work as listed. | | | |
| Hole Size <i>12 1/4</i> | | T.D. <i>223'</i> | | Charge To <i>RITCHIE EXPLORATION INC.</i> | | | |
| Csg. <i>8 5/8 20 # NEW</i> | | Depth <i>223'</i> | | Street <i>125 N. Market # 1000</i> | | | |
| Tbg. Size | | Depth | | City <i>Wichita</i> State <i>Kansas</i> | | | |
| Drill Pipe | | Depth | | The above was done to satisfaction and supervision of owner agent or contractor. | | | |
| Tool | | Depth | | Purchase Order No. | | | |
| Cement Left in Csg. <i>15'</i> | | Shoe Joint | | <i>X Keith Van Pelt</i> | | | |
| Press Max. | | Minimum | | CEMENT | | | |
| Meas Line | | Displace <i>13 1/4 BBL</i> | | Amount Ordered <i>140 SK 6 9/40 2% Gel 3% C</i> | | | |
| Perf. | | | | Consisting of | | | |

EQUIPMENT

| No. | Cementer | Helper |
|--------------|----------|----------------|
| <i>#177</i> | | <i>Phillip</i> |
| | | <i>Will</i> |
| No. | Cementer | Helper |
| | | |
| Driver | | <i>Steve</i> |
| Bulktrk #282 | | |
| Bulktrk | | |

| Common | 575 | 4823 |
|-------------|-------------------------|------------|
| <i>84 @</i> | | |
| <i>56 @</i> | <i>300</i> | <i>168</i> |
| <i>2 @</i> | <i>900</i> | <i>180</i> |
| <i>4 @</i> | <i>2500</i> | <i>100</i> |
| Quickset | | |
| Handling | <i>@ 100</i> | <i>140</i> |
| Mileage | <i>42 / 20 / 4 mile</i> | <i>112</i> |
| Sub Total | | |
| Total | | <i>302</i> |

| Reference: | Amount |
|----------------------------|---------------|
| <i>Pump Truck CHRG.</i> | <i>430.00</i> |
| <i>225 Per Mile</i> | <i>45.00</i> |
| <i>1-8 5/8 WOODEN PLUG</i> | <i>42.00</i> |
| Sub Total | |
| Tax | |
| Total | <i>517.00</i> |

Remarks: *Cement Circulated*

[Signature]

Floating Equipment

RECEIVED

MAR 07 1997

KCC WICHITA