CONFIDENTIAL

KANSAS CORPORATION COMMISSION PIGNAL FOR

## **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Operator: License # 4767	API No. 15 - 065-23255-0000
Name: Ritchie Exploration, Inc.	County: Graham
Address: P.O. Box 783188	approx _S/2 - SE - NE Sec. 8 Twp. 9S S. R. 22 ☐ East ♥ West
City/State/Zip: Wichita, KS 67278-3188	2400 feet from S (N) circle one) Line of Section
Purchaser: NCRA WCC	750 feet from E W (circle one) Line of Section
Operator Contact Person: John Niemberger  Phone: (316) 691-9500  MAR 3 0	Footages Calculated from Nearest Outside Section Corner:
Phone: (316) 691-9500 MAR 3 U	(circle one) NE SE NW SW
Contractor: Name: WW Drilling LLC	Lease Name: Vesper-Brandyberry Well #: 1
License: 33575	Field Name:
Wellsite Geologist: Mike Engelbrecht	Producing Formation: LKC
Designate Type of Completion:	Elevation: Ground: 2296 Kelly Bushing: 2301
New Well Re-Entry Workover	Total Depth: 4016 Plug Back Total Depth: 3974
✓ Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 237 Feet
Gas ENHR SIGW	
	1914
Dry Other (Core, WSW, Expl., Cathodic, etc)	
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 1814  feet depth to surface w/ 300 sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan Aft 71 NH10-30-08
Original Comp. Date:Original Total Depth:	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 39000 ppm Fluid volume 950 bbls
Plug BackPlug Back Total Depth	Dewatering method used_evaporation
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name:
Other (SWD or Enhr.?) Docket No	Lease Name: License Li
12/6/06 12/14/06 12/14/06	,
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec Twp \$\frac{\text{APR} \ 0 - 2 \ 2007}{\text{Double ast}} \tag{\text{West}}
Total Paris Tale	County: Docket No.:
	KCC WICHITA
Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	
	ate the oil and gas industry have been fully complied with and the statements
herein are complete and correct to the best of my knowledge.	
Signature	KCC Office Use ONLY
Production Manager Date: 3/30/07	Letter of Confidentiality Received
2)>2 1/2	If Denied, Yes Date:
Subscribed and swell 19 below 110 tills and stay of	Wireline Log Received
$\frac{1}{20}$	Geologist Report Received
Notary Public: Julia A Thill	UIC Distribution
Date Commission Expires: 5/4/07	
DEBRA K. PH Notary Public - State My Appt. Expires 5/4/6	IILLIPS of Kansas

Operator Name: Rite	chie Exploration,	Inc.		Leas	e Name:	/esper-Bran	dyberry	. Well #: 1	
	9S S. R. 22		✓ West		ty: Graha				
tested, time tool ope temperature, fluid re	how important tops a in and closed, flowing covery, and flow rate is surveyed. Attach f	g and shut s if gas to	-in pressures, surface test, a	whether :	shut-in pre	ssure reached	static level, hydros	static pressu	
Drill Stem Tests Take		<b>∠</b> Ye	es No			og Format	ion (Top), Depth ar	nd Datum	✓ Sample
Samples Sent to Ge	ological Survey	✓ Ye	es 🗌 No		Nam	е		Тор	Datum
Cores Taken Electric Log Run (Submit Copy)		Y€				SEE /	ATTACHED		KCC
List All E. Logs Run:								MAR	3 0 2007
Compensated Dual Induction Correlation Lo	•	on Log							
J		Repo		RECORD		w Used ermediate, produc	ction, etc.		
Purpose of String	Size Hole Drilled		e Casing (In O.D.)		eight s. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4	8-5/8		24		237	common	160	3%cc, 2% gel
Production	7-7/8	4-1/2		10.5		4005	60/40 pozmix	175	10% sait,2% gel83/4% CD-3
			ADDITIONAL	CEMENT	TING / SOI	JEEZE RECORI			
Purpose:  —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Туре	of Cement		ks Used	JEEZE NIEGON		ercent Additive	
Shots Per Foot			D - Bridge Plug Each Interval Per		е		acture, Shot, Cement mount and Kind of Ma		ord Depth
4	3740' - 3744', 3726'	- 3729', 3	702' - 3706', 36	647.5' 362	22' (LKC)	C) 1000 gals 15% NE			
RECEIVED					CEIVED				
								APR	2 0 2 2007
					·····			KCC	WICHITA
TUBING RECORD 2-	Size -3/8	Set At 3967'		Packer	At	Liner Run	Yes V No		
Date of First, Resume	rd Production, SWD or I	Enhr.	Producing Met	hod	Flowing	g 📝 Pump	ing Gas Lift	Oth	ner (Explain)
Estimated Production Per 24 Hours	0il 5	Bbls.	Gas	Mcf	Wate	er E	Bbls. G	as-Oil Ratio	Gravity 36
Disposition of Gas	METHOD OF 0	COMPLETIC	)N	L		Production Inte	rval		<del>(2. 1 m) - m) - m, - m, - m, - m, - m, - m, -</del>
Vented Sold	Used on Lease		Open Hole Other (Spec	ify)	orf. 🔲 C	Dually Comp.	Commingled		



## #1 Vesper-Brandyberry

2400' FNL & 750' FEL 90'S & 90'W of S/2 SE NE Section 8-9S-22W Graham County, Kansas API# 15-065-23255-0000

Elevation: 2296' GL, 2301' KB

			Ref
Sample Tops			Well
Anhydrite	1855'	+446	+19
B/Anhydrite	1887'	+414	+19
Heebner	3534'	-1233	+17
Lansing	3572'	-1271	+16
Muncie Shale	3692'	-1391	+16
Lansing "J"	3750'	-1449	+12
Arbuckle	3951'	-1650	N/A
RTD	4016'	-1715	

KCC Mar 3 o 2007 Coxificational

RECEIVED

APR U 2 2007

KCC WICHITA

## ALLIED CEMENTING CO., INC. 24482

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	SERVICE POINT:	4
DATE 8 95 22W	ALLED OUT ON LOCATION JOB START JOB FINISH 1:30 AM 5:15 pm 6:000 m	-
OLD OR NEW Circle one)  LOCATION HELL C	Sy 26-55 Gunna RS	
CONTRACTOR WHU Dals 46 TYPE OF JOB Production String	OWNER SAME	
HOLE SIZE 7 % T.D. 40 (6) CASING SIZE 4 12 10 2 DEPTH 4 004 TUBING SIZE DEPTH	CEMENT  AMOUNT ORDERED 190 60/40 20000000000000000000000000000000000	
DRILL PIPE         DEPTH           TOOL         DEPTH           PRES. MAX         MINIMUM	COMMON 114 @ 12 1390	
MEAS. LINE SHOE JOINT 2 ( CEMENT LEFT IN CSG. 2)	POZMIX 76 @ 6 5 463 60 GEL 3 @ 16 5 49 95	
PERFS.  DISPLACEMENT 63,338815  EQUIPMENT	CHLORIDE	
PUMPTRUCK CEMENTER +6224	SALT 10 cut@ 19 19200 CD-31 122# @ 730 91500	
# 102 HELPER Jaccod BULK TRUCK # DRIVER Alan	WFR.II 500 @ 100 5000	
BULK TRUCK # DRIVER	HANDLING 21 0 40 410 00 MILEAGE 07 58 24 10 1458 00	
MIN LOUMD SOUGAL WART	TOTAL 5379 75	Maa
My L pump 1755Ks, wash	DEPTH OF JOB 4004	MAR 3 0 2007
plus to insent. Licipiess	PUMP TRUCK CHARGE 167 S COEXTRA FOOTAGE @	CONFIDENTIAL
Plus down @ S:45pm Thanks Kozz44	MANIFOLD + Hrad @ 10000	
CHARGETO: Pitchie Explantion J	Cre() @  NC. TOTAL 2325	
CITYSTATEZIP	PLUG & FLOAT EQUIPMENT	
4115	1. Port Collar (B) 1600 1. ATU Tusent @ 21500	
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment	7- Turbolizers @5552 38550 2. BASKITS @1302 2600	RECEIVED
and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or	1- 10664A plus @ 4500	APR U 2 <sub>2007</sub> KCC WICHITA
contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.	TAX	NOC WICHITA
4/	DISCOUNT IF PAID IN 30 DAYS	
SIGNATURE Mono AAL	-5-	
	PRINTED NAME	

## ALLIED CEMFNITING ÇO., INC. 33217

REMITTO P.O. BOX'31 '' RUSSELL, KANSAS 67665	4	SERVICE PONT:	0000	
DATE 12-6-06 SEC. TWP. RANGE 21	CALLED OUT ON LOCA	Fin	JOB EINISH	
V 7 : 0	042655	County Chapem	STATE	
CONTRACTOR wg 6 *6	OWNER		· · · · · · · · · · · · · · · · · · ·	
TYPE OF JOB  Size 124 T.D. 235  CASING SIZE 8 DEPTH 237	CEMENT AMOUNT ORDERED			
TUBING SIZE DEPTH DRILL PIPE DEPTH	1501h Com 3	`2		
TOOL         DEPTH           PRES. MAX         MINIMUM           MEAS. LINE         SHOE JOINT	COMMON_/60	@	1704.00	
CEMENT LEFT IN CSG. /5" PERFS. DISPLACEMENT /4.	GEL 3 CHLORIDE 5 ASC	@ 46,60	233.00	
EQUIPMENT		@ @		
PUMP TRUCK CEMENTER B:// # 409 HELPER Adagge BULK TRUCK		@ 		·
# 378 DRIVER BRIGG. BULKTRUCK # DRIVER	HANDLING 168	@ @	31922	
REMARKS:	· MILEAGE		1134 °C	
Ran 5 St. of 8 Frate 237		SERVICE		W.Co.
Remoder bbs of water	DEPTH OF JOB PUMP TRUCK CHARG		815.00	MAR 3 0 2007
Centdid Cits	— MANIFOLD	5 @ <u>6,00</u>		CCXFIDENTIA
CHARGE TO: Ritchie Explac		@		
STREET STATE ZIP	DITIC 8-	TOTA FLOAT EQUIPME		
				RECEIVED
To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment	FY and play	@@ 	C0.00	APR 0 2 2000 KCC WICHIT
and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work wa done to satisfaction and supervision of owner agent or	S.	@	1. <u>lod</u> 00	KCC WICHIT
contractor. I have read & understand the "TERMS AN CONDITIONS" listed on the reverse side.				
	DISCOUNT	IF PA	AID IN 30 DAYS	
SIGNATURE 2	Byle Linde	PRINTED NAME		

ALLIED CEMENTING CO., INC. 26089 REMIT TO EO. BOX 31 SERVICE POINT: RUSSELL, KANSAS 67665 JOB START 10.30 CALLED OUT ON LOCATION JOB FINISH RANGE 22 DATE 12-18-06 ILT45 STATE COUNTY WELL# LOCATION WILLIAM 2/2E 4/25 MD OR NEW)(Circle one) CONTRACTOR Chitas wer OWNER TYPE OF JOB Port Collar 115ed 3005X CEMENT HOLE SIZE AMOUNT ORDERED 450 6/40 6/60 el # 1/4 Flo CASING SIZE 4/2 **DEPTH** TUBING SIZE DEPTH DRILL PIPE DEPTH DEPTH 18LS TOOL EXPENT @ 1065 120 PRES. MAX **MINIMUM** COMMON 120 MEAS. LINE SHOE JOINT POZMIX CEMENT LEFT IN CSG. GEL @ PERFS. **CHLORIDE** @ DISPLACEMENT ASC @ 75<sup>th</sup> <u>Flaseal</u> @ EQUIPMENT @ @ PUMP TRUCK CEMENTER Caiq @ # 409 HELPER Adrian @ BULK TRUCK @ # 396 DRIVER BOOK @ **BÜLK TRUCK** DRIVER 25870 HANDLING 473 @ \_ 340560 94 ISK/MIE MILEAGE. 13/7 05 REMARKS: Testaltan 1200ps: Broke Circulation

Mix 30005x DSplace 7BL Cement Circulates	SERVICE	,
TOTAL STATE OF THE	DEPTH OF JOB PUMP TRUCK CHARGE	955
Tranks!	EXTRA FOOTAGE@  MILEAGE@  MANIFOLD@	480
CHARGE TO: Ritchie		TOTAL <u>1435°</u>
CITYSTATEZIP	PLUG & FLOAT E	OUIPMENT

KCC MAR 3:0, 2007 CONFIDENTIAL

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

	17	1.1.1	1
IGNATURE	More	HAZ	
IONAL UNIS	1141111	7/8/7/_	

	@
	@
	@
	@·
	1
	TOTAL
TAX	<u> </u>
TOTAL CHARGE	
DISCOUNT	IF PAID IN 30 DAYS
	,

PRINTED NAME

RECEIVED
APR U 2 2007
KCC WICHITA