Kuerdad

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1 September 1999 Form Must Be Typed

WICHITA. KS

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33019	API No. 15 - 023-20545-0000
Name: Rosewood Resources, Inc.	County: Cheyenne
Address: 2711 N. Haskell Ave., Suite 2800, LB 22	NE_NE_NW_SW Sec. 16 Twp. 2 S. R. 42 East West
City/State/Zip: Dallas, TX 75201	2572 feet from S / N (circle one) Line of Section
Purchaser:	1175 feet from E / (Circle one) Line of Section
Operator Contact Person: Tom Roelfs	Footages Calculated from Nearest Outside Section Corner:
Phone: (_970) _324-1686	(circle one) NE SE NW (SW)
Contractor: Name: Advanced Drilling Technologies LLC	Lease Name: Moore Well #: 1-16
License: 33532	Field Name: Cherry Creek
Wellsite Geologist: Steven VonFeldt	Producing Formation: Niobrara
Designate Type of Completion:	Elevation: Ground: 3707' Kelly Bushing: 3713'
✓ New Well Re-Entry Workover	Total Depth: 1885' Plug Back Total Depth: 1871'
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 285' csg @ 291' Feet
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tosx cmt//, /
Well Name:	feet depth tow/sx cmt/6/09
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 5000 ppm Fluid volume 220 bbls
Plug Back Plug Back Total Depth	Dewatering method used Evaporation
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
01/01/2004 01/02/2004 01/30/2004	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workove information of side two of this form will be held confidential for a period of 1	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING . Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulaterin are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements
Signature: Januel Gerver	KCC Office Use ONLY
Title: Production ASt. Date: 3/11/09	Letter of Confidentiality Received
Subscribed and sworn to before me thisday of	If Denied, Yes Date:
-09	Wireline Log Received
ZOUL. KALLERANDA	Geologist Report Received RECEIVED WANSAS CORPORATION COMMISSION
Notary Public: JULIUS VIII	UIC Distribution
Date Commission Expires:) (6-3-09)	A NOTARY PUBLIC - State of Kansas MAR 2 7 2009
	My Appt. Exp. 6-3-01 CONSERVATION DIVISION
	CONSERVATION DIVISION

Operator Name: Rosewood Resources, Inc.				ease Name: Moore		Well #: 1-16				
		East West	County	: Cheyenne						
ested, time tool ope emperature, fluid re	n and closed, flowing covery, and flow rate	and base of formations g and shut-in pressures s if gas to surface test, final geological well site	, whether shalong with f	ut-in pressure read	ched static le	vel, hydrosta	tic pressur	es, botto	m hole	
Drill Stem Tests Taken Yes V No (Attach Additional Sheets)				Log Fo	rmation (Top)	op), Depth and Datum] Sample	
Samples Sent to Geological Survey ☐ Yes ✓ No			Name		Тор		I	Datum		
Cores Taken Electric Log Run (Submit Copy)	\	Yes No		Niobrara	rara 1654			КВ		
list All E. Logs Run:					:					
Platform Expr GR	ess Resitivity,	Porosity, Densi	ty ML-							
			G RECORD	✓ New Use			1			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weig		g T	Type of # Sacks Type and F		and Percent dditives		
Surface	9 7/8"	7"	17#	291'	Neat	₹1	25	3% cc, flowseal		
Production	oduction 4 1/2"		10.5#	1871'	50/50	Poz 🔭	5	10% salt, gilsoni		
,										
**************************************		ADDITIONA	L CEMENTII	NG / SQUEEZE REC	CORD		·			
Purpose: Perforate	Depth Top Bottom	Type of Cement	#Sacks	Used	Type and Percent Additives					
Protect Casing Plug Back TD									-	
Plug Off Zone							;	.,		
	OFFICE	JON DECORD BUILD BY			4.5					
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				ACI	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth					
2	1655' TO 1689'		···	Frac w/4	8,649 gals M	iavFoam, 10	0,000#, 16	5/30		
				Brady sd, 292,000 scf N2						
							Kans	AS COR	ORATION COM	
								MAR	2 7 2009	
					:				1	
TUBING RECORD	Size	Set At	Packer A	t Liner Run	Yes	✓ No			VATION DIVISI ICHITA, KS	
Date of First, Resumer	d Production, SWD or E	Enhr. Producing M	_	☑ Flowing ☐ F	Pumping	Gas Lift	Othe	er (Explain	,	
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Water	Bbls.	Gas-	Oil Ratio		Gravity	
	none	30		None						
Disposition of Gas	METHOD OF (JUMPLEHUN		Production	ımterval					