

**CONFIDENTIAL**

**ORIGINAL**

4/23/08

**KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Form ACO-1  
September 1999  
Form Must Be Typed

Operator: License # 5447  
Name: OXY USA Inc.  
Address: P.O. Box 2528  
City/State/Zip: Liberal, KS 67905  
Purchaser: \_\_\_\_\_  
Operator Contact Person: Rafael Bacigalupo  
Phone: (620) 629-4229  
Contractor: Name: \_\_\_\_\_  
License: \_\_\_\_\_  
Wellsite Geologist: \_\_\_\_\_  
Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl, Cathodic, etc)  
If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. To Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_  
08/04/05 11/5/07 08/16/05 01/05/2007  
Spud Date or  Date Reached TD  Completion Date or  
Recompletion Date  Recompletion Date

API No. 15 - 175-21993-00-01  
County: Seward  
SE - NE Sec 18 Twp. 34 S. R. 33W  
1980 feet from S  (circle one) Line of Section  
660 feet from  (circle one) W Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
(circle one)  NE  SE  NW  SW  
Lease Name: Tucker D Well #: 1  
Field Name: Salley  
Producing Formation: Morrow/Chester  
Elevation: Ground: 2883 Kelly Bushing: 2894  
Total Depth: 6723 Plug Back Total Depth: 6167  
Amount of Surface Pipe Set and Cemented at 1680 feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to ALF I Dig - 6/20/08 sx cmt.

Drilling Fluid Management Plan  
(Data must be collected from the Reserve Pit)  
Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R.  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 6702, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: \_\_\_\_\_  
Title: Capital Project Date 04/23/2007  
Subscribed and sworn to before me this 23<sup>rd</sup> day of April  
20 07  
Notary Public: \_\_\_\_\_  
Date Commission Expires: November 8, 2010

NOTARY PUBLIC - State of Kansas  
KATHLEEN R. POULTON  
My Appt. Exp. 11-8-10

**KCC Office Use Only**  
 Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

**RECEIVED**  
KANSAS CORPORATION COMMISSION  
**APR 25 2007**

CONSERVATION DIVISION  
WICHITA, KS

ORIGINAL

Side Two

Operator Name: OXY USA Inc. Lease Name: Tucker D Well #: 1

Sec. 18 Twp. 34 S. R. 33W  East  West County: Seward

**Instructions:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

|  |   |       |     |       |       |      |     |           |      |      |         |      |       |         |      |       |         |      |       |         |      |       |             |      |       |
|--|---|-------|-----|-------|-------|------|-----|-----------|------|------|---------|------|-------|---------|------|-------|---------|------|-------|---------|------|-------|-------------|------|-------|
| <p>Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No<br/><i>(Attach Additional Sheets)</i></p> <p>Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No<br/><i>(Submit Copy)</i></p> <p>List All E. Logs Run:      Neutron                  Induction<br/>                                     Sonic                                  Microlog                  CBL<br/>                                     TracerScan                  Geological Report</p> | <p><input checked="" type="checkbox"/> Log      Formation (Top), Depth and Datum      <input type="checkbox"/> Sample</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;">Name</td> <td style="width: 20%;">Top</td> <td style="width: 20%;">Datum</td> </tr> <tr> <td>Chase</td> <td>2655</td> <td>233</td> </tr> <tr> <td>Wabâunsee</td> <td>3479</td> <td>-591</td> </tr> <tr> <td>Shawnee</td> <td>3962</td> <td>-1074</td> </tr> <tr> <td>Heebner</td> <td>4353</td> <td>-1465</td> </tr> <tr> <td>Toronto</td> <td>4371</td> <td>-1483</td> </tr> <tr> <td>Lansing</td> <td>4481</td> <td>-1593</td> </tr> <tr> <td>Kansas City</td> <td>4762</td> <td>-1874</td> </tr> </table> <p>(See Side Three)</p> | Name  | Top | Datum | Chase | 2655 | 233 | Wabâunsee | 3479 | -591 | Shawnee | 3962 | -1074 | Heebner | 4353 | -1465 | Toronto | 4371 | -1483 | Lansing | 4481 | -1593 | Kansas City | 4762 | -1874 |
| Name   | Top   | Datum |     |       |       |      |     |           |      |      |         |      |       |         |      |       |         |      |       |         |      |       |             |      |       |
| Chase  | 2655  | 233   |     |       |       |      |     |           |      |      |         |      |       |         |      |       |         |      |       |         |      |       |             |      |       |
| Wabâunsee  | 3479  | -591  |     |       |       |      |     |           |      |      |         |      |       |         |      |       |         |      |       |         |      |       |             |      |       |
| Shawnee  | 3962  | -1074 |     |       |       |      |     |           |      |      |         |      |       |         |      |       |         |      |       |         |      |       |             |      |       |
| Heebner  | 4353  | -1465 |     |       |       |      |     |           |      |      |         |      |       |         |      |       |         |      |       |         |      |       |             |      |       |
| Toronto  | 4371  | -1483 |     |       |       |      |     |           |      |      |         |      |       |         |      |       |         |      |       |         |      |       |             |      |       |
| Lansing  | 4481  | -1593 |     |       |       |      |     |           |      |      |         |      |       |         |      |       |         |      |       |         |      |       |             |      |       |
| Kansas City  | 4762  | -1874 |     |       |       |      |     |           |      |      |         |      |       |         |      |       |         |      |       |         |      |       |             |      |       |

| CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used |                   |                           |                 |               |                |              |                            |
|---|-------------------|---------------------------|-----------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc.           |                   |                           |                 |               |                |              |                            |
| Purpose of String   | Size Hole Drilled | Size Casing Set(in. O.D.) | Weight Lbs./ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| Conductor   |                   |                           |                 |               | C              |              |                            |
| Surface   | 12 1/4            | 8 5/8                     | 24              | 1680          | C              | 555          | 35/65 Poz + Additives      |
|   |                   |                           |                 |               | C              | 195          | Class C + Additives        |
| Production  | 7 7/8             | 4 1/2                     | 10.5            | 6712          | H              | 320          | 50/50 Lite + Additives     |

**ADDITIONAL CEMENTING / SQUEEZE RECORD**

| Purpose:                                | Depth Top Bottom | Type of Cement | #Sacks Used | Type and Percent Additives |
|---|------------------|----------------|-------------|----------------------------|
| <input type="checkbox"/> Perforate      |                  |                |             |                            |
| <input type="checkbox"/> Protect Casing | -                |                |             |                            |
| <input type="checkbox"/> Plug Back TD   |                  |                |             |                            |
| <input type="checkbox"/> Plug off Zone  | -                |                |             |                            |

| Shots Per Foot | PERFORATION RECORD – Bridge Plugs Set/type<br>Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record<br>(Amount and Kind of Material Used) | Depth |
|----------------|---|---|-------|
| 4              | 6177-6218   |   |       |
| 8              | 6071-6094   |   |       |
|                |   |   |       |
|                |   |   |       |

|   |               |   |                 |  |
|---|---------------|---|-----------------|--|
| TUBING RECORD   | Size<br>2 3/8 | Set At<br>6244  | Packer At       | Liner Run<br><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Date of First, Resumed Production, SWD or Enhr.<br>01/09/2007 |               | Producing Method<br><input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) |                 |  |
| Estimated Production Per 24 Hours                             | Oil BBLS<br>0 | Gas Mcf<br>266  | Water Bbls<br>2 | Gas-Oil Ratio<br>Gravity   |

|  |   |  |
|--|---|--|
| Disposition of Gas<br><input type="checkbox"/> Vented <input checked="" type="checkbox"/> Sold <input type="checkbox"/> Used on Lease<br><i>(If vented, Submit ACO-18)</i> | METHOD OF COMPLETION<br><input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input checked="" type="checkbox"/> Commingled<br><input type="checkbox"/> Other (Specify) _____ | Production Interval<br><input checked="" type="checkbox"/> Commingled <u>6177-6218</u><br><u>6071-6094</u> |
|--|---|--|

# CONFIDENTIAL

Side Three

Operator Name: OXY USA Inc. Lease Name: Tucker D Well #: 1  
Sec. 18 Twp. 34 S. R. 33W  East  West County: Seward

| <u>Name</u>       | <u>Top</u> | <u>Datum</u> |
|-------------------|------------|--------------|
| Marmaton          | 5212       | -2324        |
| Cherokee          | 5453       | -2565        |
| Atoka             | 5636       | -2748        |
| Morrow            | 5829       | -2941        |
| Lower Morrow Sand | 6072       | -3184        |
| Chester C         | 6123       | -3235        |
| Chester B         | 6233       | -3345        |
| Chester A         | 6360       | -3472        |
| St. Genevieve     | 6474       | -3586        |

KCC  
APR 23 2007  
CONFIDENTIAL

RECEIVED  
KANSAS CORPORATION COMMISSION

APR 25 2007

CONSERVATION DIVISION  
WICHITA, KS

4/23/08



OXY USA Inc.  
1701 N. Kansas  
P.O. Box 2528  
Liberal, Kansas 67905

April 23, 2007

Kansas State Corporation Commission  
Conservation Division, Finney State Office Building  
130 S. Market, Room 2078  
Wichita, KS 67202-3802

KCC  
APR 23 2007  
CONFIDENTIAL

RE: Tucker D-1  
NE/4 S-18 R-34S T-33W  
Seward County, Kansas

Dear Sir:

**Please file confidential.** Enclosed herewith please find ACO-1 for subject well, which was recently commingled.

If there are any questions or you require further information, please contact me at the above address or by phone at (620) 629-4229.

Sincerely,

Rafael Bacigalupo  
Capital Projects

Enclosure

Cc: OXY - Houston  
OXY - Well File

RECEIVED  
KANSAS CORPORATION COMMISSION  
APR 25 2007  
CONSERVATION DIVISION  
WICHITA, KS