#### For KCC Use: 5-3-2009 Effective Date: District #

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commence

widst be approved by NOO live	,-,,- <sub> </sub> ,
Expected Spud Date: May 18, 2009 month day year	Spot Description:
	_ <u>SE _ SE _ SE _ Sec. 36 Twp. 29 S. R. 16 </u>
OPERATOR: License#	feet from N / X S Line of Section
Name: Dakota Production Company Inc.	feet from X E / W Line of Section
Address 1: 112 S. 5th	Is SECTION: Regular Irregular?
Address 2:         State: KS         Zip: 66757         +	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Dick Cornell	County: Wilson
Phone: 620-432-1073	Lease Name: J. Newland Well #: 36-2 Field Name: Neodesha
CONTRACTOR: License# 33072	<del></del>
Name: Well Refined Drilling Co., Inc.	Is this a Prorated / Spaced Field?  Target Formation(s): Mississippi  Yes X No
	Nearest Lease or unit boundary line (in footage): 350'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: NA feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary  Disposal Wildcat Cable	Public water supply well within one mile:
Seismic : # of Holes Other	Depth to bottom of fresh water: 100+
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe (if any): NA
Well Name:	Projected Total Depth: 1150'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippi
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
If Yes, true vertical depth:	Well Farm Fond Other:
Bottom Hole Location:	DWR Permit #:  (Note: Apply for Permit with DWR 1)
KCC DKT #:	
KCC DKT #:	Will Cores be taken?  Yes No If Yes, proposed zone:
KCC DKT #:	Will Cores be taken?  If Yes, proposed zone:
	Will Cores be taken?  If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.
AFFI	Will Cores be taken?
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:   DAVIT ging of this well will comply with K.S.A. 55 et. seq.  APR 2 7 2009
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:   DAVIT ging of this well will comply with K.S.A. 55 et. seq.  APR 2 7 2009
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken?  If Yes, proposed zone:  DAVIT ging of this well will comply with K.S.A. 55 et. seq.  APR 2 7 2009  drilling rig; y circulating cement to the top; in all cases surface p  CCC WICHITA
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  DAVIT ging of this well will comply with K.S.A. 55 et. seq.  APR 2 7 2009  drilling rig; y circulating cement to the top; in all cases surface p  CCC WICHITA underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge	Will Cores be taken?  If Yes, proposed zone:  PAVIT  ging of this well will comply with K.S.A. 55 et. seq.  APR 2 7 2009  drilling rig;  y circulating cement to the top; in all cases surface phocal which is underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate distriction of the plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  APR 2 7 2009  drilling rig;  y circulating cement to the top; in all cases surface phocal will be considered and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate distriction of the plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	Will Cores be taken?  If Yes, proposed zone:  PAVIT  ging of this well will comply with K.S.A. 55 et. seq.  APR 2 7 2009  drilling rig;  y circulating cement to the top; in all cases surface phocal which the content is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be proceed to the standard of the sta	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  APR 2 7 2009  drilling rig;  y circulating cement to the top; in all cases surface phocal which the conclusion of the co
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pure the statements made herein are true and correct to the best of the statements of the statement of the state	Will Cores be taken?  If Yes, proposed zone:  PAVIT  ging of this well will comply with K.S.A. 55 et. seq.  APR 2 7 2009  drilling rig;  y circulating cement to the top; in all cases surface processory prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be proceed to the standard of the sta	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  APR 2 7 2009  drilling rig;  y circulating cement to the top; in all cases surface phocal which the conclusion of the co
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pure the statements made herein are true and correct to the best of the statements of the statement of the state	Will Cores be taken?  If Yes, proposed zone:  PAVIT  ging of this well will comply with K.S.A. 55 et. seq.  APR 2 7 2009  drilling rig;  y circulating cement to the top; in all cases surface phocar wilderlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Title:  Agent
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the statements of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be proposed in the statements made herein are true and correct to the best of the complete within 30 days of Operator or Agent:    Signature of Operator or Agent:   COMPLETION   COMPLE	Will Cores be taken?  If Yes, proposed zone:  PAVIT  ging of this well will comply with K.S.A. 55 et. seq.  APR 2 7 2009  drilling rig;  y circulating cement to the top; in all cases surface phocal wide HITA underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed.  I hereby certify that the statements made herein are true and correct to the best of the complete to the statements of the operator of Agent:  For KCC Use ONLY  API # 15 - 205 - 27708 - 00 - 00	Will Cores be taken?  If Yes, proposed zone:    Percent
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of the superior of the set of the well is a through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the	Will Cores be taken?  If Yes, proposed zone:  PAVIT  ging of this well will comply with K.S.A. 55 et. seq.  APR 2 7 2009  drilling rig;  y circulating cement to the top; in all cases surface phocal wide HITA underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of the superior of the set of the well is either plugge of the superior and the district office will be notified before well is either plugge of the superior of the superior of the well shall be greatly to the superior of the well shall be greatly that the statements made herein are true and correct to the between the operator or Agent:    Signature of Operator or Agent:   Signat	Will Cores be taken?  If Yes, proposed zone:    Pes   No
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and correct to the best of the statements of the provided statements of the	Will Cores be taken?  If Yes, proposed zone:  PAVIT  ging of this well will comply with K.S.A. 55 et. seq.  APR 2 7 2009  drilling rig;  y circulating cement to the top; in all cases surface phocal wide HITA underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and correct to the best of the statements of the provided statements of the	Will Cores be taken?  If Yes, proposed zone:    Pavit
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of the superior of the set of the well is either plugge of the superior and the district office will be notified before well is either plugge of the superior of the superior of the well shall be greatly to the superior of the well shall be greatly that the statements made herein are true and correct to the between the operator or Agent:    Signature of Operator or Agent:   Signat	Will Cores be taken?  If Yes, proposed zone:    Pavit   Received
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distriction of the appropriate distriction of the eight of the well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the best of the set of the statements of the operator of Agent:    For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:    Pavit

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27768-00-00	
Operator: Dakota Production Company Inc.	Location of Well: County: Wilson
Lease: J. Newland	350 feet from N / N S Line of Section
Well Number: 36-2	350 feet from E / W Line of Section
Field: Neodesha	Sec. 36 Twp. 29 S. R. 16 X E W
Number of Acres attributable to well: 80  QTR/QTR/QTR/QTR of acreage: _ SE _ SE _ SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

								RECEIVED APR 2 7 2009
	,	: :				· · · · · · · · · · · · · · · · · · ·		KCC WICHITA
						:		
			-3	6				EXAMPLE
	•••••	•••••			•••••	,,		1980
					•••••			3390
					,		350	
NOTE: In	all cases	locate the	spot of t	he propos	ed drillin		烟	SEWARD CO.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Dakota Production Company Inc.			License Number: 32109
Operator Address: 112 S. 5th			Neodesha KS 66757
Contact Person: Dick Cornell			Phone Number: 620-432-1073
Lease Name & Well No.: J. Newland	36-	Pit Location (QQQQ):	
Type of Pit:	Pit is:		SESESE
Emergency Pit Burn Pit	Proposed Existing		Sec. 36 Twp. 29 R. 16 East West
Settling Pit Drilling Pit	If Existing, date constructed:		350 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		350 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	500	(bbls)	Wilson County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l
	A (15 / 11 / 12 / 2		(For Emergency Pits and Settling Pits only)
is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  Natural Clay and Earth
Pit dimensions (all but working pits):			Width (feet) N/A: Steel Pits
			E
			edures for periodic maintenance and determining ncluding any special monitoring.
Distance to nearest water well within one-mile	e of pit		owest fresh waterfeet.
Source of it			rmation:  ured well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
		Type of materi	al utilized in drilling/workover: Fresh Water
		rking pits to be utilized:1	
Barrels of fluid produced daily: Abandonment		procedure: Allow to Dry, Level Surface	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits mu		Drill pits must	be closed within 365 days of spud date.
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  RECEIVED			
4/23/09			Signature of Applicant (Agent) KCC WICHITA
	ксс	OFFICE USE O	NLY Steel Pit RFAC RFAS
Date Received: 4/21/09 Permit Nun	nber:	Perm	nit Date: 4/21/09 Lease Inspection: Yes KNo