### For KCC Use: Effective Date: District #

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Expected Spud Date: 4-4-2009	Spot Description:
month day year	NE - SW - SW - Sec. 35 Twp. 29 S. R. 12 XE W
OPERATOR: License# 32967 V	(0/0/0/0) 1,155 feet from N / X S Line of Section
Name: Leslie Wolfe	495 feet from E / X W Line of Section
Address 1: 208 Stephens Street	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Peru State: ks Zip: 67360 +	County: Elk
Contact Person: Leslie Wolfe	Lease Name: Thomas Well #: 2
Phone: 620-330-3382	Field Name: Bushy Long for North
CONTRACTOR: License# Unknown Must be licensed by KCC.	Is this a Prorated / Spaced Field?
Name: Advise on ACO-1	Target Formation(s): Layton
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation: 1073 est feet MSL
XOII Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 256-150
Other:	Depth to bottom of usable water: 200225
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator: NA	Length of Conductor Pipe (if any): NONE
Well Name: NA	Projected Total Depth: 1000
Original Completion Date: NA Original Total Depth: NA	Formation at Total Depth: 900 Layton
/	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth: NA	DWR Permit #: NA
Bottom Hole Location: NA	( <b>Note:</b> Apply for Permit with DWR (1)
KCC DKT #: NA	Will Cores be taken?
	If Yes, proposed zone: NA
	KANSAS CORPORATION COMM
	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	MAY 1 1 2009
1. Notify the appropriate district office <i>prior</i> to spudding of well;	RECEIVED
2. A copy of the approved notice of intent to drill shall be posted on each	drilling rig:
3. The minimum amount of surface pipe as specified below <b>shall be set</b> b	y circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into the	y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ict office on plug length and placement is necessary <b>prior to plugging</b> ;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	ny circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	ny circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ict office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B". Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall begin thereby certify that the statements made herein are true and correct to the best of the statements.	y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ict office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall begin	y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ict office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B". Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall begin thereby certify that the statements made herein are true and correct to the best of the statements.	y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.  Title:  Owner
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the statements made herein are true and correct to the best and the statements of Operator or Agent:    Signature of Operator or Agent:   For KCC Use ONLY   For K	y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.  Title:  Owner
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the statements made herein are true and correct to the bed.  1. hereby certify that the statements made herein are true and correct to the bed.  2. Signature of Operator or Agent:	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  of or my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of soud date:
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the statements made herein are true and correct to the beginning to the statements of Operator or Agent:    For KCC Use ONLY	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plugged to the statements made herein are true and correct to the bed between the statements of Operator or Agent:    For KCC Use ONLY	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the statements made herein are true and correct to the beginning to the statements of Operator or Agent:    For KCC Use ONLY	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days):
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plugged to the statements made herein are true and correct to the bed be plugged.  I hereby certify that the statements made herein are true and correct to the bed beginned to the statements of Operator or Agent:  For KCC Use ONLY  API #15 - O 49 - 22534-00-00  Conductor pipe required	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:    Owner   Competition   Competition
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B". Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. It is the statements made herein are true and correct to the beginning to the spud date.  For KCC Use ONLY  API # 15 - O 49 - 22 5 3 4 - 00 - 00  Conductor pipe required	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:    Owner   Competition   Competition
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the statements made herein are true and correct to the beginning to the statements of Operator or Agent:    For KCC Use ONLY	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:    Owner
through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B". Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. It is the statements made herein are true and correct to the beginning to the spud date.  For KCC Use ONLY  API # 15 - O 49 - 22 5 3 4 - 00 - 00  Conductor pipe required	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:    Owner   Competition   Competition

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 049-22534-00-00			
Operator: Leslie Wolfe	Location of Well: County: Elk		
Lease: Thomas	1,155 feet from N / X S Line of Section		
Well Number: 2	495 feet from E / X W Line of Section		
Field: Busby	Sec. 35 Twp. 29 S. R. 12 E W		
Number of Acres attributable to well: SW _ SW	Is Section: Regular or Irregular		
NW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW		

# PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

KANSAS CORPORATION COMMIS MAY 1 1 2009 RECEIVED						
EXAMPLE						
3390'	 				- X	1
SEWARD CO.		· · · ·	:	•		

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Leslie Wolfe		License Number: 32967				
Operator Address: 208 Stephens Street Peru Kansas 67360						
Contact Person: Leslie Wolfe		Phone Number: 620-330-3382				
Lease Name & Well No.: Thomas #2			Pit Location (QQQQ):			
Type of Pit:	Pit is:	***************************************	NE SW SW			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 35 Twp. 29 R. 12 East West			
Settling Pit Drilling Pit	If Existing, date of NA	onstructed:	1,155 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section Elk			
		(bbls)	County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? CLAY			
Pit dimensions (all but working pits):	0 Length (fe	et) 7	Width (feet) N/A: Steel Pits			
Depth from ground level to deepest point: 6 (feet) No Pit						
If the pit is lined give a brief description of the material, thickness and installation procedure		edures for periodic maintenance and determining ncluding any special monitoring.				
DUG IN NATURAL CLAY MATERIAL SHORT TE			ERM PIT			
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	west fresh water84feet.			
NONE feet Depth of water well	feet	mation: ured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		over and Haul-Off Pits ONLY:				
•		al utilized in drilling/workover: FRESH WATER				
Number of producing wells on lease: 0						
Barrels of fluid produced daily: 0		procedure: EVAPORATE WATER AND BACKFILL				
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	pe closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
	Ç	I de la	MAY 1 1 2009			
4-4-2009 Date	$-\mathcal{I}$	ignature of Applicant or Agent				
Date Signature of Applicant of Agent						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 5/11/09 Permit Number: Permit Date: 5/11/09 Lease Inspection: Yes No						