For KCC Use: 5-19-2009 Effective Date: 4 District # SGA? Yes YNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: June 1, 2009 month day year	Spot Description: NE SW SW Sec. 4 Twp. 14 S. R. 20 EXW (Q/Q/Q/Q) 1,150 Feet from N / X S. Line of Section
OPERATOR: License#	teet from N / X S Line of Section
Name: IA Operating, Inc.	leet from LE / W Line of Section
Address 1: 9915 W 21st Street N	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Wichita State: KS Zip: 67205 +	County: Ellis
Contact Person: Hal Porter	Lease Name: Amrein Well #: 4-1
Phone: 316-721-0036	Field Name: wildcat
CONTRACTOR: License# 30606	Is this a Prorated / Spaced Field?
Name: Murfin Drilling Company, Inc.	Target Formation(s): Lansing Kansas City - Reagan sand
Name,	larget Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1150
◯ Oil C Enh Rec	Ground Surface Elevation: 2230 approx feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal XWildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 180 feet
Other:	Depth to bottom of usable water: 720 feet
	Surface Pipe by Alternate: I XII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200 feet
Operator:	Length of Conductor Pipe (if any): None
·	Projected Total Depth: 3850
Well Name: Original Total Depth:	Formation at Total Depth: Arbuckle
Original Completion Date Original lotal Deptil	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond X Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 1)
NUC DN I #.	Will Cores he taken?
KCC DKT #:	Will Cores be taken?
RCC DAT #.	Will Cores be taken? If Yes, proposed zone:
AFFI	If Yes, proposed zone: KANSAS CORPORATION COMMISSION
	If Yes, proposed zone: KANSAS CORPORATION COMMISSION
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs	DAVIT ging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSION
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: KANSAS CORPORATION COMMISSION
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2009
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2009 Irilling rig; circulating cement to the top; in all cases surface pipe shREGEIVED
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a min	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2009 Irilling rig; or circulating cement to the top; in all cases surface pipe share CEIVED underlying formation.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry noie, an agreement between the operator and the district	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2009 Irilling rig; or circulating cement to the top; in all cases surface pipe share CEIVID underlying formation. In office on plug length and placement is necessary prior to plugging;
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry nole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged.	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2009 Irilling rig; recirculating cement to the top; in all cases surface pipe share CEIV Counderlying formation. It office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit of the well is dry nole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugged if an ALTERNATE II COMPLETION, production pipe shall be cemented the contract of the complex of	DAVIT ging of this well will comply with K.S.A. 55 et. seq. WAY 1 4 2009 Irrilling rig; circulating cement to the top; in all cases surface pipe share CEIV CO underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry nole, an agreement between the operator and the distriction of the surface of the surface district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2009 Irilling rig; oriculating cement to the top; in all cases surface pipe share CEIVIII underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pluggers is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry nole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13; must be completed within 30 days of the spud date or the well shall be production.	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2009 Irrilling rig: recirculating cement to the top; in all cases surface pipe share CEIV Condition confidence on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry nole, an agreement between the operator and the distriction of the surface of the surface district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2009 Irilling rig; circulating cement to the top; in all cases surface pipe share and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry noie, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #132 must be completed within 30 days of the spud date or the well shall be possible to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements are true and correct to the beautiful and the statements are true and correct to the statements are true.	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2009 Irilling rig; circulating cement to the top; in all cases surface pipe shall be concluded by an and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. The president
The undersigned hereby affirms that the drilling, completion and eventual pluggers is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry nole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13; must be completed within 30 days of the spud date or the well shall be production.	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2009 Irilling rig; circulating cement to the top; in all cases surface pipe since CE V anderlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Title: President
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry nole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented in Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13; must be completed within 30 days of the spud date or the well shall be possible to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2009 Irilling rig; circulating cement to the top; in all cases surface pipe since CE V anderlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. If yes in this well will comply with K.S.A. 55 et. seq. WAY 1 4 2009 Irilling rig; or circulating cement to the top; in all cases surface pipe since CE V and CE V an
The undersigned hereby affirms that the drilling, completion and eventual plugglit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry noie, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugged. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the best placed. Signature of Operator or Agent: For KCC Use ONLY	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2009 Irilling rig; circulating cement to the top; in all cases surface pipe since E V V V Inderlying formation. It office on plug length and placement is necessary prior to plugging; for production casing is cemented in; form below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry nole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented in Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13; must be completed within 30 days of the spud date or the well shell be produced. I hereby certify that the statements made herein are true and correct to the best part of the complete of the spud state. May 13, 2009 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 2586 7-00-00	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2009 Irilling rig; circulating cement to the top; in all cases surface pipe since Living Junderlying formation. It office on plug length and placement is necessary prior to plugging; did or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. Title: President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plugglit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry nole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #13; must be completed within 30 days of the spud date or the well shall be possible to be possible to the statements made herein are true and correct to the best pater. May 13, 2009 Signature of Operator or Agent: For KCC Use ONLY API #15 - OSI - 2586 7-00-00	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2009 Irilling rig; circulating cement to the top; in all cases surface pipe share a light of production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plugglit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry nole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #13; must be completed within 30 days of the spud date or the well shall be possible to the best place. May 13, 2009 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 2586 7-00-00 Conductor pipe required	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2009 Irilling rig; circulating cement to the top; in all cases surface pipe share and including formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plugglit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry noie, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13; must be completed within 30 days of the spud date or the well shall be possible to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and cor	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2009 Irilling rig; circulating cement to the top; in all cases surface pipe since E V V V I A 2009 Irilling rig; circulating cement to the top; in all cases surface pipe since E V V V I A 2009 Irilling rig; circulating cement to the top; in all cases surface pipe since E V V V I A 2009 Irilling rig; circulating cement to the top; in all cases surface pipe since E V V V I A 2009 Irilling rig; circulating cement to the top; in all cases surface pipe since E V V V I A 2009 Irilling rig; circulating cement to the top; in all cases surface pipe since E V I A 2009 Irilling rig; circulating cement to the top; in all cases surface pipe since E V I A 2009 Irilling rig; Circulating cement to the top; in all cases surface pipe since E V I A 2009 Irilling rig; Circulating cement to the top; in all cases surface pipe since E V I A 2009 Irilling rig; Circulating cement to the top; in all cases surface pipe since E V I A 2009 Irilling rig; Circulating cement to the top; in all cases surface pipe since E V I A 2009 Irilling rig; Circulating cement to the top; in all cases surface pipe since E V I A 2009 Irilling rig; Circulating cement to the top; in all cases surface pipe since E V I A 2009 Irilling rig; Circulating cement to the top; in all cases surface pipe since E V I A 2009 Irilling rig; Circulating cement to the top; in all cases surface pipe since E V I A 2009 Irilling rig; Circulating cement to the top; in all cases surface pipe since E V I A 2009 Irilling rig; Circulating cement to the top; in all cases surface pipe since E V I A 2009 Irilling rig; Circulating cement to the top; in all cases surface pipe since E V I A 2009 Irilling rig; Circulating cement to the top; in all cases surface pipe since E V I A 2009 Irilling rig; Circulating cement to the top; in all cases surface pipe since E V I A 2009 Irilling rig; Circulating cement to the top; in all cases surface pipe since E V I A 2009 Irilling rig; Circulating rig; Circulati
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry nole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13; must be completed within 30 days of the spud date or the well shall be possible to be provided by that the statements made herein are true and correct to the best Date: May 13, 2009	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2009 Irilling rig; circulating cement to the top; in all cases surface pipe since C V V V Inderlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and policy. President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry nole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented in Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13, must be completed within 30 days of the spud date or the well shell be possible to the production of the special beat of the s	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2009 Irrilling rig: circulating cement to the top; in all cases surface pipe shallow and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plugglit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry noie, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented to Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13; must be completed within 30 days of the spud date or the well shall be possible to the best of the statements made herein are true and correct to the best place. May 13, 2009 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 2586 7-00-00 Conductor pipe required feet Minimum surface pipe required feet per ALT. I I I I I I I I I I I I I I I I I I I	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2009 Irrilling rig; recirculating cement to the top; in all cases surface pipe share Commission. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing alugged. In all cases, NOTIFY district office prior to any cementing. If of my knowledge and bottom Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry nole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented in Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13, must be completed within 30 days of the spud date or the well shell be possible to the production of the special beat of the s	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2009 Irilling rig; reirculating cement to the top; in all cases surface pipe since C V V V V V V V V V V V V V V V V V V
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry nole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented in Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13, must be completed within 30 days of the spud date or the well shell be possible to the production of the special beat of the s	DAVIT ging of this well will comply with K.S.A. 55 et. seq. MAY 1 4 2009 Irrilling rig; recirculating cement to the top; in all cases surface pipe share Commission. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing alugged. In all cases, NOTIFY district office prior to any cementing. If of my knowledge and bottom Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 051-25867-00-00	
Operator: IA Operating, Inc.	Location of Well: County: Ellis
Lease: Amrein	1,150feet from N / X S Line of Section
Well Number: 4-1	1,300 feet from E / X W Line of Section
Field: wildcat	Sec. 4 Twp. 14 S. R. 20 E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

							I
				•			
				•			
			1				
							1
			. 1				
	•						
	•						
	•						
1						:	
						•	
						•	
						•	
6							
	•	•	•			Ι.	
1	•	•	•			Ī	
I	•		•			•	
I	•					•	
1					•	•	
I							
I	:	•					
I	•	•					
I	•	•				1	
1			•		-	-	
I							
I							
1							
ı						1	
1	•		•			7	
1	•		•			•	
i			•			•	
1					•	•	
1					•	•	•
1	•						
1	•	•					
1	•	•		•			
	•		· 1			•	
1			. /1		•	•	•
			· · · · · · · · · · · · · · · · · · ·			1	
	:	:	7				
	<u>:</u>	:	7			:	
	<u>:</u>	:	7			:	
	: :	:				:	
	:		~ /			:	
	:		~ <i>†</i>	1		:	
	:	:	* #	1		:	
	:	:	~ }	1			
	:	:	- +			:	
	:		~ 			:	
	:		~ <i>t</i>				.,,
			*			.,,,	.,,,
			* 1				.,,
	:			ļ		.,,,	.,,
	:					.,,	
	:						
			* *			.,,	
			- 1				
			- 1			.,,	
			- 1				
			- 1				
			- 1				
			- 1				
	n (C)						
	 0-€						
	ρ(O						
-110	p - Q						
-110	ρ <i>-</i> Θ						
-110	p - 0						
-110	p- -						
-110	p - 0						
-110	0-0						
-110	0-0	~					
-110	0-0	<i>o</i>					
-110	0-0	oʻ					
-110	0-0	O.					
-110	0 -0	oʻ.					
— 110	0 - ⊙	oʻ					
— 110	0 - ⊙ 30	O.					
-110	0-0	oʻ					
-110	130	oʻ					
— 110	0 - ⊙	<i>o</i>					
-110	0- 0 30	O.					
-110	130	oʻ					
— 110 	0 -0 \$0	oʻ.					
— 110	0-0	oʻ.					
-110	p-⊙ /30	O.					

KANSAS CORPORATION COMMISSION

MAY 1 4 2009

PECENTO



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: IA Operating, Inc.			License Number: 33335		
Operator Address: 9915 W 21st Street N			Wichita KS 67205		
Contact Person: Hal Porter			Phone Number: 316-721-0036		
Lease Name & Well No.: Amrein 4-1			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NE _ SW _ SW</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 4 Twp. 14 R. 20 East West		
Settling Pit X Drilling Pit	If Existing, date constructed:		1,150 Feet from North / South Line of Section		
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		1,300 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	600	(bbls)	Ellis County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l		
	1 4 25 2 2 1 1 2 2 0	-	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):1	00 Length (fe	eet)100	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point:	(feet) No Pit		
If the pit is lined give a brief description of the		1 .	edures for periodic maintenance and determining ncluding any special monitoring.		
material, thickness and installation procedure 10 mil plastic	;,		ection by rig hands		
10 mii piastic		Daily illope	out by high and s		
Distance to nearest water well within one-mile	e of pit		west fresh waterfeet.		
		Source of informeasu			
			over and Haul-Off Pits ONLY:		
1		al utilized in drilling/workover: Bentonite			
1		king pits to be utilized: 4			
		Abandonment	procedure: allow to dry, backfill and level		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of gny knowledge and belief. KANSAS CORPORATION COMMISSION					
The CIP And MAY 1 4 2009					
May 13, 2009			Signature of Applicant or Agent RECEIVED		
Date					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 5/14/09 Permit Nun	nber:	Perm	it Date: 5/14/09 Lease Inspection: Yes No		