

Original

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
October 2008
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 30537
Name: Venture Resources, Inc.
Address 1: P.O. Box 101234
Address 2: _____
City: Denver State: CO Zip: 80250 + _____
Contact Person: Ron Mackey
Phone: (303) 722-2899

API No. 15 - 051-25736-0000
Spot Description: _____
SE SW Sec. 1 Twp. 11 S. R. 18 East West
330 Feet from North / South Line of Section
990 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW

CONTRACTOR: License # 33493
Name: American Eagle Drilling, LLC.
Wellsite Geologist: Ron Mackey
Purchaser: Coffeyville Resources

KANSAS CORPORATION COMMISSION

County: Ellis
Lease Name: Ridler H Well #: 1
Field Name: Bemis-Shutts
Producing Formation: Arbuckle

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW
 Gas ENHR SIGW
 CM (Coal Bed Methane) Temp. Abd.
 Dry Other _____
(Core, WSW, Expl., Cathodic, etc.)

MAR 05 2009
RECEIVED

Elevation: Ground: 1938.6 Kelly Bushing: 1945.6
Total Depth: 3625' Plug Back Total Depth: NA
Amount of Surface Pipe Set and Cemented at: 264 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: 1811.2' Feet
If Alternate II completion, cement circulated from: 1811'
feet depth to: Surface w/ 545 sx cmt.

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr. Conv. to SWD
 Plug Back: _____ Plug Back Total Depth _____
 Commingled Docket No.: _____
 Dual Completion Docket No.: _____
 Other (SWD or Enhr.?) Docket No.: _____
6/05/08 6/09/08 7/01/08
Spud Date or Date Reached TD Completion Date or Recompletion Date


Drilling Fluid Management Plan A17 II NR 4-6-09
(Data must be collected from the Reserve Pit)
Chloride content: 39000 ppm Fluid volume: 400 bbls
Dewatering method used: Hauled liquid/evaporation
Location of fluid disposal if hauled offsite:
Operator Name: Venture Resources, Inc.
Lease Name: Ridler A-West License No.: 30537
Quarter NW/4 Sec. 12 Twp. 11 S. R. 18 East West
County: Ellis Docket No.: 34,293-C (C-1764)

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: VP/CEO Date: 3-03-09
Subscribed and sworn to before me this 3rd day of March,
20 09.
Notary Public: [Signature]
4-28-11

KCC Office Use ONLY
N Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution



Operator Name: Venture Resources, Inc. Lease Name: Ridler H Well #: 1
 Sec. 1 Twp. 11 S. R. 18 East West County: Ellis

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: DIL,CNL,CDL	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:70%;">Name</td> <td style="width:15%;">Top</td> <td style="width:15%;">Datum</td> </tr> <tr> <td>Anhydrite</td> <td>1218</td> <td>+728'</td> </tr> <tr> <td>Topeka</td> <td>2908</td> <td>-962'</td> </tr> <tr> <td>Heebner</td> <td>3128</td> <td>-1182</td> </tr> <tr> <td>Toronto</td> <td>3148</td> <td>-1202'</td> </tr> <tr> <td>Lansing</td> <td>3170</td> <td>-1224'</td> </tr> <tr> <td>BKC</td> <td>3400</td> <td>-1454'</td> </tr> <tr> <td>Arbuckle</td> <td>3468</td> <td>-1522'</td> </tr> </table>	Name	Top	Datum	Anhydrite	1218	+728'	Topeka	2908	-962'	Heebner	3128	-1182	Toronto	3148	-1202'	Lansing	3170	-1224'	BKC	3400	-1454'	Arbuckle	3468	-1522'
Name	Top	Datum																							
Anhydrite	1218	+728'																							
Topeka	2908	-962'																							
Heebner	3128	-1182																							
Toronto	3148	-1202'																							
Lansing	3170	-1224'																							
BKC	3400	-1454'																							
Arbuckle	3468	-1522'																							

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	20#	273'	Common	170 sx	3% cc. 2%Gel
Production	7 7/8"	5 1/2"	14#	3597'	ASC	175 sx	10% salt 500 gal/WFR2

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input checked="" type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	1811'	60/40	545 sx	6% gel/ 1/4# Flo seal

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	
			Depth
4 spf	3468'-70'	None	NA

TUBING RECORD: Size: <u>2 7/8"</u> Set At: <u>3350</u> Packer At: <u>NA</u>		Liner Run: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Date of First, Resumed Production, SWD or Enhr. <u>7/01/08</u>		Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)	
Estimated Production Per 24 Hours	Oil Bbls. <u>20</u>	Gas Mcf <u>0</u>	Water Bbls. <u>450</u> Gas-Oil Ratio <u>NA</u> Gravity <u>31</u>

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: <u>3468'-70'</u> KANSAS CORPORATION COMMISSION
---	---	---

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

MAR 05 2009
RECEIVED

ALLIED CEMENTING CO., LLC. 32771

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

Surface SERVICE POINT: Russell

DATE <u>6-4-09</u>	SEC. <u>1</u>	TWP. <u>11</u>	RANGE <u>18</u>	CALLED OUT	ON LOCATION	JOB START <u>5:30am</u>	JOB FINISH <u>5:30pm</u>
LEASE <u>Rdler</u>		WELL # <u>1</u>	LOCATION <u>Hops N.W. River Rd</u>		COUNTY <u>E1</u>	STATE <u>Ks</u>	
OLD OR NEW (Circle one)			<u>2 E 1/2 NW 1/4</u>				

CONTRACTOR American Eagle #2
 TYPE OF JOB Surface - Sub
 HOLE SIZE 12 1/4 T.D. 275
 CASING SIZE 8 7/8 DEPTH 276
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. 15'
 PERFS. _____
 DISPLACEMENT ~~16 3/4~~ 16 3/4 BBL.

OWNER _____
 CEMENT AMOUNT ORDERED 170 Com. 38 CC
26 BBL

EQUIPMENT

PUMP TRUCK CEMENTER Stane
 # 409 HELPER Robert
 BULK TRUCK
 # 398 DRIVER Rocky
 BULK TRUCK
 # _____ DRIVER _____

COMMON _____ @ _____
 POZMIX _____ @ _____
 GEL _____ @ _____
 CHLORIDE _____ @ _____
 ASC _____ KANSAS CORPORATION COMMISSION
 _____ @ _____
 _____ @ MAR 05 2009
 _____ @ **RECEIVED**
 _____ @ _____
 _____ @ _____
 _____ @ _____
 HANDLING _____ @ _____
 MILEAGE _____ @ _____

REMARKS:
Cement Cipe!

TOTAL _____

SERVICE

DEPTH OF JOB _____
 PUMP TRUCK CHARGE _____
 EXTRA FOOTAGE _____ @ _____
 MILEAGE _____ @ _____
 MANIFOLD _____ @ _____
 _____ @ _____
 _____ @ _____

CHARGE TO: Ventura Resources
 STREET _____
 CITY _____ STATE _____ ZIP _____

TOTAL _____

PLUG & FLOAT EQUIPMENT

_____ @ _____
8 5/8 wood plug @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

TOTAL _____

SALES TAX (If Any) _____
 TOTAL CHARGES _____
 DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____
 SIGNATURE [Signature]

Thanks

ALLIED CEMENTING CO., LLC. 34697

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

DATE <u>6-10-08</u>	SEC. <u>1</u>	TWP. <u>11</u>	RANGE <u>18</u>	CALLED OUT	ON LOCATION	JOB START <u>6:10am</u>	JOB FINISH <u>6:30am</u>
LEASE <u>R. J. Tech H</u>	WELL # <u>#1</u>		LOCATION <u>Hays N 2 1/2 E 10 W 1/4</u>		COUNTY <u>Ellis</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one)							

CONTRACTOR American Eagle #2

TYPE OF JOB Production String

HOLE SIZE _____ T.D. 3625

CASING SIZE 5 1/2 I.D. DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL JOINT Port Collar #42 DEPTH 1811.20

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT 21.0'

CEMENT LEFT IN CSG. 21.0'

PERFS. _____

DISPLACEMENT 87 1/2 BC

OWNER _____

CEMENT AMOUNT ORDERED 175 ASC 10% Salt

500 gal WFR 2

EQUIPMENT

PUMP TRUCK CEMENTER Craig

366 HELPER Matt

BULK TRUCK

345 DRIVER Doug

BULK TRUCK

_____ DRIVER _____

COMMON _____ @ _____

POZMIX _____ @ _____

GEL _____ @ _____

CHLORIDE _____ @ _____

ASC _____ @ _____

HANDLING _____ @ _____

MILEAGE _____ @ _____

TOTAL _____

KANSAS CORPORATION COMMISSION
MAR 05 2009
RECEIVED

REMARKS:

Insert 546 3581.54

Port Collar @ 1811.20

Rathole 153K

Plug float 1500PS. Floor hold.

Thanks!

CHARGE TO: Venture Resources Inc.

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME TERRY GARRISON

SIGNATURE Terry Garrison

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____

EXTRA FOOTAGE _____ @ _____

MILEAGE 40 @ _____

MANIFOLD _____ @ _____

TOTAL _____

PLUG & FLOAT EQUIPMENT

1 1/2" Firm Shoe _____ @ _____

3 Baskets (Rings) _____ @ _____

1 Port Collar (Lubrication) _____ @ _____

8 Centralizers _____ @ _____

1 Latchdown Assembly _____ @ _____

TOTAL _____

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

ALLIED CEMENTING CO., LLC. 32268

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell KS

DATE <u>6-19-08</u>	SEC. <u>1</u>	TWP. <u>11</u>	RANGE <u>18</u>	CALLED OUT	ON LOCATION	JOB START <u>10:15am</u>	JOB FINISH <u>11:00am</u>
LEASE <u>Ridler H</u>		WELL # <u>1</u>		LOCATION <u>Hays KS North to River Rd</u>		COUNTY <u>Ellis</u>	STATE <u>KS</u>
OLD OR <u>NEW</u> (Circle one)				<u>2 1/2 East North West into</u>			

CONTRACTOR Chito's

TYPE OF JOB Port collar circulate cement

HOLE SIZE _____ T.D. 3619'

CASING SIZE 5 1/2 DEPTH 3619'

TUBING SIZE 2 7/8 DEPTH _____

DRILL PIPE _____ DEPTH _____

~~TOOL~~ Port Collar DEPTH 1811'

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT 9 Bbl

EQUIPMENT

PUMP TRUCK CEMENTER John Roberts

409 HELPER Adrian

BULK TRUCK _____

410 DRIVER Travis

BULK TRUCK _____

473 DRIVER Rocky

REMARKS:

Test tools @ 1000 psi Open port collar Est. Circulation Mixed 545 sk to circulate cement to surface. Displace w/ 9 bbl H₂O. Closed port collar and test @ 1000 psi. Ran 5 jts. and wash clean came out of hole.

Thanks!

CHARGE TO: Venture

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

Thanks!

PRINTED NAME _____

SIGNATURE [Signature]

OWNER _____

CEMENT (Used 545 sk cement)

AMOUNT ORDERED 750 sk 60/40 6% Gel 1/4" Flo

COMMON	<u>327</u>	@ <u>12.15</u>	<u>3973.05</u>
POZMIX	<u>218</u>	@ <u>6.80</u>	<u>1482.40</u>
GEL	<u>28</u>	@ <u>18.25</u>	<u>511.00</u>
CHLORIDE	_____	@ _____	_____
ASC	_____	@ _____	_____
<u>Flo Seal</u>	<u>136</u>	@ <u>2.20</u>	<u>299.20</u>
_____	_____	@ _____	_____
_____	_____	@ _____	_____
_____	_____	@ _____	_____
_____	_____	@ _____	_____
_____	_____	@ _____	_____
HANDLING	<u>778</u>	@ <u>2.05</u>	<u>1594.90</u>
MILEAGE	<u>SK/mi</u>	<u>09</u>	<u>2100.60</u>
TOTAL			<u>9961.15</u>

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____ 1045.00

EXTRA FOOTAGE _____ @ _____

MILEAGE 30 @ 7.00 210.00

MANIFOLD _____ @ _____

_____ @ _____

_____ @ _____

TOTAL 1255.00

PLUG & FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS