

STATE OF KANSAS  
STATE CORPORATION COMMISSION

Form CP-4

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
212 No. Market  
Wichita, Kansas 67202

WELL PLUGGING RECORD

Ellis County, Sec 29 Twp. 11 Rge. 16 (W)

Location as "NE/CNW/SW" or footage from lines SE SE NW

Lease Owner Mobil Oil Corporation

Office Name Potter "A" Well No. 12

Office Address Box 1934, Oklahoma City, Oklahoma 73101

Character of Well (completed as Oil, Gas or Dry Hole) Oil

Date well completed 11-16 19 57

Application for plugging filed 10-8 19 73

Application for plugging approved 10-10 19 73


Plugging commenced 7-8 19 74

Plugging completed 7-13 19 74

Reason for abandonment of well or producing formation Uneconomical to produce.

If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well Leo Massey

Producing formation Arbuckle Depth to top 3278' Bottom 3283' Total Depth of Well 3420 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
<u>Arbuckle</u>	<u>Oil &amp; Water</u>	<u>3278'</u>	<u>3283'</u>	<u>8-5/8"</u>	<u>1007'</u>	<u>None</u>
				<u>5 1/2"</u>	<u>3368'</u>	<u>2914'</u>

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Placed 4 sacks cement at 3277'. Shot 5 1/2" casing at 2914' & recovered same. Set plug at 435' & capped plug w/rock to 420'. Filled 8-5/8" surface casing from 420' to surface with 6 yards of ready mix cement. Plugging completed 7-13-74.

RECEIVED  
STATE CORPORATION COMMISSION  
JUL 29 1974  
CONSERVATION DIVISION  
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Glenn Pipe Pulling

Address 204 E. 6th, Ellinwood, Kansas 67526

STATE OF Oklahoma, COUNTY OF Oklahoma, ss.  
Paul K. Langenberg (employee of owner) or (owner or operator) of the above-described

well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Paul K. Langenberg  
Production Accounting Supervisor  
Box 1934, Okla. City, Okla. 73101  
(Address)

SUBSCRIBED AND SWORN to before me this 25th day of July, 19 74

Richard N. Squibb  
Notary Public.

My commission expires November 17, 1977.

15-051-00595-00-00

# WELL LOG

COMPANY Franco Central Oil Company

SEC. 29 T. 11 R. 16W

FARM Potter

NO. 12

LOC. SEcSE<sup>1</sup>/<sub>4</sub>NW<sup>1</sup>/<sub>4</sub>

TOTAL DEPTH 3420'

COMM. 10-31-57


COMP. 11-9-57

SHOT OR TREATED

CONTRACTOR Lewis Drilling Company

ISSUED

COUNTY Ellis  
KANSAS



### CASING

20	10
15	8 5/8" - 1007'
12	6
13	5 1/2" - 3368'

ELEVATION 1822 K.B.

PRODUCTION

FIGURES INDICATE BOTTOM OF FORMATIONS

0-740	Post rock & shale
740-987	Red bed & shale
987-1007	Anhydrite
1007-1790	Shale & lime
1790-1980	Shale & shells
1980-2785	Shale & lime
2785-2870	Shale & lime streaks
2870-3295	Lime & shale
3295-3420	Lime, Shale & conglomerate
3420	Total Depth

### Geologic Tops

Heebner	2988
Toronto	3012
Lansing KC	3038
Base KC	3275
Pleasanton Sand	3278-82
Conglomerate	3328

RECEIVED  
STATE CORPORATION COMMISSION  
10-10-1973  
OCT 10 1973  
CONSERVATION DIVISION  
Wichita, Kansas

399

# WELL RECORD

WELL NO. 12

- 1 CASING RECORD
- 2 ACIDIZING RECORD
- 3 PRODUCING METHOD
- 4 SAND RECORD
- 5 TORPEDO RECORD
- 6 SWABBING RECORD
- 7 PLUG BACK RECORD
- 8 PACKERS
- 9 CLEANOUT RECORD
- 10 DEFLECTION RECORD
- 11 PLUGGING RECORD
- 14 WELL LOG


LEASE Patterson  
 COMPANY Frank Oilfield Oil Co ACRES \_\_\_\_\_  
 RECORD COMPILED 11-15 1957 BY Clatton  
 SEC. 29 TWP. 11 RGE. 16 COUNTY Ellis STATE Kans  
 SURVEY \_\_\_\_\_ BLOCK \_\_\_\_\_ SECTION \_\_\_\_\_  
 LOCATION S.E. SE NW  
 STAKED BY Clatton DATE 10-29 1957 ELEVATION 1822  
 RIG COMMENCED 10-21 1957 COMPLETED 11-8 1957 CONTR. Clatton

TOOLS	STARTED	COMPLETED	FROM	TO	CONTRACTOR
ROTARY	<u>10-21-57</u>	<u>11-8-57</u>	<u>0</u>	<u>3420</u>	<u>Clatton</u>
CABLE	<u>11-12-57</u>	<u>11-16-57</u>			

COMPLETION METHOD Chloride wash  
 PRODUCTION DATA \_\_\_\_\_  
 GAS WELL SHUT-IN PRESSURE \_\_\_\_\_ M. CU. FT. \_\_\_\_\_

**RECEIVED**  
 STATE CORPORATION COMMISSION  
10-10-1973  
**OCT 10 1973**  
 CONSERVATION DIVISION  
 Wichita, Kansas

## (1) CASING AND TUBING RECORD

SIZE HOLE DRILLED	DEPTH	CASING SIZE	WT.	THDS.	MAKE, TYPE, GRADE, NEW, USED	CASING POINT	PULLED	LEFT IN	CEMENT		REMARKS
									SACKS	ESTIMATED TOP	
		<u>8 5/8" OD</u>	<u>24#</u>	<u>8V</u>	<u>used</u>	<u>1007</u>		<u>1007</u>	<u>450</u>	<u>Circ. ft. Top</u>	
		<u>5 1/2"</u>	<u>14#</u>	<u>8RD</u>	<u>New</u>	<u>3369</u>		<u>3369</u>	<u>75</u>	<u>3000'</u>	
					<u>three joint</u>	<u>3666</u>		<u>also</u>	<u>6'</u>	<u>elbow spider</u>	
		<u>9" EWE-</u>						<u>3330</u>			
<u>131</u>		<u>3/4" Red</u>			<u>Redwood</u>			<u>3275</u>			

## (2) ACIDIZING RECORD

## (3) PRODUCING METHODS

DATE			
QUANTITY (GALS.)			
MAX. TUB. PR.			
MAX. CAS'G PR.			
BLANKET			
HOURS			
METHOD			

WELL FLOWING NATURAL FROM	19	TO	19
PRODUCED BY GAS LIFT	___	IN. TUBING FROM	19' TO 19
OTHER LIFTS			
PUT ON JACK/BEAM/UNIT	<u>American</u>		19
	<u>A 208 engine</u>		

## (4) SAND RECORD

	NAME	TOP	BOTTOM	THICKNESS	CONTENT	COLOR, HARD OR SOFT
	<u>Hel-</u>	<u>2988</u>	<u>-1166</u>			
OIL BEFORE	<u>Texas</u>	<u>3012</u>	<u>-1190</u>			
OIL AFTER	<u>Passing</u>	<u>3038</u>	<u>-1216</u>			
WATER BEFORE	<u>BKC</u>	<u>3275</u>	<u>-1453</u>			
WATER AFTER	<u>Conn-</u>	<u>3324</u>	<u>-1506</u>			
DONE BY	<u>RTR</u>	<u>3420</u>				

