KANSAS CORPORATION COMMISSION

OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

	$\mathcal{U}($
Operator: License # 32218	API No. 15 - 059-25257-00-00
Name: TDR Construction, Inc.	County: Franklin
Address: 1207 N.1st Street East	SW - NW - NE - SW Sec. 32 Twp. 15 S. R. 21 V East West
City/State/Zip: Louisburg, KS. 66053	2135 feet from S N (circle one) Line of Section
Purchaser: CMT	feet from E/I W (circle one) Line of Section
Operator Contact Person: Lance Town	Footages Calculated from Nearest Outside Section Corner:
Phone: (913) 710-5400	(circle one) NE SE NW SW
Contractor: Name: Town Oilfield Service, Inc.	Lease Name: Duffy Well #: 25
License: 33715	Field Name: Paola-Rantoul
Wellsite Geologist:	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 802' Plug Back Total Depth:
✓ Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 21' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 21'
Operator:	feet depth to surface w/ 4 sx,cmt,
Well Name:	Alt Z-Dlg-4/2do
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 1500-3000 ppm Fluid volume 80 bbls
Plug Back Plug Back Total Depth	Dewatering method used_Used on lease
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No.	Operator Name:
5/20/08 5/21/08 6/18/08	Lease Name: License No.:
5/20/08 5/21/08 6/18/08 Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workornformation of side two of this form will be held confidential for a period of	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, ver or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-13) and geologist well report shall be attached with this form. ALL CEMENTING is. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulate are complete and correct to the dest of my knowledge.	ellate the oil and gas industry have been fully complied with and the statements
Signature: Son Lauskell	KCC Office Use ONLY
Title: Agent Date: 6/18/08	Letter of Confidentiality Received

Subscribed and sworn to before me this _

5-21-2011

Notary Public:

Date Commission Expires:

If Denied, Yes Date:

Geologist Report Received

Wireline Log Received

JUN 2 0 2008 KCC WICHITA

RECEIVED

Operator Name: TD	R Construction, I	nc.		Lease	Name: L	Duffy		Well #: <u>25</u> _		
Sec. 32 Twp. 1	S. R. 21	✓ East	West	County	y: Frank	lin				
INSTRUCTIONS: S tested, time tool ope temperature, fluid red Electric Wireline Log	n and closed, flowing covery, and flow rate	g and shut s if gas to	-in pressures, surface test, a	whether sl	hut-in pre	ssure reached	static level, hydr	ostatic pressui	es, botto	m hole
Drill Stem Tests Take (Attach Additional		Y	es √ No		⊘ L	og Format	ion (Top), Depth	and Datum		Sample
Samples Sent to Ge	ological Survey	□ Ye	es 🗹 No		Nam	е		Тор	1	Datum
Cores Taken Electric Log Run (Submit Copy)		Y€								
List All E. Logs Run:										
			CASING	RECORD	Ne Ne	ew Used		 		
		· ·	rt all strings set-c	conductor, s	urface, inte	ermediate, produc	ction, etc.			
Purpose of String	Size Hole Drilled		e Casing (In O.D.)	Wei Lbs.		Setting Depth	Type of Cement	# Sacks Used		and Percent dditives
Surface	6 1/4"					21'	Portland	4		
Completion	5 5/8"	2 7/8"				779'	Portland	118	50/50	POZ
			ADDITIONAL	. CEMENTI	NG / SQL	JEEZE RECORI	D			
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Туре	of Cement	#Sacks	s Used		Type and	Percent Additive	S	
Shate Per Foot	PERFORATI	ON RECOF	RD - Bridge Plug	ıs Set/Type		Acid, Fra	acture, Shot, Cemer	nt Squeeze Reco	rd	
Shots Per Foot	Specify	Footage of I	Each Interval Per				mount and Kind of N			Depth
2	721.0-752.0 1	23 Perfs		<u></u>						
								······································		
							_			EIVED
									JUN	2 0 2008
TUBING RECORD	Size	Set At		Packer /	At	Liner Run	Yes N		CC V	VICHITA
Date of First, Resumer	rd Production, SWD or E	inhr.	Producing Met	hod	Flowin	g Dump	ing Gas L	.ift Oth	ner (Explain	n)
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er l	3bls.	Gas-Oil Ratio		Gravity
Disposition of Gas	METHOD OF (COMPLETIC	DN .	1_		Production Inte	rval			
Vented Sold	Used on Lease		Open Hote	Peri	f. 🔲 [Dually Comp.	Commingled			

Franklin County, KS Well: Duffy # 25 Town Oilfield Service, Inc. (913) 710 - 5400 Commenced Spudding: 5/20/08 Lease Owner:TDR

5/20/08

RECEIVED JUN 2 0 2008

WELL LOG

KCC WICHITA

		KCC MICL
Thickness of Strata	Formation	Total Depth
6	Soil	6
11	Clay	17
21	Shale	38
27	Lime	65
8	Shale	73
9	Lime	82
5	Shale	87
21	Lime	108
41	Shale/Shells	149
13	Lime	162
78	Shale	240
24	Lime	264
23	Shale/Shells	287
3	Lime	290
25	Shale	315
2	Lime	317
19	Shale/Shells	336
16	Shale	352
25	Lime	377-Winterset
10	Shale	387
20	Lime	407-Bethany Falls
7	Shale	414
6	Lime	420-KC
2	Shale	422
9	Lime	431-Hertha
123	Shale	554
4	Sand	558-Oil Bleed, Fair
56	Shale	614
6	Lime	620
94	Shale/Shells	714
3	Sand	717-Gas Cap
29	Sand	746-Oil,Good Bleed,60%San
6	Sand	752-Black, Oil, Good Bleed
4	Sand	756-Black, No Oil
46	Shale	802-TD



REMIT TO

Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

Main Office P.O. Box 884 Chanute, KS 66720 620/431-9210 • 1-800/467-8676 FAX 620/431-0012

INVOICE					Invoice	#	222221
=======================================	=========	 	=====	=====	=======	======	======
Invoice Date:						6 -	1

TDR CONSTRUCTION
1207 N. FIRST STREET
LOUISBURG KS 66053
() -

DUFFY 6 25 32-15-21 16054 05/21/08

Qty Unit Price Total Description Part Number 1097.40 9.3000 1124 50/50 POZ CEMENT MIX 118.00 .1600 51.52 PREMIUM GEL / BENTONITE 322.00 1118B .3100 102.30 330.00 1111 GRANULATED SALT (50 #) 264.00 660.00 .4000 KOL SEAL (50# BAG) 1110A 35.97 1.0900 PHENOSEAL (M) 40# BAG) 33.00 1107A 21.00 21.0000 2 1/2" RUBBER PLUG 1.00 4402 Hours Unit Price Total Description 875.00 875.00 1.00 CEMENT PUMP 164 3.45 69.00 20.00 EQUIPMENT MILEAGE (ONE WAY) 164 300.00 1.00 300.00 MIN. BULK DELIVERY 503

RECEIVED
JUN 2 0 2008
KCC WICHITA

======	========	========	:======:		========	========	=======================================
Parts:	1572.19	Freight:	.00	Tax:	106.91	. AR	2923.10
Labor:	.00	Misc:	.00	Total:	2923.10)	
Sublt:	.00	Supplies:	.00	Change:	.00)	
=======	=======	========		=======	=======	:=======	
Signed				· · · · · · · · · · · · · · · · · · ·		ate	
BARTLESVILI 918/338-08		E UREKA, K S 620/583-7664	GILLETTE, WY 307/686-4914	McAlester, OK 918/426-7667	Оттаwа, Ks 785/242-4044	Thayer, Ks 620/839-5269	Worland, Wy 307/347-4577