

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33583  
Name: Admiral Bay (USA) Inc.  
Address: 7060B South Tucson Way  
City/State/Zip: Centennial, CO 80112  
Purchaser: Seminole Energy  
Operator Contact Person: Karla Peterson  
Phone: (303) 350-1255  
Contractor: Name: LS Drilling  
License: 33374  
Wellsite Geologist: Greg Bratton

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: 7/5/00 Original Total Depth: 821  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Dual Completion \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) \_\_\_\_\_ Docket No. \_\_\_\_\_

<u>6/27/06</u>	<u>1/21/08</u>	<u>6/28/06</u>	<u>7/5/06 - 1/21/08</u>
Spud Date or	Date Reached TD	Completion Date or	Recompletion Date
Recompletion Date		Recompletion Date	

per oper  
KCC-Dlg

API No. 15 - 099-23904-00-9001  
County: Labette

NESW NW SE \_\_\_\_\_ Sec. 26 Twp. 33 S. R. 18  East  West  
1955' feet from  N (circle one) Line of Section  
2175' feet from  W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
 (circle one) NE  SE NW SW  
 Lease Name: Thompson Well #: 10-26

Field Name: Mound Valley South  
Producing Formation: Summit, Excello

Elevation: Ground: 838' Kelly Bushing: 838  
Total Depth: 881' Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at 20' Feet  
Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from 872  
feet depth to 0 w/ 95 sx cmt.

Alt 2 - Dlg - 6/5/08

Drilling Fluid Management Plan  
(Data must be collected from the Reserve Pit)

Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used air dry

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]


Title: President Date: 4/17/08

Subscribed and sworn to before me this 17th day of April

20 08

Notary Public: Kristina M. Tussing

Date Commission Expires: 5-22-08



KCC Office Use ONLY

Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

RECEIVED  
KANSAS CORPORATION COMMISSION

APR 18 2008

CONSERVATION DIVISION  
WICHITA, KS

Operator Name: Admiral Bay (USA) Inc. Lease Name: Thompson Well #: 10-26  
 Sec. 26 Twp. 33 S. R. 18  East  West County: Labette

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:  High Resolution Compensated Density Neutron Log Gamma Ray/Neutron/CCL Dual Induction LL3/GR Log Mud Log	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Excello</td> <td>304'</td> <td>534'</td> </tr> <tr> <td>Riverton</td> <td>771'</td> <td>67'</td> </tr> <tr> <td>Mississippian</td> <td>784'</td> <td>54'</td> </tr> </table>	Name	Top	Datum	Excello	304'	534'	Riverton	771'	67'	Mississippian	784'	54'
Name	Top	Datum											
Excello	304'	534'											
Riverton	771'	67'											
Mississippian	784'	54'											

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	24 LBS	20'	Class A		
Production	6 3/4"	4 1/2"	10.5 LB	872'	OWC	95	2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	770.5-772.5'	3500# 20/40; 153 bbls water; 150 gal 7.5% HCL	770.5-772.5'

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. <u>10/31/06</u> <u>1/21/08</u>		Producing Method <input checked="" type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
		20			

Disposition of Gas      METHOD OF COMPLETION      Production Interval

Vented    Sold    Used on Lease     
  Open Hole    Perf.    Dually Comp.    Commingled  
*(If vented, Submit ACO-18.)*     
  Other (Specify) \_\_\_\_\_

**RECEIVED**  
**KANSAS CORPORATION COMMISSION**  
**APR 18 2008**  
 CONSERVATION DIVISION  
 WICHITA, KS