

**ORIGINAL**

**CONFIDENTIAL**

**RECEIVED**  
KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

APR 11 2006

Form ACO-1  
September 1999  
Form Must Be Typed

**WELL COMPLETION FORM**  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

CONSERVATION DIVISION  
WICHITA, KS

Operator: License # 5316  
Name: Falcon Exploration, Inc.  
Address: 155 N. Market, Suite 1020  
City/State/Zip: Wichita, Kansas 67202  
Purchaser: NA  
Operator Contact Person: Ron Schraeder  
Phone: (316) 262-1378  
Contractor: Name: Val Energy Inc  
License: 5822  
Wellsite Geologist: Ted Jochems, Jr

Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SLOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_

2/25/2006    3/7/2006    3/7/06  
Spud Date or    Date Reached TD    Completion Date or  
Recompletion Date       Recompletion Date

API No. 15 - 025-21342-0000  
County: Clark  
apx SE SE SW Sec. 19 Twp. 30 S. R. 22  East  West  
190 feet from (S) N (circle one) Line of Section  
2550 feet from E (W) (circle one) Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name: Swayze Well #: 1-19  
Field Name: WC  
Producing Formation: na  
Elevation: Ground: 2428 Kelly Bushing: 2438  
Total Depth: 5600 Plug Back Total Depth: \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at 690 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.


**Drilling Fluid Management Plan** *ALT I PEA WITH*  
*6-08-07*  
(Data must be collected from the Reserve Pit)  
Chloride content 8000 ppm Fluid volume 120 bbls  
Dewatering method used haul off free fluids & allow to dry  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: Gene R. Dill  
Lease Name: Regier License No.: 9491  
Quarter \_\_\_\_\_ Sec. 17 Twp. 33S S. R. 27  East  West  
County: Meade Docket No.: C-21232

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Ronald D Schraeder  
Title: Engineer Date: 4/11/06  
Subscribed and sworn to before me this 10th day of April,  
2006.  
Notary Public: Rosann M Schippers  
Date Commission Expires: 9/28/07

**KCC Office Use ONLY**  
Y Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

  
ROSANN M. SCHIPPERS  
NOTARY PUBLIC  
STATE OF KANSAS  
My Appt. Exp. 9/28/07

Operator Name: Falcon Exploration, Inc. Lease Name: Swayze Well #: 1-19 **CONFIDENTIAL**  
 Sec. 19 Twp. 30 S. R. 22  East  West County: Clark

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Log	Formation (Top), Depth and Datum	<input checked="" type="checkbox"/> Sample
Samples Sent to Geological Survey	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	TORONTO	4460	-2022
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	LANSING	4626	-2188
List All E. Logs Run:		'B' ZONE	4648	-2210
		STARK	4980	-2542
		CHEROKEE SH	5241	-2803
		MORROW SH	5351	-2913
		MISSISSIPPI	5382	-2944

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	23#	690'	65/35; Class A	400;100	3% CC; 3% CC; 2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing				
___ Plug Back TD				
___ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>		Depth

**RECEIVED**  
**KANSAS CORPORATION COMMISSION**  
**APR 11 2006**  
**CONSERVATION DIVISION**  
**WICHITA, KS**

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.			Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas  Vented  Sold  Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_

FALCON EXPLORATION INC.  
SWAYZE #1-19  
API #15-025-21342  
CLARK COUNTY, KANSAS  
ACO-1 ATTACHMENT

KCC  
APR 11 2006  
CONFIDENTIAL

RECEIVED  
KANSAS CORPORATION COMMISSION  
APR 11 2006  
CONSERVATION DIVISION  
WICHITA, KS

DST #1: 5393-5502, 30-60-30-60. REC 15' MUD. FP'S 23-38#, SIP'S 568-649#.

# ALLIED CEMENTING CO., INC. 16729

PERMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

**KCC**

SERVICE POINT:  
MEDICINE LODGE

APR 11 2006

DATE <u>3-7-06</u>	SEC. <u>19</u>	TWP. <u>30s</u>	RANGE <u>CONFIDENTIAL</u>	CALLED OUT <u>7:15am</u>	ON LOCATION <u>10:15am</u>	JOB START <u>12:10pm</u>	JOB FINISH <u>1:45pm</u>
LEASE <u>SWAYZE</u> WELL # <u>1</u>			LOCATION <u>KINGS DOWN, KS, SOUTH TO CURVE,</u>		COUNTY <u>CLARK</u>	STATE <u>KS</u>	
<input checked="" type="radio"/> OLD OR NEW (Circle one)			<u>2W, 2N/W TO</u>				

CONTRACTOR VAL #2

TYPE OF JOB ROTARY PLUG

HOLE SIZE 7 7/8" T.D. 1,200'

CASING SIZE 8 5/8" DEPTH 690'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE 4 1/2" DEPTH 1,200'

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX 200 MINIMUM 50

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT MUD / FRESH WATER

OWNER FALCON EXPLORATION

CEMENT

AMOUNT ORDERED 140 SX 60' 40' 6

**EQUIPMENT**

PUMP TRUCK CEMENTER BILL M.

# 360 HELPER DWAYNE W.

BULK TRUCK

# 389 DRIVER CLINT W.

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON	<u>84 A</u>	@	<u>9.60</u>	<u>806.40</u>
POZMIX	<u>56</u>	@	<u>5.20</u>	<u>291.20</u>
GEL	<u>7</u>	@	<u>15.00</u>	<u>105.00</u>
CHLORIDE	_____	@	_____	_____
ASC	_____	@	_____	_____

**RECEIVED**

**KANSAS CORPORATION COMMISSION**

**APR 11 2006**

**CONSERVATION DIVISION**

**WICHITA, KS**

HANDLING 147 @ 1.70 249.90

MILEAGE 55 X 147 X .07 565.95

TOTAL 2018.45

**REMARKS:**

1st PLUG 1,200', LOAD HOLE, MIX 50 SX 60' 40' 6, DISPLACE WITH MUD / FRESH WATER,

2nd PLUG 720', LOAD HOLE, PUMP 50 SX 60' 40' 6, DISPLACE WITH FRESH WATER,

3rd PLUG 60', LOAD HOLE, PUMP 15 SX 60' 40' 6,

PLUG RAT & MOUSE HOLES WITH 25 SX 60' 40' 6.

CHARGE TO: FALCON EXPLORATION

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**SERVICE**

DEPTH OF JOB 1,200'

PUMP TRUCK CHARGE \_\_\_\_\_ 730.00

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE 55 @ 5.00 275.00

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL 1005.00

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

**PLUG & FLOAT EQUIPMENT**

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

**ANY APPLICABLE TAX WILL BE CHARGED UPON INVOICING**

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE [Signature]

Jay D Blankenship  
PRINTED NAME

# ALLIED CEMENTING CO., INC.

22918

MAIL TO P.O. BOX 31  
RUSSELL, KANSAS 67665

KCC

APR 11 2006

SERVICE POINT:

MEDICINE LODGE

DATE <u>2-25-06</u>	SEC. <u>19</u>	TWP. <u>30s</u>	RANGE <u>22W</u>	ABSEOUT <u>1:30 PM</u>	ON LOCATION <u>5:30 PM</u>	JOB START <u>12:00 AM</u>	JOB FINISH <u>12:45 AM</u>
LEASE <u>SWAYZE</u>	WELL # <u>1</u>	LOCATION <u>KINGSDOWN, KS</u>			COUNTY <u>CLARK</u>	STATE <u>KANSAS</u>	
OLD OR NEW (Circle one)		<u>SOUTH, 12W, 12N</u>					

CONTRACTOR VAL ENERGY #2  
 TYPE OF JOB SURFACE CASING  
 HOLE SIZE 8 5/8" T.D. 895'  
 CASING SIZE 8 5/8" X 23" DEPTH 690'  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX 800# MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT 43.00'  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 1 1/2 BBLs. WATER

OWNER FALCON EXPLORATION  
 CEMENT AMOUNT ORDERED  
400 SY 6S:3S:6 + 3% CC + 1/4# F/S  
100 SY CLASS A + 3% CC + 2% BEL  
 COMMON A 100 @ 8.70 870.00  
 POZMIX \_\_\_\_\_ @ \_\_\_\_\_  
 GEL 2 @ 14.00 28.00  
 CHLORIDE 17 @ 38.00 646.00  
 ASC \_\_\_\_\_ @ \_\_\_\_\_  
ALW 400 @ 8.15 3260.00  
FLO-SEAL 100# @ 1.70 170.00

EQUIPMENT  
 PUMP TRUCK CEMENTER KEVIN BRUNGARDT  
 # 343 HELPER CARRY DREILING  
 BULK TRUCK  
 # 363-250 DRIVER BILL McADOO  
 BULK TRUCK  
 # 389 DRIVER RON GILLEY

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 APR 11 2006  
 CONSERVATION DIVISION  
 WICHITA, KS  
 HANDLING 544 @ 1.60 870.40  
 MILEAGE 544 x .55 x .06 1795.20  
 TOTAL 7639.60

REMARKS:

RUN 8 5/8" CASING + BREAK CIRC.  
PUMP 5 BBLs. WATER  
MIX 400 SY 6S:3S:6 + 3% CC + 1/4# F/S  
MIX 100 SY CLASS A + 3% CC + 2% BEL  
CEMENT DID NOT CIRCULATE  
FLOAT DID HOLD!

SERVICE

DEPTH OF JOB 690'  
 PUMP TRUCK CHARGE 0-300' 670.00  
 EXTRA FOOTAGE 390 @ .55 214.50  
 MILEAGE 55 @ 5.00 275.00  
 MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_  
HEAD RENTAL @ 75.00 75.00

CHARGE TO: FALCON EXPLORATION  
 STREET 155 N. MARKET, STE. 1020  
 CITY WICHITA STATE KANSAS ZIP 67202

TOTAL 1234.50

PLUG & FLOAT EQUIPMENT

8 5/8"  
 1 - AFU INSERT @ 325.00 325.00  
 1 - BASKET @ 180.00 180.00  
 1 - CENTRALIZER @ 55.00 55.00  
 1 - TRP @ 100.00 100.00

ANY APPLICABLE TAX WILL BE CHARGED UPON INVOICING TOTAL 660.00

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

Bid

TAX \_\_\_\_\_  
 TOTAL CHARGE [scribble]  
 DISCOUNT [scribble] IF PAID IN 30 DAYS

SIGNATURE [Signature]

PRINTED NAME