

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

CORRECTED

Operator: License # 33258  
 Name: Sabine Operating Services, Inc.  
 Address: 2351 W. Northwest Highway #1203  
 City/State/Zip: Dallas, Texas 75220  
 Purchaser: Plains Oil  
 Operator Contact Person: Eric Oden  
 Phone: (903) 283-1094  
 Contractor: Name: same  
 License: \_\_\_\_\_  
 Wellsite Geologist: Tom Oast  
 Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SIOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)  
 If Workover/Re-entry: Old Well Info as follows:  
 Operator: \_\_\_\_\_  
 Well Name: \_\_\_\_\_  
 Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)    Docket No. \_\_\_\_\_

11/11/06	11/17/06	12/19/06
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 019-26, 773-0000  
 County: Chautauqua  
W/2 NE NE NE Sec. 3 Twp. 33 S. R. 13  East  West  
330' feet from (S) / (N) (circle one) Line of Section  
400' feet from (E) / W (circle one) Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 (circle one) NE SE NW SW  
 Lease Name: Ownbey Well #: 7-06  
 Field Name: Frasier/North  
 Producing Formation: Weiser  
 Elevation: Ground: 941' Kelly Bushing: \_\_\_\_\_  
 Total Depth: 1076' Plug Back Total Depth: \_\_\_\_\_  
 Amount of Surface Pipe Set and Cemented at 40' Feet  
 Multiple Stage Cementing Collar Used?  Yes  No  
 If yes, show depth set \_\_\_\_\_ Feet  
 If Alternate II completion, cement circulated from \_\_\_\_\_  
 feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.


**Drilling Fluid Management Plan**  
 (Data must be collected from the Reserve Pit)  
 Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
 Dewatering method used \_\_\_\_\_  
 Location of fluid disposal if hauled offsite: \_\_\_\_\_  
 Operator Name: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
 Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
 County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

AH2-Dg-4/23/09

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
 Title: President Date: 3/25/09  
 Subscribed and sworn to before me this 25 day of March  
20 09  
 Notary Public: [Signature]



**KCC Office Use ONLY**

N Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 MAR 30 2009

CONSERVATION DIVISION  
WICHITA, KS

Operator Name: Sabine Operating Services, Inc. Lease Name: Ownbey Well #: 7-06  
 Sec. 3 Twp. 33 S. R. 13  East  West County: Chautauqua

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:  <b>CDL/CNLGR, ILD</b>	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input checked="" type="checkbox"/> Sample  <table border="0" style="width: 100%;"> <tr> <td style="width: 60%;">Name</td> <td style="width: 20%;">Top</td> <td style="width: 20%;">Datum</td> </tr> <tr> <td>Drum</td> <td>680'</td> <td>+261</td> </tr> <tr> <td>Redd</td> <td>719'</td> <td>+222</td> </tr> <tr> <td>South Mound</td> <td>848'</td> <td>+93</td> </tr> <tr> <td>Lenapah</td> <td>880'</td> <td>+61</td> </tr> <tr> <td>Wayside</td> <td>909'</td> <td>+32</td> </tr> <tr> <td>Altamont</td> <td>962'</td> <td>-21</td> </tr> <tr> <td>Weiser</td> <td>1001'</td> <td>-60</td> </tr> </table>	Name	Top	Datum	Drum	680'	+261	Redd	719'	+222	South Mound	848'	+93	Lenapah	880'	+61	Wayside	909'	+32	Altamont	962'	-21	Weiser	1001'	-60
Name	Top	Datum																							
Drum	680'	+261																							
Redd	719'	+222																							
South Mound	848'	+93																							
Lenapah	880'	+61																							
Wayside	909'	+32																							
Altamont	962'	-21																							
Weiser	1001'	-60																							

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12.25	8.625	24.	41	OWC	20	
Casing	6.75	4.50	10.50	1080	Thickset	120	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
4	1000' - 1020'	200 gal. 15% HCL, 9960 gal. water/gel	1000

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 MAR 30 2009  
 CONSERVATION DIVISION  
 WICHITA, KS

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
---------------	------	--------	-----------	--

Date of First, Resumerd Production, SWD or Enhr. <b>TBD</b>	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
--	--

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
TBD	TBD	TBD	TBD	TBD	TBD

Disposition of Gas  Vented  Sold  Used on Lease  Open Hole  Perf.  Dually Comp.  Commingled \_\_\_\_\_  
*(If vented, Submit ACO-18.)*  Other (Specify) \_\_\_\_\_