

KANSAS CORPORATION COMMISSION ORIGINAL OIL & GAS CONSERVATION DIVISION

September 1999

Form Must Be Typed AMENDED

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| Operator: License # 33365 | API No. 15 - 205-26269 -00-00 |
|--|--|
| Name: Layne Energy Operating, LLC | County: Wilson |
| Address: 1900 Shawnee Mission Parkway | NE -SW - SW - SW Sec. 7 Twp. 30 S. R. 16 7 East West |
| City/State/Zip: Mission Woods, KS 66205 | 500 feet from S / N (circle one) Line of Section |
| Purchaser: | 500 feet from E / ((circle one) Line of Section |
| Operator Contact Person: M. B. Nattrass | Footages Calculated from Nearest Outside Section Corner: |
| Phone: (913) 748-3987 | (circle one) NE SE NW SW |
| Contractor: Name: Thornton Air Rotary MAY 0 3 2006 | Lease Name: Bailey Farm B&B Well #: 13-7 |
| License: 33606 CONFIDENT | Field Name: Neodesha |
| Wellsite Geologist: | Producing Formation: Cherokee Coals |
| Designate Type of Completion: | Elevation: Ground: 970' Kelly Bushing: |
| New Well Re-Entry Workover | Total Depth: 1113' Plug Back Total Depth: 1097' |
| Oil SWD SIOW Temp. Abd. | Amount of Surface Pipe Set and Cemented at 20' Feet |
| Gas ENHR SIGW | Multiple Stage Cementing Collar Used? |
| Dry Other (Core, WSW, Expl., Cathodic, etc) | If yes, show depth setFeet |
| If Workover/Re-entry: Old Well Info as follows: | If Alternate II completion, cement circulated from 1104' |
| Operator: | feet depth to Surface w/ 110 sx cmt. |
| Well Name: | <u> </u> |
| Original Comp. Date: Original Total Depth: | Drilling Fluid Management Plan UH 6 5 08 (Data must be collected from the Reserve Pit) |
| Deepening Re-perf Conv. to Enhr./SWD | Chloride content N/A ppm Fluid volume bbls |
| Plug Back Plug Back Total Depth | Dewatering method used N/A - Air Drilled |
| Commingled Docket No | Location of fluid disposal if hauled offsite: |
| Dual Completion Docket No | |
| Other (SWD or Enhr.?) Docket No | Operator Name: RECEIVED KANSAS CORPORATION COMMISSION |
| 1/5/2006 1/12/2006 2/27/2006 | Lease Name: KANSAS CORPORATION COMMISSION |
| Spud Date or Date Reached TD Completion Date or | Quarter Sec TwpS. R.JUL 2 5 2006 West |
| Recompletion Date Recompletion Date | County: Docket NONSERVATION DIVISION |
| | WICHITA, KS |
| INSTRUCTIONS: An original and two copies of this form shall be filed with t Kansas 67202, within 120 days of the spud date, recompletion, workover Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs a TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. | or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-ind geologist well report shall be attached with this form. ALL CEMENTING |
| All requirements of the statutes, rules and regulations promulgated to regulate herein are complete and correct to the best of my knowledge. | e the oil and gas industry have been fully complied with and the statements |
| N.C. A. | |
| Signature: MDV AUD | KCC Office Use ONLY |
| Title: Agent Date: 7/34/06 | Letter of Confidentiality Attached |
| Subscribed and sworn to before me this 24 day of | If Denied, Yes Date: |
| | Wireline Log Received |
| Notary Public HOUL WALL | Geologist Report Received UIC Distribution |
| Date Commission Expires: 12 28 NOTARY PUBLIC - State Of | Kanses |

1

| Operator Name: <u>Layr</u> Sec. 7 Twp. <u>30</u> | | | 1 12350 | | | | | | AY no | |
|---|--|--|--|-------------------------|--------------------|--------------------|---------------------|-----------------------|------------------|--|
| | S. R. ¹⁶ | √ East | | ; Wilson | Bailey Farm I n | | Well #: <u>13</u> - | COA | IAY 03 IFIDEN | |
| NSTRUCTIONS: Sho ested, time tool open emperature, fluid reco | ow important tops a and closed, flowing overy, and flow rate | and base of formations p g and shut-in pressures, s if gas to surface test, a inal geological well site | enetrated. whether sl along with f | Detail al nut-in pre | l cores. Report | static level, hydr | ostatic pressu | res, botto | n hole | |
| Orill Stem Tests Taken | | ☐ Yes 🗸 No | | ✓Lo | og Formati | on (Top), Depth | and Datum | | Sample | |
| Samples Sent to Geol | , | ☐ Yes 🗸 No | | Name | me | | Тор | Datum | | |
| Cores Taken | - 3 | ☐ Yes ✓ No | | Pawnee Lir | | | 752 GL | | 18 | |
| lectric Log Run (Submit Copy) | | ✓ Yes | | Excello Shale | | | 864 GL | 106 | | |
| ist All E. Logs Run: | | | | V Sh | ale | | 935 GL | 3 | 5 | |
| Compensated De Dual Induction | nsity Neutron | | | Mine | ral Coal | | 972 GL | - | 2 | |
| | | CASING Report all strings set-c | RECORD | ✓ Ne | | tion, etc. | | | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Wei | ght | Setting Depth | Type of Cement | # Sacjs Used | | | |
| Surface | 11 | 8.65 | 24 | | 20' | Class A | 8 | Type 1 cement | | |
| Casing | 6.75 | 4.5 | 10.5 | | 1104' | Thick Set | 110 | | | |
| | | | | | ***** | | | | | |
| | | ADDITIONAL | CEMENTI | NG / SQU | EEZE RECORD |) | | | | |
| Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone | Depth Top Bottom | Type of Cement | #Sacks | Used | | Type and | Percent Additives | 5 | | |
| Shots Per Foot | | ON RECORD - Bridge Pluç Footage of Each Interval Per | | | | cture, Shot, Cemer | | rd | Depth | |
| See Attached | | | | | | | F | SECEIV | /ED | |
| | | | | | | | KANSAS COF | PORATIO | N COMMIS | |
| | | | | | | | JL | IL 25 | 2006 | |
| | | | | | | | CONSE | RVATION VICHITA, I | DIVISION | |
| TUBING RECORD 2 3/6 | Size | Set At 1015' | Packer A | ıt . | Liner Run | Yes ✓ No | | | | |
| Date of First, Resumerd | Production, SWD or E | nhr. Producing Met | hod [| Flowing | ✓ Pumpi | ng Gas L | ift | er (Explain) | | |
| Estimated Production Per 24 Hours | Oil O | Bbls. Gas | Mcf | Wate 26 | r B | bls. | Gas-Oil Ratio | | Gravity | |
| | | 1 | | | | | | | | |

KCC MAY 0 3 2006

| Operator Name: | Layne Energy Operating, LLC. | CONFIDENTE | |
|----------------|---|---|-----------|
| Lease Name: | Bailey Farm B&B 13-7 | - SURFINE NEW TALL | |
| | Sec. 7 Twp. 30S Rng. 16E, Wilson County | | |
| API: | 15-205-26269 | | |
| Shots per Foot | Perforation Record | Acid, Fracture, Shot, Cement Squeeze Record | Depth |
| 4 | 972-973.5, 935-937, 914-917, 864-869, 848-850.5 | Mineral, Croweberg, Bevier, Mulky, Sumrnit-7100# 20/40 sand, 2450 gal 15% HCl acid, 513 bbls wtr. | 848-973.5 |

FEECEIVED KANSAS CORPORATION COMMISSION

JUL 2 5 2006

CONSERVATION DIVISION WICHITA, KS

05/03/08

Layne Energy, Inc.

1900 Shawnee Mission Parkway, Mission Woods, Kansas 66205 Phone: (913) 748-3987 Fax: (913) 748-3970

July 24, 2006

RECEIVED KANSAS CORPORATION COMMISSION

JUL 2 5 2006

CONSERVATION DIVISION WICHITA, KS

Kansas Corporation Commission Oil & Gas Conservation Division 130 S. Market, Room 2078 Wichita, KS 67202

Re:

Well Completion Forms

To Whom It May Concern:

MAY 0 3 2006 CONFIDENTIAL

I have enclosed the amended ACO-1 forms and associated data for the following wells:

API # 15-205-26278

API # 15-205-26269

Kebert B&B 7-7

Bailey Farm B&B 13-7

API # 15-205-26264

API # 15-205-26267

Bailey Farm B&B 8-18

Bailey Farm B&B 11-7

We respectfully request that all information submitted be kept confidential and per provision E-4 of K.A. R. 82-3-107, we request that the term of the confidentiality be extended by one year.

If you need additional information or have any questions or comments, please contact me at (913) 748-3987.

Best regards,

Brooke Maxfield

Enclosures

Cc

Well File Field Office

