

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33325
Name: Petroleum Development Corporation
Address: 1775 Sherman Street, Suite 3000
City/State/Zip: Denver, CO 80203
Purchaser: Riley Natural Gas Company
Operator Contact Person: Larry Robbins
Phone: (303) 860-5800
Contractor: Name: Schaal Drilling, Co. LLC & Advanced Drilling Technologies, LLC
License: 33775 & 33532
Wellsite Geologist: N/A

Designate Type of Completion:

New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

Deepening Re-perf. Conv. to Enhr./SWD

Plug Back Plug Back Total Depth

Commingled Docket No. _____

Dual Completion Docket No. _____

Other (SWD or Enhr.?) Docket No. _____

08/14/2008	08/31/2008	09/22/2008
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 023-21097-0000

County: Cheyenne

SW SW SE Sec. 34 Twp. 3 S. R. 42 East West
330 _____ feet from S / N (circle one) Line of Section

2180 _____ feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:

(circle one) NE SE NW SW

Lease Name: Rueb Farm Well #: 34B-34

Field Name: Cherry Creek Niobrara Gas Area

Producing Formation: Niobrara

Elevation: Ground: 3725' Kelly Bushing: 3737'

Total Depth: 1720' Plug Back Total Depth: 1671'

Amount of Surface Pipe Set and Cemented at 8 joints @ 348 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set _____ Feet

If Alternate II completion, cement circulated from _____

feet depth to _____ w/ _____ sx gmt/

Alt-1-Dlg-5/6/09

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content 5000 ppm Fluid volume 50 bbls

Dewatering method used Evaporation

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License No.: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jamy [Signature]

Title: Regulatory Agent Date: April 16, 2009

Subscribed and sworn to before me this 16 day of April

2009

Notary Public: Susan Holly Cobb

Date Commission Expires: 10/04/2011 My Commission Expires 10/04/2011

SUSAN HOLLY COBB
NOTARY PUBLIC
STATE OF COLORADO
My Commission Expires 10/04/2011

KCC Office Use ONLY

N

Letter of Confidentiality Received

If Denied, Yes Date: _____

Wireline Log Received

Geologist Report Received

UIC Distribution

RECEIVED

APR 20 2009

KCC WICHITA

Operator Name: Petroleum Development Corporation Lease Name: Rueb Farm Well #: 34B-34
 Sec. 34 Twp. 3 S. R. 42 East West County: Cheyenne

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: CDL, CNL, Dual Induction, CBL	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name <u>Niobrara</u> Top <u>1526'</u> Datum _____
---	---

RECEIVED
APR 20 2009
KCC WICHITA

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	11"	7"	17#	348'	Type I/II	86	
Production	6 1/8"	4 1/2"	10.5 #	1693'	Type I/II	75	2% KCL

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
____ Perforate				
____ Protect Casing				
____ Plug Back TD				
____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
2	1542'-1554'	500 gals 15% HCL, 70 Quality N2 foam, 415 bbls Lighting 15# fluid system, 96220 lbs of Ottawa 12/20 mesh sand 4000 lbs of SB Excel 12/20 resin coated sand 235 MSCF N2	1542'-1554'

TUBING RECORD	Size 2 3/8"	Set At 1588'	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
---------------	----------------	-----------------	-----------	---

Date of First, Resumerd Production, SWD or Enhr. 10/14/2008	Producing Method <input checked="" type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
--	--

Estimated Production Per 24 Hours	Oil Bbls. 0	Gas Mcf 73	Water Bbls. 0	Gas-Oil Ratio n/a	Gravity
-----------------------------------	----------------	---------------	------------------	----------------------	---------

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION

Open Hole Perf. Dually Comp. Commingled _____
 Other (Specify) _____

Production Interval

SCHAAL DRILLING, CO.
PO BOX 416
BURLINGTON, CO. 80807
719-346-8032
FIELD REPORT
SURFACE CASING, DRILLING AND CEMENTING

Handwritten: KCC
4/20/09

DRILLING DATE 8-14-08

WELL NAME & LEASE # Rueb Farm 34-~~B~~34
Handwritten: A

MOVE IN, RIG UP, DIG PITS ETC. DATE 8-13-08 TIME 2:00 AM PM

SPUD TIME 6:30 AM PM SHALE DEPTH 265 TIME 8:15 AM PM

HOLE DIA. 11 FROM 0 TO 340 TD TIME 9:15 AM PM

CIRCULATE, T.O.O.H., SET 335.10 FT CASING 348.10 KB FT DEPTH

8 JOINTS 7 0D #/FT 14 15.5 17 20 23

PUMP 86 SAC CEMENT 549 GAL.DISP. CIRC. 2 BBL TO PIT

PLUG DOWN TIME 10:15 AM PM DATE 8-14-08

CEMENT LEFT IN CSG. 20 FT TYPE: PORTLAND CEMENT I/II ASTM C 150
CENTRALIZER 1 CEMENT COST \$ 1687.56


ELEVATION 3725
+12KB 3737

PIPE TALLY

- 1. 40.60
- 2. 40.60
- 3. 40.60
- 4. 43.20
- 5. 39.20
- 6. 44.20
- 7. 43.30
- 8. 43.40
- 9.
- 10.
- 11.
- 12.
- 13.
- 14.

TOTAL 335.10

RECEIVED
APR 20 2009
KCC WICHITA



A DIVISION OF ADVANCED DRILLING TECHNOLOGIES, LLC.

LONGHORN CEMENTING CO.

P.O. BOX 203 YUMA, COLORADO 80759
Phone: 970-848-0799 Fax: 970-848-0798

FIELD SERVICE TICKET
AND INVOICE

DATE 8/31/08 TICKET NO. 1693

4/22/09

DATE OF JOB: <u>8/31/08</u>	DISTRICT	NEW WELL <input checked="" type="checkbox"/>	OLD WELL <input checked="" type="checkbox"/>	PROD <input type="checkbox"/>	INJ <input type="checkbox"/>	WDW <input type="checkbox"/>	CUSTOMER ORDER NO.:
CUSTOMER: <u>PDC</u>	LEASE: <u>Rueb Farm 34^B - 34</u>	WELL NO.					
ADDRESS	COUNTY	STATE					
CITY	STATE	SERVICE CREW: <u>Thomas (Damon)</u>					
AUTHORIZED BY	EQUIPMENT: <u>Pump 112</u>						
TYPE JOB: <u>L/S</u>	DEPTH FT.	CEMENT DATA: BULK <input type="checkbox"/>	SAND DATA: SACKS <input type="checkbox"/>		TRUCK CALLED: <u>9:25</u> <u>8/31</u> DATE AM TIME		
SIZE HOLE: DEPTH FT.	SACKS	BRAND	TYPE	% GEL	ARRIVED AT JOB: <u>10:45</u> <u>8/31</u> AM		
SIZE & WT. CASTING DEPTH FT.					START OPERATION AM		
SIZE & WT. D PIPE OR TUBING DEPTH FT.					FINISH OPERATION AM		
TOP PLUGS TYPE:	WEIGHT OF SLURRY: <u>15[#]</u> LBS./GAL.				RELEASED AM		
	VOLUME OF SLURRY: <u>17.5 BBL</u>				MILES FROM STATION TO WELL		
	<u>75</u> SACKS CEMENT TREATED WITH <u>2</u> % OF <u>CL</u>						
MAX DEPTH FT.	MAX PRESSURE: <u>2000</u> P.S.I.						

CONTRACT CONDITIONS: (This contract must be signed before the job is commenced or merchandise is delivered).

The undersigned is authorized to execute this contract as an agent of the customer. As such, the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies includes all of and only these terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without written consent of an officer of Advanced Drilling Technologies, LLC.

SIGNED: _____
(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

ITEM / PRICE REF. NUMBER	MATERIAL, EQUIPMENT AND SERVICES USED	UNIT	QUANTITY	UNIT PRICE	\$ AMOUNT
001-1	Depth Charge / Mileage / Cement				4200 ⁰⁰
200-12	7" Centralizer		1		36 ⁴⁴
400-3	KCL		1 gal		80 ⁰⁰
400-2	Calcein		1 bag		50 ⁰⁰
20 BBL Flush W/P 75 SKS Cement @ 15 [#] drop plug + displace 26 [#] BBL 4 5/8" sit plug @ 1800 psi					
					RECEIVED
					APR 20 2009
					KCC WICHITA

SUB TOTAL 4366 ⁴⁴

ACID DATA:			
	GALLONS	%	ADDITIVES
HCL			
HCL			

SERVICE & EQUIPMENT	% TAX ON \$
MATERIALS	% TAX ON \$
TOTAL	

Thanks
Don K. Walker

SERVICE REPRESENTATIVE: _____	THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY: _____ (WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)
FIELD SERVICE ORDER NO.	