## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

## **WELL COMPLETION FORM**

WELL HISTORY - DESCRIPTION OF WELL & LEASE

perator: License #32756	API No. 15 - 099-23417-0000
amo:Double 7 Oil & Gas	County: Labette
idress: 21003 Wallace Rd.	S1/2 NW NWsec. 33 Twp. 31 s. R. 21 East West
ty/State/Zip: Parsons Ks. 67357	1290feet from 1 N (circle one) Line of Section
urchaser:	4625 feet from (E) / W (circle one) Line of Section
perator Contact Person: Bruce Schulz	Footages Calculated from Nearest Outside Section Corner:
hono: () 316-423-0951	(circle one) NE SE (IW) SW
ontractor: Name:	Lease Name: Hugh's Well #:-]
icense:	Field Name:
/elisite Geologist:	Producing Formation: Bartlesville
esignate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 480 Plug Back Total Depth:
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 20.1 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐Yes ☒No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Dperator:	feet depth tosx cmt.
Market Control	
Vell Name: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) AH I NUL 5-14-09
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used Empty & Fill
Commingled Docket No.	Dewatering method used
,	Location of fluid disposal if hauled offsite:
	Operator Name:
Other (SWD or Enhr.?) Docket No.	Lease Name: License No.:
8-12-04 8-15-04 8-27-04	Quarter Sec Twp S. R East West
Spud Date or Recompletion Date  Date Reached TD Completion Date or Recompletion Date	County: Docket No.: RECEIVED
•	Dro C
	UEU 2 3 2004
INSTRUCTIONS: An original and two copies of this form shall be filed with	h the Kansas Corporation Commission, 130 S. Market - 160m 2078, Wichita,
Kansas 67202, within 120 days of the spud date, recompletion, worker	ver or conversion of a well. Rule 82-3-130, 82-3-106 and 82 <sup>2</sup> 3 htt Grew 12 months if requested in writing and submitted with the form (see rule 82-3-
107 for confidentiality in excess of 12 months). One copy of all wireline log	s and geologist well report shall be attached with this form. ALL CEMENTING
TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged well	s. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes rules and regulations promulgated to requ	late the oil and gas industry have been fully complied with and the statements
herein are complete and correct to the best of my knowledge.	
R-was III	KCC Office Use ONLY
Signature: Will Stand	
Tillo: Owner Dato: O	Letter of Confidentiality Attached
Subscribed and sworn to before me this 20th day of December	· ·
2004. C	Wiceline London
1 10 10 15	Gercial My CONINISSION EXPIRES
Notary Public:	SEAL SIGNATURE 12007
Date Commission Expires: July 8, 2007	aviii.

perator Name:_DBub	le 7 Oil	&_Gas	3	Lease	Name:	Hug	hs	Well #: 1	· · · · · ·	
c33_ Twp31_	_s. R21	X East	₩est	County	. Lab	ette		····	:	
STRUCTIONS: Show sted, time tool open an nperature, fluid recove ectric Wireline Logs su	id closed, flowing ry, and flow rates	and shut- if gas to :	In pressures, <sup>.</sup> surface test, a	whether st long with f	nut-in pros	sure reached	static level hydros	tatic proseur	as hallam ha	
Drill Stem Tests Taken (Attach Additional Sheets) Samples Sent to Geological Survey		□Yes 『No			[][0	g Format	tion (Top), Depth and Datum		Sample  Datum	
					Namo	)		Тор		
ores Taken ectric Log Run (Submit Copy)		☐ Yo				•				
t All E. Logs Run:						•				
•							·			
		Repor	CASING t all strings set-c		Nov		ction, etc.		:	
Purpose of String	Size Hole Drilled		Casing (In O.D.)	Weld Lbs.		Setting Depth	Type of Cement	# Sacjs Used	Type and P Additiv	
Surface Drill Well	11 ''   ( CARA)	20'	64''			· · · · · · · · · · · · · · · · · · ·	Portland	5	Additiv	
ngstring	5 1/2	2	3/8			470	1.1	35	-	
	"							1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
			ADDITIONAL	CEMENTI	NG / SQU	EEZE RECOR	D		I	
Purpose:  —— Perforate  —— Protect Casing  —— Plug Back TD  —— Plug Off Zone	Depth Top Bollom	Type of Cement		#Sacks	Used	Type and Percent Additives				
Shots Per Foot		ORATION RECORD - Bridge Plugs pecify Footage of Each Interval Perfor								Depth
TUBING RECORD	Size	Set At		Packer A 470	- 1	Liner Run				<del></del> -
Pale of First, Resumerd Pr	oduction, SWD or E	nhr.	Producing Met	hod	Flowing	Pump		——————————————————————————————————————		
stimated Production Per 24 Hours	Oll	36ts.	Gas	Mcf	Water			Otho	or (Explain)	ravity
Disposition of Gas	METHOD OF C	OMPLETIC	<u> </u>	10		Production Inte	orval :	F.		
Vented Sold [ (If vented, Sumit	Used on Lease ACO-18.)		Open Hole	Poit	. [] Do	Jally Comp.	Commingled	·		



## Flyer Feed & Tire

P. O. Box 216 501 N. Galveston Thayer, KS 66776-0216 (620) 839-5400



l l	MER'S NO				DATE 🏖		٥٠٠	
NAME (	Double ss					ی موجدست	··· /· •	,
SOLD BY		C.O.D.	CHARGE	ON ACCT.	MDSE. RET'D.	PAID OUT		
- QUAN:			ESCRJPIIII	<u>өм</u> -	Townson and the second	PRICE	AMO!	מאת '
450	Per	tland	<u></u>		· · · · · · · · · · · · · · · · · · ·		2371	, Se
			-					
				4. 1.	:			+
					٠ - د			
							,	
					K.E.T.			H
					ales Tax		173	12
					TOTAL		2544	62

RECEIVED
DEC 2 3 2004
KCC WICHITA