

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

*KCC
MCA
5/30/08*

Operator: License # 33315
 Name: Mar-Lou Oil Company, LLC
 Address: P. O. Box 218
 City/State/Zip: Wilson, Kansas 67490-0218
 Purchaser: NCRA
 Operator Contact Person: Terry W. Piesker
 Phone: (785) 735-4363
 Contractor: Name: Discovery Drilling Co., Inc
 License: 31548
 Wellsite Geologist: Roger Moses
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____


3-13-03	3-20-08	4-28-08
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 135-24736-0000
 County: Ness
 _____ NW NW Sec. 3 Twp. 17 S. R. 26 East West
540 feet from S / (circle one) Line of Section
710 feet from E / (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW SW
 Lease Name: Dumler "A" Well #: 1
 Field Name: _____
 Producing Formation: Mississippi
 Elevation: Ground: 2624' Kelly Bushing: 2632'
 Total Depth: 4660' Plug Back Total Depth: 4619'
 Amount of Surface Pipe Set and Cemented at 211 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set _____ Feet
 If Alternate II completion, cement circulated from 2028'
 feet depth to surface w/ 560 _____ sx cmt.
Alta - Dlg - 7/10/08
Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
 Chloride content 5,000 ppm Fluid volume 2500 bbls
 Dewatering method used Evaporation
 Location of fluid disposal if hauled offsite: _____
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Terry W. Piesker
 Title: Consultant Date: 5-21-08
 Subscribed and sworn to before me this 31ST day of MAY
 20 08
 Notary Public: Patricia Dreiling
 Date Commission Expires: _____



KCC Office Use ONLY

Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
 KANSAS CORPORATION COMMISSION
MAY 29 2008

Operator Name: Mar-Lou Oil Company, LLC Lease Name: Dumler "A" Well #: 1
 Sec. 3 Twp. 17 S. R. 26 East West County: Ness

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Log Formation (Top), Depth and Datum	<input checked="" type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Heebner	3918 -1286
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	LKC	3962 1330
List All E. Logs Run:		Marmaton	4309 1677
		LKC	3962 -1330
		Fort Scott	4463 -1831
		Cherokee	4490 -1858
		Mississippi	4573 -1941

Dual Induction, Micro, Neutron/Density

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface Pipe	12 1/4"	8 5/8"	23#	211'	common	150	2% Gel, 3% CC
Long String	7 7/8"	5 1/2"	14#	4659'	common	150	10% Salt

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input checked="" type="checkbox"/> Protect Casing	2028'	60/40 Poz	450	6% Gel and 1/4# Flo Seal per sx.
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone	850'	60/40 Poz	110	6% Gel and 1/4# Flo Seal per sx.

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
4/sh/ft	4612.5' to 4616.5' and 4586' to 4594'	1000 gal. 15% INS	

RECEIVED
KANSAS CORPORATION COMMISSION
MAY 29 2008

TUBING RECORD	Size	Set At	Packer At	Liner Run
	2 7/8"	4610'		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

CONSERVATION DIVISION
WICHITA, KS

Date of First, Resumerd Production, SWD or Enhr. 5-04-08	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)						
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity		
	8		43				

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify)	4612.5 to 4616.5' and 4586' to 4594'

ALLIED CEMENTING CO., INC. 30669

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Ness City

DATE <u>4-22-08</u>	SEC. <u>3</u>	TWP. <u>17s</u>	RANGE <u>26W</u>	CALLED OUT <u>7:00 AM</u>	ON LOCATION <u>11:00 AM</u>	JOB START <u>2:00 PM</u>	JOB FINISH <u>2:00 PM</u>
Drumler LEASE	WELL # <u>A #1</u>	LOCATION <u>Utica, Ks 1 1/2 W, 2 S, 1/2 E</u>			COUNTY <u>Ness</u>	STATE <u>Ks</u>	
OLD OR <u>NEW</u> (Circle one)			<u>S/S</u>				

CONTRACTOR Fimco Well Service

OWNER Mar-Lou

TYPE OF JOB Port Collar

HOLE SIZE _____ T.D. _____

CASING SIZE 5 1/2" DEPTH 4600'

TUBING SIZE 2 7/8" DEPTH 2028'

DRILL PIPE _____ DEPTH _____

TOOL Port Collar DEPTH 2028'

PRES. MAX 1000# MINIMUM 0

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT 9 bbls of Fresh water

EQUIPMENT

PUMP TRUCK CEMENTER Rock H.

120 HELPER Wayne D.

BULK TRUCK # 344-112 DRIVER Carl S.

BULK TRUCK # _____ DRIVER _____

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 14 2008

CONSERVATION DIVISION
WICHITA, KS

CEMENT AMOUNT ORDERED 425 SY 60/40 6%
Gel 4# Flo-seal
2 SY Sand

COMMON	<u>255 AN @ 12.30</u>	<u>3136.50</u>
POZMIX	<u>170 AN @ 6.85</u>	<u>1164.50</u>
GEL	<u>22 AN @ 18.40</u>	<u>404.80</u>

CHLORIDE	@	
ASC	@	
FLO SEAL	<u>106 AN @ 2.20</u>	<u>233.20</u>
SAND	<u>2 AN @ 11.60</u>	<u>23.20</u>

WICHTANKS	@	
WICHTANKS	@	
WICHTANKS	@	
WICHTANKS	@	
WICHTANKS	@	

WICHTANKS	@	
WICHTANKS	@	
WICHTANKS	@	
WICHTANKS	@	
WICHTANKS	@	

WICHTANKS	@	
WICHTANKS	@	
WICHTANKS	@	
WICHTANKS	@	
WICHTANKS	@	

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

WICHTANKS @ _____

REMARKS:

Load hole, opened port collar, break circulation
mixed cement, closed tool, pressured tool
to 1000#, released.

Displacement with 9 bbls of cement

Ran in 9 bbls tubing + reversed out spot
sand in 10 bbls of water.

Rigged down cement did NOT circulate

CHARGE TO: Mar-Lou

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB 2190'

PUMP TRUCK CHARGE _____ 1055.00

EXTRA FOOTAGE @ _____

MILEAGE 30 @ 7.00 210.00

MANIFOLD 9PS @ 94.00 94.00

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment
and furnish cementer and helper to assist owner or
contractor to do work as is listed. The above work was
done to satisfaction and supervision of owner agent or
contractor. I have read & understand the "TERMS AND
CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Terry W. Pieske

PRINTED NAME _____

TOTAL _____

TOTAL 7136.60

TOTAL 1359.00

PLUG & FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

ALLIED CEMENTING CO., INC.

30671

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Ness City

DATE <u>4-23-08</u>	SEC. <u>3</u>	TWP. <u>17</u>	RANGE <u>26</u>	CALLED OUT <u>10:00 AM</u>	ON LOCATION <u>2:30 PM</u>	JOB START <u>5:00 PM</u>	JOB FINISH <u>5:30 PM</u>
LEASE <u>Dumler</u>	WELL # <u>A#1</u>		LOCATION <u>Utica, Ks 1 1/2 E, 2 S, 4 E</u>	COUNTY <u>Ness</u>	STATE <u>Ks</u>		
OLD OR <input checked="" type="radio"/> NEW (Circle one)			S/S				

CONTRACTOR Fimco Well Service
 TYPE OF JOB Squeeze - port collar
 HOLE SIZE 5 1/2 T.D. 4660'
 CASING SIZE 5 1/2" DEPTH 850'
 TUBING SIZE 2 7/8" DEPTH 754'
 DRILL PIPE DEPTH
 TOOL Packer DEPTH 850'
 PRES. MAX 1000 # MINIMUM 0
 MEAS. LINE SHOE JOINT
 CEMENT LEFT IN CSG.
 PERFS.
 DISPLACEMENT 6 1/2 BBLs of Freshwater

OWNER Mar-Jou
 CEMENT
 AMOUNT ORDERED 400 SX 60/40 6% 1/4# F10
50 SX Common 3%

EQUIPMENT
 PUMP TRUCK CEMENTER Rick H.
 # 181 HELPER Tyler W.
 BULK TRUCK
 # 357-170 DRIVER Gailen D.
 BULK TRUCK
 # 341 DRIVER Kevin W.

COMMON	<u>116 sq.</u>	@	<u>12.30</u>	<u>1426.80</u>
POZMIX	<u>44 sq.</u>	@	<u>6.85</u>	<u>301.40</u>
GEL	<u>6 sq.</u>	@	<u>18.40</u>	<u>110.40</u>
CHLORIDE	<u>2 sq.</u>	@	<u>51.50</u>	<u>103.00</u>
ASC		@		
<u>NO SEAL</u>	<u>28 sq.</u>	@	<u>2.20</u>	<u>61.60</u>
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>450 sq.</u>	@	<u>2.10</u>	<u>1008.00</u>
MILEAGE	<u>480 sq.</u>	@	<u>0.30</u>	<u>1296.00</u>
TOTAL				<u>4307.20</u>

REMARKS:

break circulation, mixed 110 SX 60/40 6% 1/4#
 Flu-seal - 50 SX Common 3% CC. Start
 Displacement 5 BBLs out 505# Not holding
 Let sit 20 mins. 5 3/4 out 1000# and
 holding. Released & held reversed out
 pulled 15# pressured to south west 15 mls.
 and held south. Released and rigged down.
 Cement did circulate.

SERVICE

DEPTH OF JOB	<u>754'</u>		
PUMP TRUCK CHARGE			<u>1055.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>30</u>	@	<u>7.00</u> <u>210.00</u>
MANIFOLD		@	
<u>MANIFOLD</u>		@	<u>94.00</u> <u>94.00</u>
		@	
TOTAL			<u>1359.00</u>

CHARGE TO: Mar-Jou
 STREET _____
 CITY _____ STATE _____ ZIP _____

RECEIVED
 KANSAS CORPORATION COMMISSION
 MAY 29 2008

To Allied Cementing Co., Inc. CONSERVATION DIVISION
 You are hereby requested to rent CONCRETE equipment
 and furnish cementer and helper to assist owner or
 contractor to do work as is listed. The above work was
 done to satisfaction and supervision of owner agent or
 contractor. I have read & understand the "TERMS AND
 CONDITIONS" listed on the reverse side.

SIGNATURE P. Terry W. Pieskes X

PLUG & FLOAT EQUIPMENT
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 TOTAL _____

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS
 PRINTED NAME _____

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "Allied" shall mean Allied Cementing Co., Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

—**TERMS:** Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "ALLIED" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "ALLIED," refunded directly to "CUSTOMER." For purposes of this paragraph, ALLIED and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

—**ATTORNEY FEES:** In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.

—**PRICES AND TAXES:** All merchandise listed in "ALLIED'S" current price schedule are F.O.B. ALLIED'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by ALLIED shall be added to the quoted prices charged to CUSTOMER.

—**TOWING CHARGES:** ALLIED will make a reasonable attempt to get to and from each job site using its own equipment. Should ALLIED be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by ALLIED, will be charged to and paid by CUSTOMER.

—**PREPARATION CHARGES:** If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay ALLIED for the expenses incurred by ALLIED as a result of the cancellation.

—**DEADHAUL, CHARGES:** Unless otherwise specified on the front of this Contract, a deadhaul charge as set forth in ALLIED'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

—**SERVICE CONDITIONS AND LIABILITIES:** 1. ALLIED carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond ALLIED'S control, ALLIED shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless ALLIED, its officers, agents and employees, from and against any and all claims or suits for:

(A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and

(B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with ALLIED'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of ALLIED or its employees.

2. With respect to any of ALLIED'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to ALLIED at the landing, CUSTOMER shall either recover the lost item without cost to ALLIED or reimburse ALLIED the current replacement cost of the item unless the loss or damage results from the sole negligence of ALLIED or its employees.

3. ALLIED does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

WARRANTIES: 1. ALLIED warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. ALLIED'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, at its option, for any merchandise which is determined by ALLIED to be defective. **THIS IS THE SOLE WARRANTY OF ALLIED AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE.** CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and ALLIED shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

(A) Nothing in this contract shall be construed as a warranty by ALLIED of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.

(B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by ALLIED or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by ALLIED, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of ALLIED or its employees in the preparation or furnishing of such facts, information or data.

(C) Work done by ALLIED shall be under the direct supervision and control of the CUSTOMER or his agent and ALLIED will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

