

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION



Form ACO-1 September 1999

WICHITA, KS

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33953	•	API No. 15 - 199-20368-0000
Name: Raven Resources		County: Wallace
Address: 13220 N MacArthur		NE_SE_Sec. 35_ Twp. 12_S. R. 42
City/State/Zip: Oklahoma City,		1980 feet from S / N (circle one) Line of Section
Purchaser:	l l	660 feet from E/ W (circle one) Line of Section
Operator Contact Person: David	E. Rice	Footages Calculated from Nearest Outside Section Corner:
Phone: (<u>620</u>) <u>624-0156</u>		(circle one) NE (SE) NW SW
Contractor: Name: Advanced D	Orilling Technologies, LLC	Lease Name: Gebhards Well #: 1-35
License: 33532		Field Name: Wildcat
Wellsite Geologist:		Producing Formation: Niobrara
Designate Type of Completion:		Elevation: Ground: 3782' Kelly Bushing: 3794'
New Well Re-Ent	ľ	Total Depth: 1238' Plug Back Total Depth: 1187.46'
Oil SWD	SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 240' Feet
Gas ENHR	SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
Dry Other (Core,	, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info		If Alternate II completion, cement circulated from
Operator:		feet depth tosx cmt.
Well Name:		
Original Comp. Date:	Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-p		Chloride content 7000 ppm Fluid volume bbls
Plug Back	_, _ , _ , _ , _ , ,	Dewatering method used
Commingled	Docket No.	
Dual Completion	Docket No	Location of fluid disposal if hauled offsite:
Öther (SWD or Enhr.?)	Docket No.	Operator Name:
11/16/07 11/29/0		Lease Name: License No.: Licens
Spud Date or Date Read	ched TD Completion Date or	Quarter Sec TwpS. R 🗌 East 🗌 West
Recompletion Date	Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days Information of side two of this for 107 for confidentiality in excess of TICKETS MUST BE ATTACHED.	of the spud date, recompletion, workover or m will be held confidential for a period of 12 m f 12 months). One copy of all wireline logs and Submit CP-4 form with all plugged wells. Su les and regulations promulgated to regulate the	Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, r conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. onths if requested in writing and submitted with the form (see rule 82-3-19 geologist well report shall be attached with this form. ALL CEMENTING ubmit CP-111 form with all temporarily abandoned wells.
San and domptod and domest to	1 c · D·	
Signature:	d E Kiec	KCC Office Use ONLY
Title: Agent	Date:3/18/08	Letter of Confidentiality Attached
Subscribed and sworn to before me	e this 18+hday of _March	If Denied, Yes X Date: 4-3-08
\sim		Wireline Log Received RECEIVED
19-2008 / A	li (ludi	Geologist Report Received KANSAS CORPORATION COMMIS
Notary Public:	so marens	UIC Distribution MAR 2 0 2008
Date Commission Expires:	NOTARY PUBLIC - STATE OF KANSAS	MAK 2 0 ZUUO
	BECKI ANDREWS	CONSERVATION DIVISION

My Commission Expires 4-22-2009

.... is is is

Operator Name: Rave	Lease	Name:	Gebhards		Well #: 1-35					
Sec. 35 Twp. 12	S. R. 42	East	✓ West	Count	_{y:} Wall	ace				
NSTRUCTIONS: Sho lested, time tool open a temperature, fluid reco Electric Wireline Logs	and closed, flowin- very, and flow rate	g and shut- s if gas to	in pressures, surface test, a	whether salong with	hut-in pre	ssure reached	static lével, hydr	ostatic pressu	res, bottom hole	е
Orill Stem Tests Taken (Attach Additional SI	heets)	☐ Ye	s 🔽 No		L	og Format	ion (Top), Depth	and Datum	☐ Sampl	e
Samples Sent to Geolo	ogical Survey	₽ Ye	s 🗌 No		Nam	е		Тор	Datum	١.
Cores Taken Electric Log Run (Submit Copy)		Ye Ye							ļ	:
ist All E. Logs Run:	,									
Spectral Density I Array Compensate			9							!
		Repor		RECORD conductor, s	✓ Ne	ew Used ermediate, produc	ction, etc.		; ;	· ·
Purpose of String	Size Hole Drilled		e Casing (In O.D.)		ight / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Pe Additive	
Surface	9-1/2"	7"		17#		240'	I/II ASTM	7,5		
Production	n 6-1/4" 4-1/2"					1229.53'	Class A	60	2% CCL	
		<u>.</u>	ADDITIONAL	CEMENT	NG / SQI	JEEŻE RECOR	D	1		1
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Туре	of Cement	#Sacks	s Used		Type and	Percent Additives		
Shots Per Foot			D - Bridge Plu ach Interval Pe				acture, Shot, Cemer mount and Kind of N		ord D	epth
·		:		,						
TUBING RECORD	Size	Set At		Packer	At	Liner Run	☐ Yes ✓ No	0		:
Date of First, Resumed F	Production, SWD or E	nhr.	Producing Met	hod	Flowin	g Dump			ner <i>(Explain)</i>	<u>.</u>
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er I	Bbls.	Gas-Oil Ratio	Gra	vity
Disposition of Gas	METHOD OF	COMPLETIC	N .			Production Inte	erval			1.
Vented Sold (If vented, Sun	Used on Lease nit ACO-18.)		Open Hole Other (Spec		PARMAN A	Dually Comp. 2. 31-17-20 3. 31-17-32 3. 31-71-32	Commingled			

My Commission Expires

SCHAAL DRILLING, CO. **PO BOX 416 BURLINGTON, CO. 80807** 719-346-8032

FIELD REPORT

SURFACE CASING, DRILLING AND CEMENTING

DRILLING DATE 11-16-07			
WELL NAME & LEASE # Gebhards 1-3	5		
MOVE IN, RIG UP, DIG PITS ETC. DAT	E 11-15-07	TIME 2:00	□AM ⊠ PM
SPUD TIME 7:45 MAM PM SHAI	LE DEPTH 50	TIME 8:00	⊠AM □PM
HOLE DIA. 91/2 FROM 0 TO 245	TD	TIME 9:30	⊠AM □PM
CIRCULATE, T.O.O.H., SET 240.50 FT	CASING 253.50 K	B FT DEPTH	
6 JOINTS 7 0D #/FT 14 11	5.5 🖾 17 🗀 20 🗀]23	
PUMP 75 SAC CEMENT 375 GAI	L.DISP. CIRC. 4 BB	L TO PIT	
PLUG DOWN 10:30	M DATE 11-16	5-07	
CEMENT LEFT IN CSG. 25 FT CENTRALIZER 1	TYPE: PORTLANI CEMENT COST \$		ASTM C 150
ELEVATION 3782 +12KB 3794			٠
PIPE TALLY 1. 40.40 2. 38.65 3. 40.35 4. 40.30 5. 40.40 6. 40.40 7. 8. 9. 10. 11. 12.			
13. 14.		1	RECEIVES
TOTAL 240.50		'	_ 0.0.0

D COMMISSION

MAR 20 2008

CONSERVATION DIVISION WICHITA, KS

an and the control of the property of the control o A DIVISION OF ADVANCED DRILLING TECHNOLOGIES, LLC.

FIELD SERVICE TICKET AND INVOICE

LONGHORN CEMENTING CO. PO. BOX 203 YUMA COLORADO 80759 Phone: 970-848-0799 Fax: 970-848-0798

an again tage.	CHARLE COLUMN	Carried Street	TICKET	sent attal	1000	70.4
DATE M	1/20	10 1	TICKET	ุมก 🥳	A 1	
, UAIL , L	1130	, 🗸,	<u></u>	ΠU.		UZ

receive a minus		alegan alterna	ų		Action with the second	خدود كالأحار بسوح ويجيب وأوار	Fax: 970-84	ANT THE PARTY OF		A PART HOLE			
in an extendibute	orande estados de la contractica del la contractica de la contractica del la contractica de la contrac	医蝶醇 化氯化		*2000年 879日本 会 6	ar (established) Having Toronto)	lain brid so	endrieferen	DATE	11/30/	TICK	et no	AU	2
DATE OF	्राम्य । संदर्भी व्यवस्था १८ व्यवस्था	DISTRICT		a lagher de Lagher de rether	all the said in			VELL S	PROD	ZINJ ≹ □ (W	DW E	CUSTOMER ORDER NO.	
CUSTOMER			to t		- FARTION	LLEAD	E Gie	1/6	ny demark	7-38		WELL NO.	Tein.
AND STATE OF THE S	AND THE RESERVED.	History 1946-95	S 193		MANUAL TO THE		NTY	anisan k		STATE	Te this	frak freisi	N.
	a delete deletera	STATE	· 11 ·	Just Ac	appertured by	SERV	ICE CREW	- Att - Att		erni nattu vahidiji	Turi 9	HIERON	
AUTHORIZED BY	Torset D. B. C. C. C. C.	. व स्मार्थः सम्ब			ng kayang menge		IPMENT	का देशक पूर्व	ings.	it for the ormital	性和的	在10万中 中	
TYPE JOBX 3//	STO. YO DEP		CEMENT D	ATA: BUI	∟к 🔲	SAND DA			TRUCK CALLED	Domina of the other	্যুক্ত ক্ষুদ্র হৈছে হৈছে হৈছে হৈছে হৈছে হৈছে হৈছে হৈছে	DATE AM	TIME
SIZE HOLE: Z. S		THOSE SET LOS	SACKS	BRAND	TYPE L-Y/	% GEL	ADMIX		ARRIVED AT JO	B Projecti		AM. PM.	型線
SIZE & WT. CASTING			DO ARM	· · · · · · ·				5,5,35	START OPERAT	ION		AM PM	
SIZE & WT. D PIPE OF	TUBING DEP	TH 🤞 FT. 🚶	1 1					1	FINISH OPERAT	ION		PM	Section 2
TOP PLUGS	TYPE:	<u>. 1. 1</u>	WEIGHT OF VOLUME OF		5.7	LBS./GAL	LBS./(RELEASED			AM PM	V 100
PD 81 11/2	7				ENT TREATE		% OF			TATION TO WELL		PM*	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	MAX DEPTH	イブ() FT.		MAX	PRESSURE	الله الله	P.S.I.	. 11 / 11	WILESTATION	IAHOH TO WEEL			<u> </u>
The undersigned products, and/or	is authorized to ex	recute this con	tract as an a	agent of the	e customer	: As such, t iring on the consent or	he undersign front and ba	ned agree ck of this f Advance	document. No a ed Drilling Techn	dges that this cont additonal or substi	tute teri	ms and/or con	ditions
and the second		<u> </u>			·	· · · · · · · · · · · · · · · · · · ·		T (V	VELL OWNER, C				
REF. NUMBER	MA	TERIAL, EC	UIPMEN	T AND S	ERVICES	S USED	i day jag	UNIT	QUANTITY	UNIT PRIC	Œ	\$ AMOL	
Ball States of the sa	West Long.	1 Land	Cagai	ر ان مر	19	on C		4	The state of the s	Control Control State St	100	4200	OU.
and the second second	from the world with	in Charle	and the	e de la contraction de la cont			<u>. بېدىغىنى</u>	51 (10 min or or		A TOTAL STREET, WHEN A STREET		ege = Sheep e	
المراجع والمعارض المناطق المنا	is La experimenta e en la escritor	1 3 1 3 1 5 1 1 1			<u> </u>			3° 28' 28'				2 (C. S.	2 1
and the state of	342 FEG	15.90 j	7,00	6.0				/				26.	4:7
2 in will be the form	1 A Stanton and	sted in m		411	1 Wine			1	ACT SAME STATE	A STATE OF THE STA		72	409
7 11-9	4分 100	A STATE OF THE STA		$\cdots y$	U	- Solvering	Transcriptor and the	5	and the following of	ropangangan di kalangan	Actions of	715	استور:
\$30~~x	78 3cm	eteres C						15				€0,	80
	The Land	5.4/2-62						1	Maria de la compansión de	·		36	44
400-2	C. KIULY							50				<0	ان او
7300-4	Kil							50				60	45
A CONTRACTOR OF THE PARTY OF TH	1	<u> </u>	•					the state of the	St. Company	- Carrier garage, the	14 1 (K)	errep in a	—
					······································							5763	70
			<u>:</u>						RECEIVE	OMMISSION			
584-1	Kel in	· :	0761					ZARNAS	RECEIVE CORPORATION			in a second	
7/4 C	10.	15.200		,	. ···			RANG.	MAR 207	1008			
0303	07 0	13.7 4/2					· ·		MAK				1 7 7
U2-15	ساهیان ۱۹۰۰ مرسه استان از نور از ایا از	7 (See C)	?						CONSERVATION	DIVISION			- 1.17 - 1.17
()400	Burney IV	0	200 typ 3	_} ,		······································	•		CONTRACTOR A				
ACID DATA:				7			•	· 		SUB TO	IAL		
 	LONS %	ADDITI	VES	4	L		E & EQUIF	PMENT		TAX ON'\$		<u> </u>	+ ::
							%	TAX ON \$		 	+-		
HCL			<u> </u>				• •	: عرب سر -		TC	TAL	and a gradient	
gat will be the part		11:00	1									ر داد. نماونایوند، و ۱ نسب س	gradi da Caba Kar

SERVICE REPRESENTATIVE

FIELD SERVICE ORDER NO. 14. E. W.

to extend the control of The second second

. The fact find to what the first

Specification سدوبا بالهودة February. **ब्रह्म मान रेक्ट्र प्राप्त**

が mor 訓書 小司

THE ABOVE MATERIAL AND SERVICE
ORDERED BY CUSTOMER AND RECEIVED BY:

(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)





March 18, 2008

Kansas Corporation Commission Oil & Gas Conservation Division 130 S. Main, Room 2078 Wichita, KS 67202

RE: Raven Resources Gebhards #1-35 Sec 35-12-42W Wallace Co., KS API #15-199-20368-0000

To Whom It May Concern:

Enclosed are the Form ACO-1 Completion Report, cementing tickets and logs for the above-mentioned well.

Please hold all information contained in this well confidential for a period of at least one year.

If you have any further questions, please feel free to give me a call.

Sincerely,

Daniel Rice

David Rice, Agent Raven Resources

DR/ba

cc: Raven Recources

Attachments

RECEIVED KANSAS CORPORATION COMMISSION

MAR 20 2008

CONSERVATION DIVISION WICHITA, KS